




Hearth Products Controls Co.

Outdoor Fire Products



HPCfire.com

April, 2011




Outdoor Fire Products



Complete Fire Pit Packages.....Pg.10



Fire Pit Inserts.....Pg.16



TK Torch Series.....Pg.25




Flame Control Systems.....Pg.26




Outdoor Burners.....Pg.28



Fire Pit Accessories.....Pg.32



Fire Pit Media.....Pg.35



More Components.....Pg.38



Replacement Parts—
Pg. 44





Hearth Products Controls Company
Ph: (877) 433-7001 Fax: (877) 433-0704
HPCfire.com

Who We Are

Hearth Products Controls Company (HPC) was originally a division of The Maddox Company (founded by Dan Maddox) and was incorporated on December 1, 1975. Since then, TMC has been active in the hearth products industry as a manufacturers representative, one-step & two-step distributor, and as a manufacturing division. The HPC division began in 1989; HPC was split off as a separate corporation in 2001.

The foundation of the company was built on safety pilot valve, millivolt valve, and remote control kits / repair parts, as well as various other components for the hearth industry. We then diversified our thinking by introducing the Outdoor Fire Products line in 2003 with the manufacturing of fire rings. Today this segment of the business has grown to include high-end electronic ignition fire pits, push button ignition fire pits, TK Torches, portable fire pits, copper water bowls, outdoor fireplace accessories, and a selection of stainless steel components second to none.

HPC also designs custom fire features and their control systems of any shape or size for residential or commercial applications. These range from 2 feet to 30 feet wide, from 50 thousand to 3 million Btu fire features found at large venues throughout the country including casinos, resorts, and restaurants.

We are located in Dayton, Ohio at our facility that houses the manufacturing, warehouse & of course the always helpful office staff. We have a very diverse, experienced, and knowledgeable group of Sales Reps throughout the U.S. & Canada that cover every state & region. We have 1,400 distributors & retailers in North America in numerous industries including hearth, landscape, pool & spa, outdoor kitchen, patio furniture, and outdoor lighting just to name a few.

What We Do

Working within our mission statement and operating standards we:

- Develop, package and construct the most useful and easy to use kits in our industry.
- Offer custom kits to meet any customer needs.
- Package kits with our label, no label or with our customers label.
- Have components manufactured just for our use.
- Acquire the best components we can find.
- Provide a variety of products to assist in the installation and servicing of hearth products.
- We offer a broad line of fire ring and fire pit products in the Hearth Industry.
- Provide excellent customer service & state-of-the-art technical support for our kits and products.
- Offer broad line of outdoor burners including fire rings, T-Burners, linear, and dual burners.
- CSA Certification on our Remote Electronic Ignition Fire Pits.
- Design & build custom fire pits and burners.
- Orders are shipped within 1—2 days upon receipt of PO for majority of product.
- Do not have an order minimum, however; there is a small package surcharge on orders under \$50.00.
- Always offer a live attendant on our phone lines 8:00AM—5:00PM, Monday—Friday, Eastern Standard Time.
- Also have after hours voice mail and website is available 24/7 at www.HPCfire.com



Our Mission Statement

HPC will strive to be the leader in our industry through safe, innovative, high quality products and more importantly provide excellent customer service, training, and education to our valued customers and community.

Our Operating Standards

- Value every customer regardless of size.
- Treat customers, as we would like our sources to treat us.
- Make products that are as widely applicable as possible.
- Make products that are as complete and installer friendly as possible.
- Use the best possible components in our products.
- Keep overhead as low as we can, consistent with good service and fair prices.
- Continuously looking for ways to improve our present products and services as well searching for additional services and products our customers want or need.
- Be professional in all actions, products, and materials.
- Keep as aware as we can of industry trends and changes.
- Keep our inventories at a level consistent with quick and complete shipment of orders.





Live Burn Demo Program

You will receive credit for future purchases on the following products that you install in a live burn display in your facility or your outdoor demo area. Purchase these products, install in live burn area, take a picture of the live burn demo and forward it with your request for credit. Fifty percent (50%) credit of the demo items will be applied to your account on a manual control valve kit, safety pilot kit, millivolt kit, and complete fire pit kits. The live burn demo credit does not apply to custom products.

Small Order Surcharge

We have a small order surcharge on orders of \$50.00 or less.

Surcharge of \$5.00 is applied to orders of \$0.01—\$24.99

Surcharge of \$3.00 is applied to orders of \$25.00—\$49.99

Freight Policy

Most orders will be shipped FOB Dayton, Ohio at a standard shipping carrier selected by HPC unless customer specifically requests their own carrier and account. A handling fee may be charged for use of non-standard HPC carriers. A freight quote may be requested in advance. HPC works diligently with standard carriers to achieve the best discounts available.

Credit Policy

All shipments are billed in **US Dollars** and **must** be paid in **US Dollars**. Our regular term is **Net 30 days** from the invoice date; overseas terms are **Net 45 days** from the invoice date.

1. If an invoice becomes 10 days past due, the account may be placed on credit hold. Placing an account on credit hold restricts the shipment of orders.
2. When an invoice becomes 15 days past due, we reserve the option to apply a 1.5% per month finance charge back to the due date of the invoice and for any 30 day period going forward in which the invoice remains unpaid. The account terms may be changed to Credit Card, Cash on Delivery or Cash in Advance.
3. If an invoice becomes 30 days past due, your account may be referred to an outside collection agency unless we have jointly agreed to a payment schedule or plan.
4. When the account is referred to a collection agency, the collection charges must be repaid. Also, we reserve the right to make the account terms Credit Card, Cash on Delivery, or Cash in Advance.
5. Any discounts received on a delinquent invoice may be revoked and expected to be paid. HPC reserves the right to discontinue future discounts.

We accept Visa, MasterCard, Discover & American Express

If you **EVER** have a temporary problem or we have made a mistake on an invoice, **PLEASE CALL US IMMEDIATELY TO DISCUSS AND RESOLVE THE PROBLEM.**

Yours very truly,

Greg Steck



Warranty Program

Hearth Products Controls Company warranties product against manufacturing defects that prevent safe and correct operation of the product commencing from the date of original sale / shipment from HPC. The warranty on parts and in-house labor will apply only to claims presented to us by our original customer and is in lieu of all other warranties expressed or implied. Please refer to the Warranty Chart below for warranty periods.

The defective product must be shipped back with an RMA (Return Merchandise Authorization) issued by HPC for that specific product which states the nature of the defect or warranty claim. Product to be returned should be packed carefully—HPC is not responsible for damage on returned items. The original purchase information will be required. RMA's are only valid for 30 days from the date of issue by HPC and will not be processed if received after the expiration date. The RMA number must be indicated on the outside of the return package and a copy of the RMA in the package with product.

Our warranty does not cover items that have been damaged by over heating, modification, abuse, improper storage, installation, or maintenance. This warranty excludes claims for incidental or consequential damage and indirect-collateral expenses arising from product defects or warranty recovery.

Hearth Products Controls Company is not responsible for local codes and / or if any of our products are not approved for installation. Please check with your local building department or governing agencies for proper approvals before purchasing. HPC is not responsible for the actions including negligence of the installer.

Warranty Chart

Components	Application	
	Residential	Commercial
Indoor Fireplace		
Safety Pilot & Latch Tap Valve Kits	5 yrs	5 yrs
Millivolt & Manual Valve Kits	5 yrs	5 yrs
Indoor Remote Control Kits	5 yrs	5 yrs
Outdoor Fire Effects		
Remote Electronic Ignition Fire Pits & Systems		
All electronics, valve, & pilot assembly	1 yr	6 mos
SS Components: pan, fire ring, & valve box	3yrs	1yr
FPPK Series Fire Pits	1yr	6 mos
Stainless Steel Components	3yrs	1 yr
Fire rings, match lit kits, pans, valve boxes, fireplace grates & burner pans, nipples, fittings		
Cold Rolled Steel Components	1yr	6 mos.
Fire rings, match lit kits, log lighters, nipples, fittings		
Miscellaneous		
Ceramic Fiber Logs	3 yrs	2 yrs
Unfinished Fire Pit Enclosures	3 yrs	3 yrs
Finished Fire Pit Enclosures	3 yrs	3 yrs
Copper Bowl Series (Normal weathering expected)	3 yrs	3 yrs



Hearth Products Controls Company
Ph: (877) 433-7001 Fax: (877) 433-0704
HPCfire.com

Product Return Policy

All returned product must have an RMA (Return Merchandise Authorization) issued by one of our technical support staff. To get an RMA please have your original purchase information available and contact the technical support staff. If the reason is a defective product, a support person will attempt to solve the problem over the telephone. If the technical support staff cannot troubleshoot the problem over the phone, a RMA and a return services (UPS) label will be issued.

The RMA number must be indicated on the outside of the returned package and a copy of RMA paperwork within the package. The RMA is valid for 30 days after issued. Once we receive the product back, testing will begin.

It is important to note the complete unit must be returned in order to test the product. If all parts needed to test the unit are not returned, parts needed will be charged to the customer and unit will be returned complete to the customer. If any questions on what should be returned, please contact the technical support staff.

Product Testing Program

A Product Testing Report will be filled out by our testing department showing what was found in testing and the disposition of tested products. This report will be included with any products returned to customer.

- | | |
|--------------------------|---|
| Defective: | If an item is found to be defective it will be repaired or replaced at our discretion. HPC will absorb all costs of incoming/outgoing freight and replacement or repair costs if product is in warranty. |
| Non-defective: | If the product is found to be non-defective it will be returned to the customer— no credit will be given.
Freight in and freight out are at customers expense. |
| HPC Error: | If a return is needed due to a mistake on our part, we will issue a RMA and Return Services Label. When products are received at HPC, credit will be issued for the products and the outgoing freight on the original invoice. |
| Customer Error: | If an RMA is asked for and covers current new products in the original package, we will authorize the return. The customer is responsible for the return shipping. When products are received we will issue credit for the original customer cost less a 20% restocking charge. Custom orders do not apply. |
| Excess Inventory: | If due to excess customer inventory (of current new products in original packages only) we may issue a RMA. The customer is responsible for the return shipping. When products are received we will issue credit for the original customer cost less a 20% restocking charge. |
| Remote Controls: | Please confirm you have replaced the batteries in the handheld remote and receiver before returning the unit to Hearth Products Controls under warranty. If your remote is found to be non-defective except for weak or bad batteries, you will be charged for any freight charges incurred for the return. |



Internet Minimum Advertised Pricing Policy

This policy will be in effect in the coming months— announcement to follow on timing.

Hearth Products Controls Co. (the "Company") has unilaterally adopted this Internet Minimum Advertised Pricing Policy ("Policy"). This Policy is subject to change at any time by the Company at its sole discretion.

1. **Purpose:** The purpose of this policy is to protect the value of the Company's trademarks and brand names and to attract and retain reputable, customer-friendly Internet resellers.
2. **Scope:** This Policy is applicable to all sellers of the Company's products (the "Products") who advertise or sell Products on any Internet platform ("Resellers") and to distributors ("Distributors") that sell to such Resellers. This Policy applies to all Products of the Company unless otherwise specified by the Company. The Policy applies only to prices advertised anywhere on the Internet or by means of the Internet (including but not limited to websites, social media, direct e-mail advertising, and related materials that are accessible through the Internet platform by means of a hyperlink). The Policy does not apply to print advertising or in-store advertising for Products to be sold at a physical store but does apply to all advertising for sales to be made over or by means of the Internet. This Policy does not apply to the price at which the Products are actually sold. Nothing in the Policy or other agreement with the Company will constitute an agreement on the price or price levels at which Resellers or Distributors actually sell any Product.
3. **Internet Minimum Advertised Price:** The Internet advertised price of a Product means the net price advertised on the Internet after all discounts, rebates, gifts or promotional items. The Internet Minimum Advertised Price ("IMAP") shall be set by the Company from time to time in its sole discretion and shall be communicated by the Company to the Resellers from time to time. If the Company makes the IMAP available on a website accessible to the Reseller and in forms Reseller of this, it is the responsibility of the Reseller to maintain current knowledge of the IMAP.
4. **Policy on Internet Price Advertising:** It is the policy of the Company that Resellers shall not advertise any Company Product on the Internet at prices below the IMAP for that Product established by the Company. This policy is not violated by Reseller advertising a higher price. Also, this policy is not violated by communication by email or telephone to an individual customer in response to a telephone or email inquiry from the customer. Statements on a website such as "call for pricing" for a Product do not violate the Policy as long as a price for the Product is provided on the same website and that price is equal to or exceeds the IMAP. Also, it is a violation of this Policy for the Reseller to characterize or disclose any pricing as the Internet minimum advertised price or that such minimum is based on the Company's policies. Resellers and Distributors have not agreed to this unilateral Policy and the Company is not seeking any such agreement. However, if a Reseller or a Distributor violates this Policy, the Company's policy is to take certain unilateral actions.
5. **Actions by the Company:** The Company has the right to sell Products to each Reseller or Distributor or to refrain or stop from doing in its discretion for any reason or for no reason. Under this Policy, if Reseller advertises Products on the Internet below the IMAP or otherwise violates this Policy, the Company may cease selling or shipping Products to Reseller or its customers and/or cease taking orders from Reseller for a temporary or permanent period in the Company's discretion, which may take into account circumstances such as the number of violations or the repetition of violations. Also, if a Distributor sells Product to any Reseller that violates this Policy, the Distributor will be in violation of the Policy and the Company may cease selling or shipping Products to that Distributor or its customers and/or cease taking orders from that Distributor for a temporary or permanent period in the Company's discretion, which may take into account circumstances such as the number of violations or the repetition of violations. The Company will take these actions unilaterally and will not seek or accept any agreement by a Reseller or a Distributor or any assurance of future compliance by that Reseller or Distributor.
6. **Contact Information.** Company sales personnel have no authority to modify or grant exceptions to this Policy. All questions or comments regarding this Policy should be directed to the policy administrator at info@HPCfire.com.






HPC Custom Fire Features– Let us design for you!

HPC designs and manufactures commercial or residential fire features including custom enclosures and fire pit inserts of any shape or size– from 2 feet to 30 feet wide, from 50 thousand to 3 million Btu output.. These fire products can be found at large venues throughout the world including casinos, resorts, ball parks, airports, malls, restaurants, etc..

Our flame control technology ranges from the simple millivolt controls using a thermocouple to the very popular electronic controls allowing for remote control and utilization of extremely accurate UV sensors for the very large fire effects. The burner and pan assemblies designed by HPC (stainless steel or cold rolled steel) consist of large manifolds or fire rings in any shape or size.

Please allow us to assist you in the design of your custom project. We will be happy to provide input using our numerous years of experience with outdoor and indoor systems.

Feel free to call us or simply fill out the Custom Quote Request form on Pg. 49 and send to us (also available on line).





Outdoor Fire Products

Complete Fire Pit Packages


HPC now offers complete fire pit packages that include finished or unfinished enclosures fitted with a CSA Certified remote electronic ignition fire pit insert (Round: 25SS150HWI; Linear: 36SS75HWI-TRGH or 48SS100HWI-TRGH). The finished models are available in various colors finished with a durable & beautiful Granitech finish.

Granitech Finished Enclosures– Electronic Ignition Complete Packages

These enclosures are finished with the durable Granitech finish– shapes available in round, octagon, square, and linear. These take the guess work out of enclosure construction– especially with the difficult round and octagon shapes. These enclosures are 18” tall and are constructed of sturdy 22 gauge galvanized steel material, welded frame, a 1/2” Hardiboard shell, and weighs ~150lbs.

The Granitech finish is a revolutionary “stucco” type finish that is highly resistant to abrasions and presents a very impervious surface for long term use– something most other stucco materials cannot do. The Granitech sealant used will provide a stain-resistant surface as well as long term UV resistance. Available in single or two color finish for the same price.

Includes the finished enclosure, remote electronic fire pit insert, lava rock, and remote control.




Qty.	Granitech Finish Model #		Gas Type NA or LP?	Description
	G45R/25SS150CEK			Round 45"x18"h Granitech Finish, 25SS150 HWI Insert
	G45O/25SS150CEK			Octagon 45"x 18"h Granitech Finish, 25SS150 HWI Insert
	G45S/25SS150CEK			Square 45"x 18"h Granitech Finish, 25SS150 HWI Insert
	G60X24/36TRGCEK			60"x 24"x18"h Granitech Finish, 36SS75HWI-TRGH Insert
	G60X24/48TRGCEK			60"x 24"x18"h Granitech Finish, 48SS100HWI-TRGH Insert

Granitech Colors Available (Single or Two Color are for the same dealer cost):

Single Color Combination: We have four textured color choices shown below– Sandstone, Coral Reef, Alabaster, & Night Sky.

Two Color Combination: Base (sides)-Single colors above.; Top Colors are Ebony and Concrete– both have a smoother finish.



Accessories..(Pg)



Logs (32)



Media (36)



Covers (33)

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Complete Fire Pit Packages



Unfinished Enclosures– Electronic Ignition Complete Packages

These units are unfinished to allow for the customer to finish with stone, veneer, or stucco to match their surrounding. Shapes available in round, octagon, square, and linear. The housings take the guess work out of enclosure construction– especially with the difficult round and octagon shapes. These are 18” tall and are constructed of sturdy 22 gauge galvanized steel material, welded frame, a 1/2” Hardiboard shell, and weighs 150lbs.

Includes the unfinished enclosure, remote electronic fire pit insert, lava rock, and remote control.



Qty.	Unfinished Model #		Gas Type NA or LP?	Description
	U45R/25SS150CEK			Round 45"x 18"h Unfinished Enclosure, 25SS150 HWI Insert
	U45O/25SS150CEK			Octagon 45"x 18"h Unfinished Enclosure, 25SS150 HWI Insert
	U45S/25SS150CEK			Square 45"x 18"h Unfinished Enclosure, 25SS150 HWI Insert
	U60X24/36TRGCEK			60x 24"x18"h Unfinished Enclosure, 36SS75HWI-TRGH Insert
	U60X24/48TRGCEK			60x24"x18"h Unfinished Enclosure, 48SS100HWI-TRGH Insert
	U54R/25SS150CEK			Round 54" x 18"h Unfinished Enclosure, 25SS150 HWI Insert
	U54O/25SS150CEK			Octagon 54" x18"h Unfinished Enclosure, 25SS150 HWI Insert

Match Lit- Finished & Unfinished Enclosure Packages

These units come either finished or unfinished with the same options as the Electronic Ignition Packages, however are match lit models.

Includes the enclosure, SS pan, fire ring, decorative key valve (black), fittings, 24” gas flex line, and lava rock.

Match Lit- Finished Enclosure Packages

Qty.	Granitech Finish Model #		Gas Type NA or LP?	Description
	G45R/FPS25CEK			Round 45"x18"h Granitech Finish, 25" SS Pan, 18" Ring
	G45O/FPS25CEK			Octagon 45"x 18"h Granitech Finish, 25" SS Pan, 18" Ring
	G45S/FPS25CEK			Square 45"x 18"h Granitech Finish, 25" SS Pan, 18" Ring
	G60X24/36FPSCEK			60"x 24"x18"h Granitech Finish, 36" SS Trough Burner
	G60X24/48FPSCEK			60"x 24"x 18"h Granitech Finish, 48" SS Trough Burner

Match Lit- Unfinished Enclosure Packages

Qty.	Unfinished Model #		Gas Type NA or LP?	Description
	U45R/FPS25CEK			Round 45"x18" Unfinished Enclosure, 25" SS Pan, 18" Ring
	U45O/FPS25CEK			Octagon 45"x18" Unfinished Enclosure, 25" SS Pan, 18" Ring
	U45S/FPS25CEK			Square 45"x 18" Unfinished Enclosure, 25" SS Pan, 18" Ring
	U60X24/36FPSCEK			60"x 24"x18" Unfinished Enclosure, 36" SS Trough Burner
	U60X24/48FPSCEK			60"x 24"x 18" Unfinished Enclosure, 48" SS Trough Burner
	U54R/FPS25CEK			Round 54"x18"h Unfinished Enclosure, 25" SS Pan, 18" Ring
	U54O/FPS25CEK			Octagon 54"x18"h Unfinished Enclosure, 25" SS Pan, 18" Ring

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Copper Bowl Series...

New to this year's line up is the Copper Bowl Series available in the Fire Bowl or the Fire & Water Bowl models. Both are fitted with a match-lit insert or a CSA Certified remote electronic ignition fire pit insert. These come in an oil rubbed look with either a hammered finish or a smooth finish.



Sierra Water



Tempe Water




Mesa Water




Sedona Water



Mesa



Hammered Finish



Smooth Finish

Fire Bowls / Fire & Water Bowls- Planning Details

These bowls are designed to be mounted either on a column (Topper Bowl) or as a stand alone fire feature (Complete Bowl).

Topper Bowls

Topper Bowls are designed for column or table top mounting. These are more shallow than the Complete Bowls explained below- range only 3" to 11" deep. Match lit models require mounting of decorative gas valve in column or table. The remote electronic ignition model control box is in the column supporting the bowl. For drawings, see HPCfire.com.



Tempe

Tempe Models (TEMP31-...): This round **hammered** copper bowl has an oil rubbed look. Dimensions are 31" diameter, 11" tall, with an 8" base. Fire pit insert has a 19" pan, 12" fire ring.



Phoenix

Phoenix Models: This square **smooth** copper bowl has an oil rubbed look.

(PHOE24-...): Dimensions are: 24"x 24", 3" tall, Fire pit insert has a 18" flat pan, 12" fire ring.

(PHOE30-...): Dimensions are: 30"x 30", 6" tall, Fire pit insert has a 19" pan, 12" fire ring.



Topper:
Column
Mount

Complete Bowls

These bowls are deep enough to allow for the control box of the remote electronic ignition inserts to be inside the bowl. Match lit models can have valve mounted in bowl. This gives the flexibility for placing bowl at ground level.



Sedona

Sedona Models (SEDO40-...): This square **hammered** copper bowl has an oil rubbed look. Dimensions are 40"x 40", 16" tall, with a 20"x 20" base. Fire pit insert has a 25" pan, 18" fire ring.



Sierra

Sierra Models (SIER36-...): This square **smooth** copper bowl has an oil rubbed look. Dimensions are 36"x 36", 16" tall, with a 18"x 18" base. Fire pit insert has a 19" pan, 12" fire ring.



Mesa

Mesa Models (MESA32-...): This round **smooth** copper bowl has an oil rubbed look. Dimensions are 32", Dia 15" tall, with a 15" base. Fire pit insert has a 18" flat pan, 12" fire ring.



Complete:
Ground
Placement

Complete Fire Pit Packages



Copper Fire & Water Bowls (cont 'd)

Match-Lit Models

These models are the simple quarter turn decorative valve that are match-lit units.


Includes the copper bowl, decorative key valve (black), stainless steel pan, stainless steel fire ring, mounting hardware, 24" gas flex line, and lava rock. Available May, 2011.

Fire Bowls– Match Lit

Qty.	Fire Bowl Model #		Gas-NA or LP?	Description
	TEMP31-FPS			Topper-Tempe 31x 11" Round Hammered, 19" SS Pan, 12" Ring, 90k
	PHOE24-FPS			Topper-Phoenix 24x 24x 3" Square, 18" Flat SS Pan, 12" Ring, 90k
	PHOE30-FPS			Topper-Phoenix 30x 30x 6" Square, 19" SS Pan, 12" Ring, 90k
	SEDO40-FPS			Complete-Sedona 40x16" Square Hammered, 25" SS Pan, 18" Ring, 150k
	SIER36-FPS			Complete-Sierra 36x 36x 16 Square, 19" SS Pan, 12" Ring, 90k
	MESA32-FPS			Complete-Mesa 32 Dia x 16" Round, 18" Flat SS Pan, 12" Ring, 90k

Fire & Water Bowls– Match Lit (Water Scupper)

Qty.	Fire & Water Model #		Gas-NA or LP?	Description
	TEMP31W-FPS			Topper-Tempe 31x 11" Round Hammered, 19" SS Pan, 12" Ring, 90k
	SEDO40W-FPS			Complete-Sedona 40x16" Square Hammered, 25" SS Pan, 18" Ring, 150k
	SIER36W-FPS			Complete-Sierra 36x 36x 16 Square, 19" SS Pan, 12" Ring, 90k
	MESA32W-FPS			Complete-Mesa 32 Dia x 16" Round, 19" SS Pan, 12" Ring, 90k



Tempe Water



Sedona or Sierra



Mesa Water

Remote Electronic Ignition Models

These models utilize a CSA Certified remote electronic ignition fire pit insert.

Includes the copper bowl, remote electronic ignition fire pit insert, mounting hardware, 24" gas flex line, and lava rock. Available May, 2011.

Fire Bowls– HWI

Qty.	Fire Bowl Model #		Gas-NA or LP?	Description
	TEMP31-HWI			Topper-Tempe 31x 11" Round Hammered, 19SS90 HWI Insert, 90k
	PHOE24-HWI			Topper-Phoenix 24x 24x 3" Square Smooth, 18FSS90 HWI Insert, 90k
	PHOE30-HWI			Topper-Phoenix 30x 30x 6" Square Smooth, 19SS90 HWI Insert, 90k
	SEDO40-HWI			Complete-Sedona 40x 16" Square Hammered, 25SS150 HWI Insert, 150k
	SIER36-HWI			Complete-Sierra 36x36x16 Square Smooth, 19SS90 HWI Insert, 90k
	MESA32-HWI			Complete-Mesa 32 Dia x 16" Round Smooth, 18FSS90 HWI Insert, 90k

Fire & Water Bowls– HWI (Water Scupper)

Qty.	Fire & Water Model #		Gas-NA or LP?	Description
	TEMP31W-HWI			Topper-Tempe 31"x 11" Round Hammered, 19SS90 HWI Insert, 90k
	SEDO40W-HWI			Complete-Sedona 40x 16" Square Hammered, 25SS150 HWI Insert, 150k
	SIER36W-HWI			Complete-Sierra 36x36x16 Square Smooth, 19SS90 HWI Insert, 90k
	MESA32W-HWI			Complete-Mesa 32 Dia x 16" Round Smooth, 18FSS90 HWI Insert, 90k



Accessories... (Pg)



Logs (32)



Media (36)



Covers (33)



Outdoor Fire Products

Polymer Coated Fire Pits

HPC is proud to offer this new series of enclosure models constructed of steel and finished in a very durable polymer coating. They will not tarnish, rust, or burn, & are UV resistant. These hand constructed units come in 3 models– the Athena, the Parallax Square, and the Parallax Rectangle– each of which are fitted with a match-lit insert or a CSA Certified remote electronic ignition fire pit insert. These come in in three beautiful finishes– Tuscan, Nova, and Provance.



Parallax Square – Tuscan Finish



Athena – Nova Finish

***All pictured are Match Lit Models*



Parallax Rectangle – Provance Finish

Lid Provided with All.

Athena Cocktail...



Dimensions are 42" diameter & 18" tall. The fire pit insert has a 13" pan, 12" fire ring. Comes with lid & leveling feet. Available Match Lit or Remote Electronic.

Parallax Square...



Dimensions are 42"x 42" x 18" tall. The fire pit insert has a 24" pan, 18" fire ring. Comes with lid and leveling feet. Available Match Lit or Remote Electronic.

Parallax Rectangle...



Dimensions are 60"x 30" x 18" tall. The fire pit insert has a 36" trough burner pan. Comes with lid and leveling feet. Available Match Lit or Remote Electronic.

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Complete Fire Pit Packages



Polymer Coated Fire Pits (cont'd)



Nova Finish



Tuscan Finish



Provance Finish

Match Lit Models

These models are the simple quarter turn decorative valve that are match-lit units.

Includes the polymer finished enclosure, decorative key valve, stainless steel pan, stainless steel fire ring, mounting

Qty.	Model #		Finish Color?	Gas-NA or LP?	Description
	ATHEN42-FPS				Athena Cocktail- 42x 18", 13" SS Pan, 12" Ring, 90k
	PARAL42SQ-FPS				Parallax Square- 42x 42x 18"; 24" SS Pan, 18" Ring, 150k
	PARAL60X30-FPS				Parallax Rectangle- 60x 30x 18"; 36" Trough Burner, 75k

Remote Electronic Ignition Models

These models utilize a CSA Certified remote electronic ignition fire pit insert.

Includes the polymer finished enclosure, remote electronic ignition fire pit insert, mounting hardware, flex line, and lava rock.

Qty.	Model #		Finish Color?	Gas-NA or LP?	Description
	ATHEN42-HWI				Athena Cocktail- 42x 18", 13SS90 HWI Insert, 90k
	PARAL42SQ-HWI				Parallax Square- 42x 42x 18"; 24FSS150 HWI Insert, 150k
	PARAL60X30-HWI				Parallax Rectangle-60x 30x 18"; 36" 36SS75HWI-TRGH, 75k

Match Lit, Flame Sensing GFRC Enclosure Fire Pit

Comes fully assembled with safety pilot, 75K Valve. Enclosure available in beige or gray. Comes with 19" spun pan, 12" fire ring, vinyl cover and lava rock.

Safety Pilot Controlled, Match Lit Finished Enclosure Kits

Qty	Model #		Gas-NA or LP	Enclosure Dimensions	Pan Size	Ring Size	BTU
	FPSP/FPE21GR			27x27x21	19	12	90K
	FPSP/FPE21BG			27x27x21	19	12	90K



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Fire Pit Inserts

Remote Electronic Ignition Inserts

These are the top of the line, heavy duty, stainless steel fire pits controlled with handheld remote or wall switch.

Our Electronic Ignition fire pits are the only fire pit in U.S. & Canada certified up to 400k Btu.



- Comes fully assembled, ready to drop in.
- Constructed of stainless steel pan, fire ring, and valve box.
- Hot wire ignition system—120v A/C (24v A/C available upon request).
- Includes option of handheld remote or wall switch, 24" flex line, vinyl fire pit cover, and lava rock for pan.
- See our website for detailed drawings of all models— HPCfire.com



**Bowl Type Pan
(25SS150 HWI)**



**Sealed Water Resistant,
Stainless Steel Control Box**



Bowl Type Pan Models

This style of pan is our most popular— available from the small 13" model to the large 43" version.

Bowl Type Pan - Pan is 2 3/8" deep w/ 1 3/8" lip

Qty	CSA Certified	Model #		Description	BTU	Gas-NG or LP
	See Note	13SS90 HWI		13" ID pan, 12" fire ring	90K	
	Yes	19SS90 HWI		19" ID pan, 12" fire ring	90K	
	Yes	25SS150 HWI		25" ID pan, 18" fire ring	150K	
	See Note	31SS300 HWI		31" ID pan, 24" fire ring	300K	
	Yes	37SS300 HWI HC		37" ID pan, 30" HC fire ring	300K	
	Yes	43SS400 HWI HC		42.5" ID pan, 36" HC fire ring	400K	

Note: 13SS90 HWI, 31SS300 HWI- CSA Certification expected May, 2011— see HPCfire.com for confirmation.

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com




Remote Electronic Ignition Inserts (cont'd)

Round, Flat Pan Models

The flat pan models allow ~2" more clearance from ground level vs. the bowl type models. Common uses are in bowls, shallow enclosures, or concealing lip. See our drawings at HPCfire.com for more details.



Round, Flat Pan



Sealed Water Resistant,
Stainless Steel Control Box

Flat Round Type Pan - flat round pan with round ring

Qty	CSA Certified	Model #		Description	Valve/BTU	Gas-NG or LP
	Yes	18FSS90 HWI		18" flat pan, 12" fire ring	90K	
	Yes	24FSS150 HWI		24" flat pan, 18" fire ring	150K	
	See Note	30FSS300 HWI		30" flat pan, 24" fire ring	300K	
	Yes	36FSS300 HWI HC		36" flat pan, 30" HC fire ring	300K	
	Yes	42FSS400 HWI HC		42" flat pan, 36" HC fire ring	400K	


Note: 30FSS300 HWI CSA- Certification expected complete May, 2011- see HPCfire.com for confirmation.

Square, Flat Pan Models

Although the round pan fire pit is popular in square enclosures, the square pan models delivers more flame in the corners giving a uniform look with the square surrounding.



Square, Flat Pan



Sealed Water Resistant,
Stainless Steel Control Box

Flat Square Type Pan - flat square pan with square ring

Qty	Model #		Description	Valve/BTU	Gas-NG or LP
	18FSS90 HWI-SQ		18x18" flat pan, 12x12" fire ring	90K	
	24FSS150 HWI-SQ		24x24" flat pan, 18x18" fire ring	150K	
	30FSS300 HWI-SQ		30x30" flat pan, 24x24" fire ring	300K	

Accessories... (Pg)



Logs (32)



Covers (33)



Media (36)



Timers (34)

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products


Remote Electronic Ignition Inserts (cont'd)

Rectangle, Flat Pan Models

The rectangle models have been improved since last year— HPC changed the aspect ratio to show an ultra wide look. For an even wider or linear application, please see our Trough Models below.



Rectangle, Flat Pan



Sealed Water Resistant,
Stainless Steel Control Box

Flat Rectangle Type Pan— Rectangle Pan & Ring

Qty	Model #		Description	Valve/BTU	Gas- NG or LP
	24X15FSS90 HWI		24x15" pan, 18x9" ring	90K	
	30X18FSS150 HWI		30x18" pan, 24x12" ring	150K	



Linear Trough Models

Our popular linear fire troughs are available with remote hot wire ignition—complete with HWI Technology. Comes fully assembled with control box mounted under pan. Comes with lava rock and option of remote or wall switch. Available in 24", 36", 48", 60", 72" & 96" models.

Flame height on all models are 10+". **Warping of pan lip while HOT is common— could cause lip to not sit flush on surface. Please recess lip below enclosure top to hide any warping.**

Linear - Trough Type Pan


Qty	CSA Certified	Model #		T-Burner	Gas	BTU
	See Note	24SS50HWI-TRGH		24"		50K
	See Note	36SS75HWI-TRGH		36"		75K
	See Note	48SS100HWI-TRGH		48"		100K
	See Note	60SS125HWI-TRGH		60"		125K
	See Note	72SS150HWI-TRGH		72"		150K
	See Note	96SS200HWI-TRGH		96"		200K



Note: CSA Certification expected complete May, 2011— see HPCfire.com for confirmation.



Linear Trough Pan



Sealed Water Resistant,
Stainless Steel Control Box

Accessories.. (Pg)



Logs (32)



Covers (33)



Media (36)



Timers (34)

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704


orders@HPCfire.com

Fire Pit Inserts



Remote Electronic Ignition Inserts (cont'd)

The chart below will help you decide the Remote Electronic Fire Pit Insert that fits your



Remote Electronic Ignition- Helpful Hints

HPC Components					Your Enclosure			
Model	Center Flame (max) (at 800 ft.)	Log Set	Install Collar	E-Shutoff Valve	Gas Supply* (Min.)	(Dim. A) Pan Support Opening	(Dim. B) Opening 4" Recess of Pan?	Height (Min)
Bowl Pan								
13SS90	20"	FPL12W4	N/A	MSBB	> 3/4"	14"~15"	> 16"	22"
19SS90	20"	FPL17W5	IC19GALV	"	"	20"~21"	> 22"	"
25SS150	20"	FPL24W6	IC25GALV	"	> 1"	26"~27"	> 28"	"
31SS300	24"	"	IC31GALV	MSBB HC	"	32"~33"	>34"	"
37SS300 HC	24"	FPL36W6	IC37GALV	"	"	38"~39"	> 40"	"
43SS400 HC	24"	FPL36W6	IC43GALV	"	"	43.5"~44"	>46"	"
Flat Round Pan								
18FSS90	20"	FPL17W5	N/A	MSBB	>3/4"	16"	> 18"	22"
24FSS150	20"	FPL24W6	"	"	> 1"	22"	>24"	"
30FSS300	24"	"	"	MSBB HC	"	28"	>30"	"
36FSS300 HC	16"	FPL36W6	"	"	"	34"	>36"	"
42FSS400 HC	22"	"	"	"	"	40"	> 42"	"
Flat Square Pan								
18FSS90 SQ	20"	FPL17W5	N/A	MSBB	>3/4"	16"x 16"	> 18"x 18"	22"
24FSS150 SQ	20"	FPL24W6	"	"	> 1"	22"x22"	>24"x 24"	"
30FSS300 SQ	24"	"	"	MSBB HC	"	28"x28"	>30"x 30"	"
Flat Rectangle Pan								
24X15FSS90	18"	FPL24W6	N/A	MSBB	>3/4"	22"x 13"	> 24"x 15"	22"
30X18FSS150	24"	"	"	"	> 1"	28"x 16"	> 30"x 18"	"
Linear Trough Pan								
24SS50TRGH	10"	N/A	N/A	MSBB	>3/4"	24.5 x 6"	27 x 8"	22"
36SS75TRGH	10"	"	"	"	"	36.5 x 6"	39 x 8"	"
48SS100TRGH	10"	"	"	"	"	48.5 x 6"	51 x 8"	"
60SS125TRGH	10"	"	"	"	"	60.5 x 6"	63 x 8"	"
72SS150TRGH	10"	"	"	"	> 1"	72.5 x 6"	75 x 8"	"
96SS200TRGH	10"	"	"	MSBB HC	"	96.5 x 6"	99 x 8"	"

*Gas Supply Line: Please consult a local installer prior to starting project for detailed recommendations— this chart is for reference only.



Outdoor Fire Products

Manual Ignition, Flame Sensing Fire Pit Inserts (FPPK) Series

Manual Ignition, Thermocouple Sensing Fire Pits


Perfect if no A/C power to enclosure. Our mid-range complete drop-in fire pit kit utilizes a standing pilot with thermocouple to safely control gas flow, manual spark igniter (9V), and a Copreci pilot valve. Simply flip ignition spark switch, depress black knob for 30 seconds and enjoy!

Includes assembled stainless steel pan & stainless steel burner, assembled FPPK control box with pilot assembly, and flex line.

Bowl Pan Models


Pan is 2 3/8" deep w/ 1 3/8" lip

Qty.	Model #		Gas Type NA or LP	Description
	FPPK19			19" Pan, 12" Fire Ring, & FPPK Control; 90k; 18" Flame
	FPPK25			25" Pan, 18" Fire Ring, & FPPK Control; 90k; 14" Flame
	FPPK31			31" Pan, 24" Fire Ring, & FPPK Control; 90k; 10" Flame




Round, Flat Pan Models

Qty.	Model #		Gas Type NA or LP	Description
	FPPK18			18" Flat Pan, 12" Fire Ring, & FPPK Control; 90k; 18" Flame
	FPPK24			24" Flat Pan, 18" Fire Ring, & FPPK Control; 90k; 14" Flame
	FPPK30			30" Flat Pan, 24" Fire Ring, & FPPK Control; 90k; 10" Flame



Square, Flat Pan Models

Qty.	Model #		Gas Type NA or LP	Description
	FPPK18-SQ			18" Sq. Pan, 12" Sq. Ring, & FPPK Control; 90k; 16" Flame
	FPPK24-SQ			24" Sq. Pan, 18" Sq. Ring, & FPPK Control; 90k; 12" Flame
	FPPK30-SQ			30" Sq. Pan, 24" Sq. Ring, & FPPK Control; 90k; 9" Flame



Linear Trough Models

Qty.	Model #		Gas Type NA or LP	Description
	FPPK24TRGH			24" Burner Pan & FPPK Control; 50k Btu; 10" Flame
	FPPK36TRGH			36" Burner Pan & FPPK Control; 75k Btu; 10" Flame
	FPPK48 TRGH			48" Burner Pan & FPPK Control; 90k Btu; 10" Flame



Trough Pans: Warping of pan lip while HOT is common— could cause lip to not sit flush on surface. Please recess lip below enclosure top to hide any warping.

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com


Fire Pit Inserts



Push Button Ignition Fire Pit Inserts (FPK Series)

In response to growing demand of a match-lit style pit kit with ease of battery spark ignition, HPC offers a push button ignition fire pit, available in 3 models. These kits come with stainless steel pan and fire ring, push button ignition switch and igniter, polished brass key valve, fittings, flex line, and lava rock.

Natural Gas



Fire Pit Inserts

Bowl Pan Models

Pan is 2 3/8" deep w/ 1 3/8" lip

Qty.	Model #	Description
	19FPK	19" Pan, 12" Fire Ring, & FPK Control; 90k Btu
	25FPK	25" Pan, 18" Fire Ring, & FPK Control; 150k Btu
	31FPK	31" Pan, 24" Fire Ring, & FPK Control; 150k Btu




Round, Flat Pan Models

Qty.	Model #	Description
	18FPK	18" Flat Pan, 12" Fire Ring, & FPK Control; 90k Btu
	24FPK	24" Flat Pan, 18" Fire Ring, & FPK Control; 150k Btu
	30FPK	30" Flat Pan, 24" Fire Ring, & FPK Control; 150k Btu



Square, Flat Pan Models


Qty.	Model #	Description
	18FPK-SQ	18" Sq. Pan, 12" Sq. Ring, & FPK Control; 90k Btu
	24FPK-SQ	24" Sq. Pan, 18" Sq. Ring, & FPK Control; 150k Btu
	30FPK-SQ	30" Sq. Pan, 24" Sq. Ring, & FPK Control; 150k Btu



FPK Push Button Ignition Kit

This kit allow for spark ignition for burners– for 150k Btu or less. Includes Push Button Switch (AAA), Igniter, and 36"leads.

Qty.	Model #	Description
	FPK	Includes Push Button Switch, Igniter, Bracket, & Leads



Accessories.. (Pg)



Logs (32)



Covers (33)



Media (36)

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Match Lit Fire Pit Insert Kits (Lava Rock Included)

Includes everything you need to put together for an in-ground or above match lit pit

Includes fire ring, a valve with polished brass key / flange, fittings, and lava rock.

Note: Lava Rock - 1 box is 1 cu. ft. or 50 lbs. (contains two 1/2 cu. ft. bags)

LP applications: We offer a specific kit below designed for LP applications. The LP kit includes the fire ring, manual valve, properly sized air mixer, fittings, and lava rock. Please follow instructions during installation—Media type and amount is critical for safe operation.

Black CRS Steel Kits

Black CRS Steel Kits- Round

Qty	Model #		Ring Size	Concentric Rings	Hub & Valve Size	NA BTU
	FP12 Kit		12"	1	1/2"	90K
	FP18 Kit		18"	2	1/2"	150K
	FP24 Kit		24"	2	1/2"	150K
	FP30 Kit		30"	3	1/2"	300K
	FP36 Kit		36"	3	1/2"	300K



12"



18" & 24"



30"



36"



Match Lit Kit

LP Kits (Ring, valve, air mixer, & Fittings)

Qty	Model #		BTU
	FP12LP Kit		90k
	FP18LP Kit		150k
	FP24LP Kit		150k
	FP30LP Kit		300k
	FP36LP Kit		300k



LP Kit— air mixer, fittings

Stainless Steel— Round Kits (#304 SS)

Stainless Steel Kits- Round

Qty	Model #		Ring Size	Concentric Rings	Hub & Valve Size	NA BTU
	FPS6 Kit		6"	1	1/2"	60K
	FPS12 Kit		12"	1	1/2"	90K
	FPS18 Kit		18"	2	1/2"	150K
	FPS24 Kit		24"	2	1/2"	150K
	FPS24HC Kit		24"	2	3/4"	300K
	FPS30 Kit		30"	3	1/2"	300K
	FPS30HC Kit		30"	3	3/4"	300K
	FPS36HC Kit		36"	3	3/4"	300K
	FPS48HC Kit*		48"	4	3/4"	300K



6" & 12"




18" & 24"




30"



36"



48"



Match Lit Kit

LP Kits (Ring, Valve, air mixer, & Fittings)

Qty	Model #		BTU
	FPS6LP Kit		40k
	FPS12LP Kit		90k
	FPS18LP Kit		150k
	FPS24LP Kit		150k
	FPS24HCLP Kit		150k
	FPS30LP Kit		300k
	FPS30HCLP Kit		300k
	FPS36HCLP Kit		300k
	FPS48HCLP Kit*		400k



LP Kit— air mixer, fittings

Match Lit Kit Shipping Weights & Classes— please see Page 48.

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Fire Pit Inserts



Match Lit Fire Pit Insert Kits (Lava Rock Included)

Includes everything you need to put together for an in-ground or above match lit pit– fire ring, plumbing fittings, a valve with polished brass key / flange and lava rock.

Note: Lava Rock - 1 box is 1 cu. ft. or 50 lbs. (contains two 1/2 cu. ft. bags)

LP applications: We offer a specific kit below designed for LP applications. The LP lit includes the fire ring, manual valve, properly sized air mixer, fittings, and lava rock. Please follow instructions during installation– Media type and amount is critical for safe operation.

Stainless Steel– Square Kits (#304 SS)

Stainless Steel Kits- Square

Qty	Model #	Ring Size	Concentric Rings	Hub & Valve Size	Na BTU
	FPSSQ12 Kit	12x12	1	1/2"	90K
	FPSSQ18 Kit	18x18	1	1/2"	150K
	FPSSQ24 Kit	24x24	2	1/2"	150K



12x12" & 18x18"



24 x 24"



Match Lit Kit

LP Kits (Ring, valve, air mixer, & Fittings)

Qty	Model #	BTU
	FPSSQ12LP Kit	90k
	FPSSQ18LP Kit	150k
	FPSSQ24LP Kit	150k




LP Kit– air mixer, fittings

Stainless Steel– Ultra Wide Rectangle Kits (#304 SS)

Stainless Steel Kits- Rectangle

Qty	Model #	Ring Size	Concentric Rings	Hub Size	NA Btu
	FPSR12X6 Kit	12"x6"	1	1/2"	90K
	FPSR18X9 Kit	18"x9"	1	1/2"	150K
	FPSR24X12 Kit	24"x12"	1	1/2"	150K



12x6, 18x9, & 24x12



LP Kits (Ring, valve, air mixer, & Fittings)

Qty	Model #	BTU
	FPSR12X6LP Kit	90k
	FPSR18X9LP Kit	150k
	FPSR24X12LP Kit	150k



LP Kit– air mixer, fittings

Accessories...Pg)



Logs (32)



Media (36)



Covers (33)



Pans (38)

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Stainless Steel- Trough Burner Insert Kits (#304 SS)


These burners are exclusively made by HPC– the unique V-shaped pan design saves on media vs. a standard rectangle bowl pan found at other manufacturers. The T-burner and pan are constructed with #304 SS– the 24", 36", & 48" pans are made with 18g SS, while the larger 60", 72", & 96" are made of 16g SS.

All kits include trough pan, T-burner, Valve, burner brackets, fittings, & center bracket.



Warping of pan lip while HOT is common– could cause pan to not sit flush on surface. Please recess lip below enclosure top to hide any warping.

Trough Burner Kits				
Qty	Model #		Pan Size	Pan Gauge
	FPS/24TRGH Kit		24"	18g
	FPS/36TRGH Kit		36"	18g
	FPS/48TRGH Kit		48"	18g
	FPS/60TRGH Kit		60"	16g
	FPS/72TRGH Kit		72"	16g
	FPS/96TRGH Kit		96"	16g


LP Kits (Pan, T-Burner, valve, air mixer, & Fittings)				
Qty	Model #		Flame Height	BTU
	FPS/24TRGH-LP		10~12"	50k
	FPS/36TRGH-LP		10~12"	75k
	FPS/48TRGH-LP		10~12"	100k
	FPS/60TRGH-LP		10~12"	125k
	FPS/72TRGH-LP		10~12"	150k
	FPS/96TRGH-LP		10~12"	200k



Trough Pan w/ brackets



LP Kit– air mixer & coupler



Match Lit Kits- Helpful Hints						
HPC Components				Your Enclosure		
Model	Log Set	Optional Items Pan	Collar	Gas Supply	(A) Pan Support Opening	(B) 4" Recess of Pan?
FPS6 Kit	N/A	570-13	N/A	> 1/2"	14"~15"	> 16"
FPS12 Kit	FPL12W4	"	"	"	"	"
FPS18 Kit	FPL17W5	570-25	IC25GALV	"	20"~21"	> 22"
FPS24 Kit	FPL24W6	570-31	IC31GALV	>3/4"	26"~27"	> 28"
FPS30 Kit	"	570-31	IC31GALV	"	32"~33"	> 34"
FPS30 HC Kit	"	570-37 HC	IC37GALV	>1"	"	"
FPS36 HC Kit	FPL36W6	570-43 HC	IC43GALV	"	38"~39"	> 40"
FPS48 HC Kit	"	Custom	Custom	"	N/A	> 49"
Square						
FPSSQ12 Kit	N/A	571-18SQ	N/A	> 1/2"	16"x 16"	> 18"x 18"
FPSSQ18 Kit	FPL17W5	571-24SQ	"	"	22"x 22"	> 24"x 24"
FPSSQ24 Kit	FPL24W6	571-30SQ	"	>3/4"	28"x 28"	> 30"x 30"

Accessories... (Pg)



Media (36)



Covers (33)

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company
Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com



Remote Electronic Ignition TK Torch Kits

Now your backyard can have that resort feeling. How nice it is to have instant “tiki” style fire at your finger tips— just use the handheld remote or flip the switch. No more picking up fuel; No more filling with messy oils or gel and no more matches. These electronic ignition torches are state of the art using a revolutionary control module with flame sensing— very robust, reliable, and built to last.

TK Torch Features

- Remote start with Remote Control or Wall Switch.
- Automatic restart if blown out in high wind.
- Adjustable flame with low gas usage.
- Safely turns off gas if no flame presence.
- Burner assembly made of rugged #304 stainless steel for durability.
- Outdoor powder coated post.
- Low voltage control system (24v)- engineered specifically for the outdoors.
- Built for Natural Gas or LP.
- 3-year warranty on hardware; 1-year warranty on gas controls.
- Kano tops available in 3 colors— **black**, **brushed copper**, and **brushed silver**.
- Optional power supplies available.
- Available Head Only assembly for column mounting.



TK Torch Specifications

- **Height:** ~ 84” Tall (with 12” underground).
- **Btu:** Natural Gas: 50k Btu; LP: 15k Btu
- **Power:** 24 VAC; 50/60Hz, 3A
(120v Power Supplies Available)

TK Torch– HWI Complete				
Qty	Model #		Gas	BTU
	TK40HWI-C		NA	40K
	TK40HWI-B		NA	40K
	TK40HWI-S		NA	40K

TK Torch– HWI Head Only				
Qty	Model #		Gas	BTU
	TKHEAD40HWI-C		NA	40K
	TKHEAD40HWI-B		NA	40K
	TKHEAD40HWI-S		NA	40K



Match Lit TK Torch Kits

These units are the same as the HWI, however are match lit and flame adjustable.

TK Torch– Manual Complete				
Qty	Model #		Gas	BTU
	TK40MAN-C		NA	40K
	TK40MAN-B		NA	40K
	TK40MAN-S		NA	40K

TK Torch– Manual Head Only				
Qty	Model #		Gas	BTU
	TKHEAD40MAN-C		NA	40K
	TKHEAD40MAN-B		NA	40K
	TKHEAD40MAN-S		NA	40K

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Flame Control Systems

Remote Electronic Ignition System (HWI)

This system uses our revolutionary electronic ignition module with hot wire ignition & thermocouple sensing for reliable outdoor ignition and minimal wind dropout; Can be remote start with wall switch or remote control, safely turns off gas if no flame presence, and will automatically restart. The system is housed in a stainless steel (#304) water resistant control box and is built for Natural Gas or LP, 120v or 24vac, with a 3ft or a 6ft pilot assembly. Pilot assembly is required to be fastened to pan or main burner for safe ignition.

Assembled Kits Only (built as Nat. Gas, LP upon request)

MVK-HW90-3, MVK-HW90-6

90,000 Btu, 120vac Powered (24vac upon request)

Hot Wire Ignition system mounted in 572 valve box with 3' or 6' length pilot assembly.

MVK-HW150-3, MVK-HW150-6

150,000 Btu, 120vac Powered (24vac upon request)

Hot Wire Ignition system mounted in 572 valve box with 3' or 6' length pilot assembly

MVK-HW300-3, MVK-HW300-6

300,000 Btu, 120vac Powered (24vac upon request)

Hot Wire Ignition system mounted in 572 valve box with 3' or 6' length pilot assembly

MVK-HW400-3, MVK-HW400-6

400,000 Btu, 120vac Powered (24vac upon request)


Hot Wire Ignition system mounted in 572 valve box with 3' or 6' length pilot assembly.




Pan Mount



Burner Mount



120-HWI (Optional)



All Quick Disconnect Connections

Remote Hot Wire Ignition (HWI) System						Minimum HPC Burner Size	
Qty	Model #		NA or LP	BTU	Pilot	Fire Ring	T-Burner
	MVK HW90-3			90K	3 Ft	FRS-12	TBSS48
	MVK HW150-3			150K	3 Ft	FRS-18	TBSS60
	MVK HW300-3			300K	3 Ft	FRS-30	
	MVK HW400-3			400K	3 Ft	FRS-36	
	MVK HW90-6			90K	6 Ft	FRS-12	TBSS48
	MVK HW150-6			150K	6 Ft	FRS-18	TBSS60
	MVK HW300-6			300K	6 Ft	FRS-30	
	MVK HW400-6			400K	6 Ft	FRS-36HC	
	120-HWI Clamp						

Accessories... (Pg)



.Logs (32)



.Media (36)



Covers (33)



Timers (34)

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com




Manual Spark Ignition, Flame Sensing System


FPPK Control Box: This system utilizes a standing pilot with thermocouple sensing to safely control gas flow, manual flame height adjustment, manual switch spark igniter (9V battery), and a safety pilot valve mounted in a stainless steel box (7"x 5"x 2").

Provides easy ignition and safety for outdoor fire features up to a 24" fire ring or a 36" linear burner.(90k Btu)

Includes: Assembled stainless steel control box, 36" pilot assembly w/ spark igniter & blowout box, flex line, hard pipe, & fittings.



FPPK Control System



Pilot Assembly Blowout Box




Flame Control Knob & Ignition Switch

Match Lit, Flame Sensing System

FPSPPK Control Box: Match lit safety pilot control system with flame recognition and manual flame height adjustment; Up to 90K Btu output—recommended for 24" fire ring or smaller and 36" linear burner or smaller.

Includes: Assembled stainless steel control box, 48" pilot assembly, & blowout box, and 48" flex line.



Manual Flame Control Systems

Qty	Model #		
	FPPK		Manual Spark, Flame Sense
	FPSPPK		Match Lit, Flame Sense

Please make a copy of this form to place your order.

Company Name: _____
 Phone Number: _____
 PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com



Outdoor Fire Products

Outdoor Burners- Fire Rings

HPC is the leader in fire ring technology and selection. All fire rings have staggered burner ports for a better flame pattern and a more significant flame presence. Both stainless steel and cold rolled steel are available—they feature ports that are drilled not punched; hub is raised above concentric rings to reduce risk of water in valve or gas line.

Also available are two types of flow— Standard & High Capacity. Standard capacity fire rings are constructed with 1/2" hub and tubing. For more flame we have the High Capacity (HC) fire rings using 3/4" hub and 3/4" tubing.

Rings may be used for natural gas or LP applications however a specific kit below is designed for LP applications.

Save 5%: If purchase by the master carton you receive 5% discount as well as less freight cost per ring. See "Bulk Qty" column on charts below.

The LP kit includes the fire ring, properly sized air mixer, and fittings. Please follow instructions during installation— Media type and amount is critical for safe operation.



Raised Hub

Black CRS Steel

Black CRS Steel - Round

Qty	Model #	Ring Size	Concentric Rings	Hub Size	Bulk Qty
	FR-12 Kit	12"	1	1/2"	10
	FR-18 Kit	18"	2	1/2"	10
	FR-24 Kit	24"	2	1/2"	10
	FR-30 Kit	30"	3	1/2"	5
	FR-36 Kit	36"	3	1/2"	5



FR12



FR18, FR24



FR30



FR36

LP Kits (Ring, air mixer, & Fittings)

Qty	Model #	Ring Size	BTU
	FR-12LP Kit	12"	90k
	FR-18LP Kit	18"	150k
	FR-24LP Kit	24"	150k
	FR-30LP Kit	30"	300k
	FR-36LP Kit	36"	300k




LP Kit— air mixer, fittings


Stainless Steel— Round (#304 SS)

Stainless Steel - Round

Qty	Model #	Ring Size	Concentric Rings	Hub Size	Bulk Qty
	FRS-6 Kit	6"	1	1/2"	50
	FRS-12 Kit	12"	1	1/2"	10
	FRS-18 Kit	18"	2	1/2"	10
	FRS-24 Kit	24"	2	1/2"	10
	FRS-24HC Kit	24"	2	3/4"	10
	FRS-30 Kit	30"	3	1/2"	5
	FRS-30HC Kit	30"	3	3/4"	5
	FRS-36HC Kit	36"	3	3/4"	5
	FRS-48HC Kit	48"	4	3/4"	3




FRS6, FRS12




FRS18, FRS24



FRS30



FRS36HC



FRS48HC



LP Kit— air mixer, fittings

LP Kits (Ring, air mixer, & Fittings)

Qty	Model #	Ring Size	BTU
	FRS-6LP Kit	6"	40k
	FRS-12LP Kit	12"	90k
	FRS-18LP Kit	18"	150k
	FRS-24LP Kit	24"	150k
	FRS-24HCLP Kit	24"	150k
	FRS-30LP Kit	30"	300k
	FRS-30HCLP Kit	30"	300k
	FRS-36HCLP Kit	36"	300k
	FRS-48HCLP Kit	48"	400k

Fire Ring Shipping Weights & Classes— please see Page 47.

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com


Outdoor Burners



Fire Rings (cont' d)

Stainless Steel- Square (#304 SS)


Stainless Steel- Square						
Qty	Model #		Ring Size	Concentric Rings	Hub Size	Bulk Qty
	FRSSQ-12 Kit		12"x12"	1	1/2"	10
	FRSSQ-18 Kit		18"x18"	1	1/2"	10
	FRSSQ-24 Kit		24"x24"	2	1/2"	10



FRSSQ24

LP Kits (Ring, air mixer, & Fittings)

Qty	Model #		BTU
	FRSSQ-12LP Kit		90k
	FRSSQ-18LP Kit		150k
	FRSSQ-24LP Kit		150k



LP Kit- air mixer, fittings

Stainless Steel- Ultra Wide Rectangle (#304 SS)

Stainless Steel- Rectangle						
Qty	Model #		Ring Size	Concentric Rings	Hub Size	Bulk Qty
	FRSR-12X6 Kit		12"x6"	1	1/2"	10
	FRSR-18X9 Kit		18"x9"	1	1/2"	10
	FRSR-24X12 Kit		24"x12"	1	1/2"	10



12x6, 18x9, & 24x12



LP Kits (Ring, air mixer, & Fittings)

Qty	Model #		BTU
	FRSR-12X6LP Kit		90k
	FRSR-18X9LP Kit		150k
	FRSR-24X12LP Kit		150k



LP Kit- air mixer, fittings

Open-Center Fire Rings (#304 SS)



New this year are our stainless steel single concentric rings. These are designed to deliver a perimeter of fire around a focal point (non-combustible of course). The hub for gas input is located on the outer ring with absolutely nothing in the center. These are constructed of #304 SS with either 1/2" or 3/4" hub/tubing combination. **These will be available in June, 2011.**

Stainless Steel - Open Center				
Qty	Model #		Ring Size	Hub Size
	FRSC-18 Kit		18"	1/2"
	FRSC-24 Kit		24"	1/2"
	FRSC-30 Kit		30"	1/2"
	FRSC-36HC Kit		36"	3/4"
	FRSC-48HC Kit		48"	3/4"

LP Kits (Ring, air mixer, & Fittings)

Qty	Model #		Hub Size	BTU
	FRSC-18LP Kit		1/2"	90k
	FRSC-24LP Kit		1/2"	150k
	FRSC-30LP Kit		1/2"	150k
	FRSC-36HCLP Kit		3/4"	300k
	FRSC-48HCLP Kit		3/4"	400k

Open Center Fire Ring



Hub- Gas Inlet



LP Kit- air mixer, fittings

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Stainless Steel- Trough Burners (#304 SS)

These burners are exclusively made by HPC– the unique V-shaped pan design saves on media vs. a standard rectangle bowl pan found at other manufacturers. The T-burner and pan are constructed with #304 SS– the 24", 36", & 48" pans are made with 18g SS, while the larger 60", 72", & 96" are made of 16g SS.

All kits include trough pan, T-burner, burner brackets, & center bracket.


Warping of pan lip while HOT is common– could cause lip to not sit flush on surface. Please recess lip below enclosure top to hide any warping.






Trough Burners				
Qty	Model #		Pan Size	Pan Gauge
	24SS TRGH		24"	18g
	36SS TRGH		36"	18g
	48SS TRGH		48"	18g
	60SS TRGH		60"	16g
	72SS TRGH		72"	16g
	96SS TRGH		96"	16g

LP Kits (Pan, T-Burner, air mixer, & coupler)

Qty	Model #		Flame Height	BTU
	24SS TRGH-LP		~10"	50k
	36SS TRGH-LP		~10"	75k
	48SS TRGH-LP		~10"	100k
	60SS TRGH-LP		~10"	125k
	72SS TRGH-LP		~10"	150k
	96SS TRGH-LP		~10"	200k



Trough Pan w/ brackets



LP Kit– air mixer & coupler

Stainless Steel- T-Burners (#304 SS)

These burners are constructed of #304SS & 1/2" tubing, drilled ports, and welded ends. The gas inlet is 3" in length with male 1/2" pipe thread.

T- Burners			
Qty	Model #		Length
	TBSS24		23.5"
	TBSS36		35.5"
	TBSS48		47.5"
	TBSS60		59.5"
	TBSS72		71.5"
	TBSS96		95.5"

LP Kits (T-Burner, air mixer, & coupler)

Qty	Model #		Flame Height	BTU
	TBSS24LP		~10"	50k
	TBSS36LP		~10"	75k
	TBSS48LP		~10"	100k
	TBSS60LP		~10"	125k
	TBSS72LP		~10"	150k
	TBSS96LP		~10"	200k



T-Burner



LP Kit– air mixer & coupler

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Outdoor Burners



Stainless Steel– Dual Burners (#304 SS)

Dual Burners are designed for outdoor fireplace and are a great addition to the Stainless Steel Log Grates. Made with #304, 1/2" stainless steel with the ends welded shut. The gas inlet is 3" in length with male 1/2" pipe thread.


To accompany the dual burners, we now offer a burner pan in 304 stainless steel designed specifically for our dual burners, it suspends burner 3/4" above fireplace floor. Measures 18" x 8", ends are 2" high and allows for pilot assembly mounting. Fits all HPC dual burners.

Dual Burners			
Qty	Model #		Length / Width
	DSB-18 Kit		18x6"
	DSB-24 Kit		24x6"
	DSB-30 Kit		30x6"
	DSB-36 Kit		36x6"
	DSBP18 Pan		18x8x2"

LP Kits (Dual Burner, air mixer, & Fittings)				
Qty	Model #		Length / Width	BTU
	DSB-18LP Kit		18x6"	90k
	DSB-24LP Kit		24x6"	90k
	DSB-30LP Kit		30x6"	150k
	DSB-36LP Kit		36x6"	150k



DSB18~DSB36



DSBP18 Pan



LP Kit– air mixer & coupler

Accessories... (Pg)



Logs (32)



Media (36)



Covers (33)

Fire Ring Center Flame Height Chart– Natural Gas

(at Center (800ft.) Natural Gas, 1/2 psi)

Ring / Btu	@45k	@90k	@150k	@300k	@400k
6"	18"	24"			
12"	10"	20"	24"		
18"	8"	16"	20"	28"	
24"	6"	14"	18"	24"	26"
30"		10"	14"	16"	18"
36"		6"	8"	10"	12"
24" HC		16"	20"	26"	28"
30" HC				18"	20"
36" HC				14"	22"
48" HC				12"	16"

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Fire Pit Accessories

Log Sets– Ceramic Fiber, Gel Cast

Designed specifically for the outdoors, these are sure to enhance the flame in your fire pit. Being ceramic fiber, they develop a glow where the flame is hottest. These are available in 2 models– Woodland & Campfire– and in 4, 5, & 6 piece sets depending on size.



Woodland Style

This is our most popular style– these have a weathered look of gray & black which looks best when resting on a bed of lava rock. These are available in 4, 5, & 6 piece sets up to our large FPL36 size for the 36” fire ring and above fire pits.

Woodland Style Log Sets - Gray/Black

Qty	Model #		Piece Set	Length in inches
	FPL12W4		4	9 - 10
	FPL17W4		4	11 - 13
	FPL17W5		5	11 - 13
	FPL24W5		5	15 - 19
	FPL24W6		6	15 - 19
	FPL36W6		6	24 - 28



Campfire Style

The Campfire set is our original log set and are brown & black that look great resting on a bed of lava rock. These are available in 4 & 6 piece sets up to our large FPL24 size for the 24” and above fire pits.

Campfire Style Log Sets - Brown/Black

Qty	Model #		Piece Set	Length in inches
	FPL17C4		4	13 - 16
	FPL24C6		6	14 - 17



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company
Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com



Fire Pit Covers

Aluminum Fire Pit Covers

Now protect your fire effect in style—lightweight aluminum hard covers powder coated with UV resistant, high-heat textured Black or gloss Copper. Available in two sizes: 32" (15lbs) and 44" (20lbs) diameter. Note—FPHC-44 will ship via freight.

Aluminum Fire Pit Covers					
Qty	Model #		Color	Size in inches	Fire Pit Diameter
	FPHC-32C		Copper	32dia x 10h	25" or 31"
	FPHC-32BL		Black	32dia x 10h	25" or 31"
	FPHC-44C		Copper	44dia x 14h	37" or 43"
	FPHC-44BL		Black	44dia x 14h	37" or 43"



Stainless Steel Linear Trough Fire Pit Covers

The new linear stainless steel fire pit covers are designed specifically for our trough series—be it match lit, manual ignition, or remote electronic ignition models. These are lightweight and have handle(s) for ease.

Linear Fire Pit Covers				
Qty	Model #		Size	For Trough Size...
	TPHC-24SS		28 x 9.5 x 1"	24" (1)
	TPHC-36SS		40 x 9.5 x 1"	36" (1); 72"- 2 covers
	TPHC-48SS		52 x 9.5 x 1"	48" (1); 96"- 2 covers
	TPHC-60SS		64 x 9.5 x 1"	60" (1)



Vinyl Fire Pit Covers

Made of durable black vinyl and protects your fire pit from debris and wet weather. This has an elastic band at the bottom for ease of applying & removal.

Vinyl Fire Pit Covers				
Qty	Model #		Size	For Enclosure...
	FPC-35		35"	30" dia.
	FPC-45		45"	40" dia.
	FPC-53		53"	48" dia.
	FPC-60		60"	55" dia.



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Fire Pit Accessories (cont' d)

Galvanized Installation Collars

Fire pit installation can be made easier with our installation collar, of an appropriate size, mortared in just below the top course of the enclosure. Makes pan and valve box easy to access. The ID and OD of the installation collars differ by 6" to allow a small space between the side of the pan and the collar as well as 1" or more of the collar to project into the body of the enclosure and mortared in if desired. The collar should be installed into the enclosure while it is being built. Collar should be ~ 4" below the top of the enclosure.

Galvanized Installation Collars					
Qty	Model #		Pan Size in inches	ID	OD
	IC19GALV		19	20"	26"
	IC25GALV		25	26"	32"
	IC31GALV		31	32"	38"
	IC37GALV		37	38"	44"
	IC43GALV		43	43.5"	49.5"



Electronic Ignition Accessories

Outdoor On/Off Remote

CARLON In-line power control with 3 prong in / out.

Outdoor Remote		
Qty	Model #	
	578-C	



Commercial Automatic Shutoff Timers



Outdoor

Stainless steel rotary timer (SPDT, 20A) - Two choices for time ranges from 15 min ~ 2 hours, or 15 min ~ 12hrs; 2 1/2 deep; double gang box recommended; for use with NEMA 3R enclosure (not provided). **694- 2hr Timer; 695- 12hr Timer.**

Indoor

Four-preset switch- can be set at 2, 4, 8, & 12 hours (SPDT, 20A)- White only. **(696)**

Outdoor Auto Shutoff Timer			
Qty	Model #		Description
	694		Outdoor 2 hr Timer
	695		Outdoor 12hr Timer
	696		Indoor 2,4,8,12hr Timer



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company
Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com



Decorative Fire Pit Glass (Any color: 10 lb. minimum order, 5 lb. increments)



	FPGLAZURIA	Azuria 1/4"	\$
	FPGLAZURIAREFL	Azuria Reflective 1/4"	\$
	FPGLBLACK	Black 1/4"	\$
	FPGLBLACKREFL	Black Reflective 1/4"	\$
	FPGLBRONZE	Bronze 1/4"	\$
	FPGLBRONZE5	Bronze 1/2"	\$
	FPGLBRNZREFL	Bronze Reflective 1/4"	\$
	FPGLCLEAR	Clear 1/4"	\$
	FPGLCLEAR5	Clear 1/2"	\$
	FPGLCHMPINK	Champagne Pink 1/4"	\$
	FPGLDARKGREEN	Dark Green 1/4"	\$
	FPGLARCTICBLUE	Arctic Blue 1/4"	\$
	FPGLEVERGREEN	Evergreen 1/4"	\$
	FPGLEVGRNREFL	Evergreen Reflective 1/4"	\$
	FPGLGRAY	Gray 1/4"	\$
	FPGLGRAY5	Gray 1/2"	\$
	FPGLGRAYREFLEC	Gray Reflective 1/4"	\$
	FPGLCOBALTBUE	Cobalt Blue 1/4"	\$
	FPGLLIGHTGREEN	Light Green 1/4"	\$
	FPGLORANGE	Orange 1/4"	\$
	FPGLPACIFICBLUE	Pacific Blue 1/4"	\$
	FPGLPACIFICBLUEREFL	Pacific Blue Reflective	\$
	FPGLPURPLE	Purple 1/4"	\$
	FPGLRED	Red 1/4"	\$
	FPGLSOLEX	Solex 1/4"	\$
	FPGLSTARFIRE	Starfire 1/4"	\$
	FPGLSTRFIRE5	Starfire 1/2"	\$
	FPGLTURQUOISE	Turquoise 1/4"	\$
	FPGLYELLOW	Yellow 1/4"	\$
	FPGLCOPPER	Copper 1/4"	\$
	FPGLPLATINUM	Platinum 1/4"	\$
	FPGLGOLDREFL	Gold Reflective 1/4"	\$
	GSKIT	All	\$



Fire Pit Media

Please make a copy of this form to place your order.
 Company Name: _____
 Phone Number: _____
 PO #: _____

Glass Sample Kit

GSKIT Perfect for showing ALL our glass colors while traveling— in portable case tackle box.





Outdoor Fire Products

Fire Pit Media

Lava Rock

Time tested, Lava Rock is proven to increase combustion efficiency, while maintaining a classy look for any fire pit. The size of each piece of rock varies from 1" ~ 2" pcs. Sold in 1/2 and 1 cubic foot increments. An excellent base for one of our specially designed log sets.

Lava Rock			
Qty	Model #		Cubic Foot
	657		1/2
	757-1M		1
	757-1L		1



657



757-1M, 757-1L

Ceramic Fiber River Rock Series-Tough Enough for the Outdoors

Looking for something other than lava rock or glass...HPC has a third option for media over your outdoor (or indoor) burner—our new River Rock Series. These imitation stones are light weight ceramic fiber, gel cast and designed to take on the outdoor elements. Each set comes with a 84 piece assortment of large & small stones (large pieces—4 1/2", small pieces—2 1/2"). One set is 1/2 cu. ft. (15 lbs.)

Available in two colors—black or multi (light and dark brown, gray and black)

River Rock			
Qty	Model #		Color
	FPR84MC		Multicolor
	FPR84BL		Black



Multi Color



Black

Rolled Lava Stone

Unique finish lava stone rolled smooth. Available in 1/2 cu ft. bags.

Rolled Lava Stone		
Qty	Model #	
	857S	



857S

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Decorative Glass/River Rock Chart

Match Lit Fire Pit Kits - Round Black and SS			
Model #	River Rock (bx)	Glass (lb)	Glass w/ lava rock base (lbs)
FPS6	1	10	10
FP12, FPS12	1	15	10
FP18, FPS18	1	30	15
FP24, FPS24	2	55	25
FP30, FPS30	3	80	40
FP36, FPS36	4	115	60
FP48, FPS48	7	190	95

Bowl Pan Fire Pit Kit			
Model #	River Rock (bx)	Glass (lb)	Glass w/ lava rock base (lbs)
13SS90HWI	1	15	10
19SS90HWI	1	30	15
25SS150HWI	2	50	25
31SS300HWI	3	75	35
37SS300HWI HC	4	105	45
43SS400HWI HC	4	140	55

Match Lit Fire Pit Kits - Square SS			
Model #	River Rock (bx)	Glass (lb)	Glass w/ lava rock base (lbs)
FPSSQ12	1	15	10
FPSSQ18	1	35	20
FPSSQ24	2	60	30

Flat Round Fire Pit Kit			
Model #	River Rock (bx)	Glass (lb)	Glass w/ lava rock base (lbs)
18FSS90HWI	1	30	15
24FSS150HWI	2	50	25
30FSS300HWI	3	75	35
36FSS300HWI HC	4	105	45
42FSS400HWI HC	6	135	60

Push Button Ignition Kits			
Model #	River Rock (bx)	Glass (lb)	Glass w/ lava rock base (lbs)
19FPK	1	30	15
25FPK	2	50	25
31FPK	3	75	35

Square Fire Pit Kits			
Model #	River Rock (bx)	Glass (lb)	Glass w/ lava rock base (lbs)
18FSS90HWI-SQ	1	35	20
24FSS150HWI-SQ	2	60	30
30FSS300HWI-SQ	3	95	50


Trough Kits			
Model #	River Rock (bx)	Glass (lb)	Glass w/ lava rock base (lbs)
FPS/TRGH24	1	10	5
FPS/TRGH36	1	15	10
FPS/TRGH48	1	20	15
FPS/TRGH60	1	25	15
FPS/TRGH72	2	30	15
FPS/TRGH96	2	40	20

River Rock: Box = 1/2 cu. ft (15 lbs)
Glass: 10 lb minimum; 5 lb increments

Lava Rock– Pg. 36



Decorative Glass– Pg. 35



River Rock– Pg. 36



Outdoor Fire Products

Stainless Steel Fire Pit Pans

Bowl Type Pans for Fire Pits

2 3/8" deep stainless steel pan with welded nipple for connection of fire ring and gas source, and 1 3/8" rim around the top. Measurement below indicates ID; Weep holes for drainage.


Bowl Type Pans for Pits				
Qty	Model #		Pan Size in inches	Nipple Size
	570-13		13	1/2"
	570-19		19	1/2"
	570-25		25	1/2"
	570-31		31	1/2"
	570-31HC		31	3/4"
	570-37HC		37	3/4"
	570-43HC		42.5	3/4"




Flat Pans for Fire Pits

Flat stainless steel pan with welded nipple for connection of fire ring and gas source.

Flat Round Pans				
Qty	Model #		Pan Size in inches	Nipple Size
	571-18		18	1/2"
	571-24		24	1/2"
	571-30		30	1/2"
	571-36		36	1/2"
	571-36 HC		36	3/4"
	571-42 HC		42	3/4"



Flat Square Pans				
Qty	Model #		Pan Size in inches	Nipple Size
	571-18SQ		18	1/2"
	571-24SQ		24	1/2"
	571-30SQ		30	1/2"



Flat Rectangle Pans				
Qty	Model #		Pan Size in	Nipple Size
	571-15X24		15" x 24"	1/2"
	571-18X30		18" x 30"	1/2"



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Fire Pit Enclosures



Enclosures – Granitech Finished & Unfinished


Granitech Finished Enclosures

These enclosures are finished with the durable Granitech finish– shapes available in round, octagon, square, and linear. These take the guess work out of enclosure construction– especially with the difficult round and octagon shapes. These enclosures are 18” tall and are constructed of sturdy 22 gauge galvanized steel material, welded frame, a 1/2” Hardiboard shell, and weighs ~150lbs.

The Granitech finish is a revolutionary “stucco” type finish that is highly resistant to abrasions and presents a very impervious surface for long term use– something most other stucco materials cannot do. The Granitech sealant used will provide a stain-resistant surface as well as long term UV resistance. Available in single or two color finish.



Round– Two Color



Octagon– Single Color



60 x 24 Linear– Single & Two Color



Qty.	Granitech Finish Model #	Description
	FPE45-ROUND Granitech	Round 45"x18"h Granitech Finish for 25" Pan
	FPE45-OCTAGON Granitech	Octagon 45"x 18"h Granitech Finish for 25"Pan
	FPE45-SQUARE Granitech	Square 45"x 18"h Granitech Finish for 25" Pan
	FPE60X24-TRGH Granitech	60"x 24"x18"h Granitech Finish, 36 or 48" trough Pan

Accessories...



Logs (32)



Media (36)



Covers (33)

Granitech Colors Available (Both are for the same price):

Single Color Combination: We have four textured color choices shown below– Sandstone, Coral Reef, Alabaster, & Night Sky.

Two Color Combination: Base (sides)- the four colors above; Top Colors are Ebony and Concrete– both have a smoother finish. (sides) . For the two tone combinations, we have two colors to choose from for the top shown in the large blocks below– Ebony & Concrete.

Top Color– Ebony




Sandstone



Coral Reef




Alabaster



Night Sky

Top Color– Concrete



Sandstone



Coral Reef



Alabaster



Night Sky

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Unfinished Enclosures

These units are unfinished to allow for the customer to finish with stone, veneer, or stucco to match their surrounding. Shapes available in round, octagon, square, and linear. The housings take the guess work out of enclosure construction – especially with the difficult round and octagon shapes. These are 18” tall and are constructed of sturdy 22 gauge galvanized steel material, welded frame, a 1/2” Hardiboard shell, and weighs 150lbs.




Qty.	Unfinished Model #		Description
	FPE45-ROUND		Round 45"x 18"h Unfinished Enclosure for 25" Pan
	FPE45-OCTAGON		Octagon 45"x 18"h Unfinished Enclosure for 25" Pan
	FPE45-SQUARE		Square 45"x 18"h Unfinished Enclosure for 25" Pan
	FPE60X24-TRGH/36		60x 24"x18"h Unfinished Enclosure for 36" Trough
	FPE60X24-TRGH/48		60x24"x18"h Unfinished Enclosure for 48" Trough
	FPE54-ROUND		Round 54" x 18"h Unfinished Enclosure for 25" Pan
	FPE54-OCTAGON		Octagon 54" x18"h Unfinished Enclosure for 25" Pan

Stainless Steel Log Grates

Due to growing demand of larger, custom outdoor grates, HPC now carries two new 30” and 36” sizes of stainless steel grates in addition to the popular 24” model. These grates are made of solid 304 stainless steel, square stock material and welded at every joint for additional strength. In stock and ready for shipment.

Stainless Steel Log Grates			
Qty	Model #		Dimensions
	SFG24		24x18x6
	SFG30		30x18x6
	SFG36		36x18x6



Small LP Tank Conversion Kit for Match Lit

FPLP - Match Lit Kit LP Conversion Kit (for 20 lb. bottle)

Includes 127 air mixer/orifice and coupler. 85k Btu; Minimum fire ring size– 12”; T-burner size– 48”

IMPORTANT: If use glass media, glass application to burner must be minimal to avoid backpressure. Read instructions carefully.



Small LP Tank Conversion Kit for Match Lit			
Qty	Model #		Description
	FPLP		20lb LP Converter

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company
Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com

Decorative Key Valves




Decorative Key Valve Kits

Standard Capacity Valves (1/2"):

Angle Manual Ball valve with flange and key. 1/2" inlet & outlet. For floor or wall mounting. (150k NA)

Straight Manual Ball valve with flange and key. 1/2" inlet & outlet. For floor or wall mounting. (150k NA)



Angled



Straight

High Capacity Valves- "HC" (3/4"):

Angle Manual Ball valve with polished flange and key. 3/4" inlet & outlet. For floor or wall mounting. (300k NA)

Straight Manual Ball valve with polished flange and key. 3/4" inlet & outlet. For floor or wall mounting. (300k NA)



Standard vs. High Capacity

Standard Chrome & Brass Valve Kits

Angle Key Valve Kit			
Qty	Model #	Color	
	MABB	Brass 1/2"	
	MACB	Chrome 1/2"	
	MABB-HC	Brass 3/4"	
	MACB-HC	Chrome 3/4"	



Straight Key Valve Kit			
Qty	Model #	Color	
	MSBB	Brass 1/2"	
	MSCB	Chrome 1/2"	
	MSBB-HC	Brass 3/4"	
	MSCB-HC	Chrome 3/4"	



Accented Finish Valve Kits



Antique Copper Antique Brass Black Pewter

Key & Flange Only			
Qty	Model #	Color	
	UDFK-AB	Antique Brass	
	UDFK-AC	Antique Copper	
	UDFK-FB	Flat Black	
	UDFK-PW	Pewter	



Angle Key Valve Kit			
Qty	Model #	Color	
	MAAB	Antique Brass 1/2"	
	MAAC	Antique Copper 1/2"	
	MAFB	Flat Black 1/2"	
	MAPW	Pewter 1/2"	
	MAAB-HC	Antique Brass 3/4"	
	MAAC-HC	Antique Copper 3/4"	
	MAFB-HC	Flat Black 3/4"	
	MAPW-HC	Pewter 3/4"	



Straight Key Valve Kit			
Qty	Model #	Color	
	MSAB	Antique Brass 1/2"	
	MSAC	Antique Copper 1/2"	
	MSFB	Flat Black 1/2"	
	MSPW	Pewter 1/2"	
	MSAB-HC	Antique Brass 3/4"	
	MSAC-HC	Antique Copper 3/4"	
	MSFB-HC	Flat Black 3/4"	
	MSPW-HC	Pewter 3/4"	



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com




Stainless Steel Flex Lines

High Capacity Flex Lines

All High Capacity Flex Lines are 5/8"OD - 1/2"ID, they come equipped with 1/2" female pipe threads on one end and 1/2" male pipe threads on the other.

High Capacity Flex Lines				
Qty	Model #		Length	ID
	SSC-HC12		12	1/2
	SSC-HC18		18	1/2
	SSC-HC24		24	1/2
	SSC-HC30		30	1/2
	SSC-HHC24		24	3/4



Standard Capacity Flex Line

All Standard Capacity Flex Lines are 1/2" OD - 3/8"ID with 1/2" female pipe threads on one end and 3/8" male pipe threads on the other.

Qty	Model #		Length
	SSC6		6"
	SSC12		12"
	SSC18		18"
	SSC24		24"
	SSC30		30"
	SSC36		36"
	SSC48		48"

Tranquil Whistle-Free Flex Lines


HPC has been a long time supplier of reliable, maintenance-free flex lines. Now we offer our Tranquil Flex Line Series to eliminate the nuisance whistling found on those tough installs. Sizes available in low and standard capacity are 18", 24", and 30" lengths. These are stainless steel and for indoor or outdoor use. In stock and ready for shipment.

Standard Capacity

Qty	Model #		Length
	SSC-W12		12"
	SSC-W18		18"
	SSC-W24		24"
	SSC-W30		30"

Standard Capacity- Black

Qty	Model #		Length
	SSCB-W18		18"
	SSCB-W24		24"
	SSCB-W30		30"



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Flex Line & Hose



Pro-Flex Line & Accessories

The Pro-Flex Line is CSA certified to meet strict codes.

See our **NEW** grounding kit below necessary to meet codes (PFGROUND Kit)- includes adjustable 1/2"~1" grounding clamp & 50' of 6 gauge wire.



Pro-Flex Gas Line				
Qty	Model #		Spool Size in feet	Line Size in inches
	PFCT 1275		75'	1/2"
	PFCT 3475		75'	3/4"
	PFCT 12225		225'	1/2"
	PFCT 34225		225'	3/4"

Pro-Flex Fittings (box qty only)					
Qty	Model #		Size in inches	Fitting	Box qty
	PFFN 1212B		1/2"	Female	12
	PFMF 1212B		1/2"	Male	12
	PFTP 1212B		1/2"	Termination Plate	12
	PFMF 3406B		3/4"	Male	6
	PFGround Kit		1/2"-1"	Clamps & Wire- 50', 6g	NA


Pro-Flex Gas Appliance Installation Kit

GIK: Easier than Black Pipe- no cutting, threading, or special tools needed. This complete kit comes with 25' Pro-flex Line (1/2"), brass fittings, termination plate, Teflon Tape, & bottle of leak detector.



Natural/LP Quick Disconnect Hose Assembly (580)

- 120" x 3/8" I.D.
- Gray PVC Galvanized Steel Hose.
- CSA-AGA/CGA approved quick disconnect device.
- Quick Disconnect Nipple and Socket dust cap.
- Attached Hose & Quick disconnect installation instructions.



Natural Gas/Propane BBQ and Appliance Outlet (581)

- Designed for Indoor/Outdoor Applications
- Heavy Duty 20 Gauge Stainless Steel Outlet Cover
- CSA-AGA/CGA Approved to -40°F
- 60k Btu Natural Gas - 90k Btu Propane Gas
- 5 PSIG maximum operation pressure
- Safety Feature Denies Connect/Disconnect while Gas is Flowing, Lockable
- Manual Gas Valve with Appliance Connection



Qty	Model #	Description
	GIK	Gas Appliance Installation Kit
	580	120"x3/8" with Quick Disconnect
	580-1	120"x3/8" Hose w/ Male Quick Disc.
	580-V	Female Quick Disconnect Fitting
	581	Appliance Outlet

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Replacement Components


HWI Series Replacement Components			
Qty	Model #		Description
	HWIP-3		3' Pilot Assembly
	HWIP-6		6' Pilot Assembly
	311-HWIP/SS		Pilot Assembly Head
	311-T/C		3' Thermocouple
	311-T/C 72		6' Thermocouple
	311-T/C EXT		3' Extension
	HWI- 913/SHIELD		Igniter Repair Kit
	598-HWI		Blow Out Box
	120-HWI		Clamp



HWIP-3, 6



311-HWIP/SS



120-HWI




598-HWI Blow Out



HWI-913/SHIELD

FPPK Series Replacement Components			
Qty	Model #		Description
	108-C		Valve- Safety Pilot
	693		Igniter
	690		Spark Generator
	111		Black Knob
	902		Valve Face Plate Nut
	904-1		Raw SS Valve Box
	221		Igniter Switch
	FPPK-P36		36" Pilot Tube, T/C



FPPK Series



FPPK-P36



693



690



111

FPK Series Replacement Components			
Qty	Model #		Description
	131		Spark Electrode
	691		AAA Spark Igniter



FPK Series



691

Other Electronic Ignition Replacement Components			
Qty	Model #		Description
	576-40VA		24vac Transformer
	210-EI		Honeywell 150K Valve
	210-EIHC		Honeywell 270K Valve
	210-EIHC415		Honeywell 415K Valve
	210-EI MOD		Honeywell IPI Module
	210-DS MOD		Honeywell DSI Module
	210-SV		HSI Smart Valve-150k Btu
	210-SVHC		HSI Smart Valve-300k Btu
	210-HSIP		HSI Pilot Assembly
	210-HSIP/M		HSI Pilot Assembly



210-EI



576-40VA



576-100VA



210-SVHC



210-HSIP/M



210-HSIP

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Miscellaneous Parts

Spark Igniter Components




690

Mounts easily with 2 screws
Use with an external switch
Uses easy to replace 9V
Battery. Sealed battery compartment Dual ignition outlets



691

Screw in cap holds unit in place.
Uses 1 AAA
Battery. Sealed battery Chamber. Easy battery replacement



130

Snap in type
One spark-per-push button



131

Electrode to use with 130, 690 or 691

Regulators

770-150

150k Btu Pressure Regulator
Natural Gas- 5psi Input
LP- 2psi Input
1/2" x 1/2", 4-12" Water Column



770-300


300k Btu Pressure Regulator
Natural Gas- 5psi Input
LP- 2psi Input
1" x 1", 4-12" Water Column



850-D

Gas Saver Valve

Retrofit for existing grills and fireplaces that will automatically shut off the gas after a preset time, preventing waste and improving safety. The valve can be set for 10-minute increments for any desired time up to 3 hours. 1/2" inlet & outlet. Prevents waste of gas when Manual Valve is not turned off.



Qty	Model #		Description
	130		Piezo Spark Igniter
	131		Spark Electrode
	690		9v Spark Igniter
	691		AAA Spark Igniter
	770-150		Pressure Regulator- 150k Btu
	770-300		Pressure Regulator- 300k Btu
	850-D		Gas Saver Valve

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Outdoor Fire Products

Stainless Steel Fittings & Nipples

1/2" Diameter Stainless Steel Nipples			
Qty	Part Number		Length
	562		1.5"
	562-2		2"
	562-3		3"
	562-4		4"
	562-5		5"
	562-7		7"
	562-10		10"
	562-12		12"
	562-15		15"
	562-18		18"
	562-21		21"
	562-24		24"

Stainless Steel Fittings			
Qty	Part Number		Description
	559		1/2" Cap
	560		1/2" Street Elbow
	561		1/2" Close Nipple
	563		3/8"x 1 1/2" Nipple
	564		1/2" Female to Female Elbow
	565		1/2" Couple
	566		1/2" to 3/8" Reducing Couple
	567		1/2" Tee
	568		1/2" Cross
	588		3/4" to 1/2" Reducer
	673		3/8" Cap
	677SS		SS Orifice Adapter
	677SS HC		HC SS Orifice Adapter
	687		3/8" Street Elbow
	688		3/8" Couple



We can make any length!



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Shipping Information



Shipping Information—Fire Rings

UPS Dimensional Weight Rules:

- OS-1 Combined length and girth between 84 & 107 inches and weighing less than 30 lbs will be billed at 30 lbs.
- OS-2 Combined length and girth between 108 & 129 inches and weighing less than 70 lbs will be billed at 70 lbs.
- OS-3 Combined length and girth between 130 & 164 inches and weighing less than 90 lbs will be billed at 90 lbs. plus \$40.00 large package surcharge.

Master Cartons for Bulk Fire Ring Orders

Black CRS					
Model #	Carton Size	Carton Contains	Actual Weight in lbs	Dimensional Weight	Will Ship As in lbs
FR12	21x13x13	10 Rings	18	76.0	18
FR18	21x18x19	10 Rings	38	92.5	38
FR24	25x22x25	10 Rings	47	122.5	OS-2
FR30	31x31x12	5 Rings	39	136.0	OS-2
FR36	37x37x13	5 Rings	42	160.0	OS-2

Stainless Steel					
Model #	Carton Size	Carton Contains	Actual Weight in lbs	Dimensional Weight	Will Ship As in lbs
FRS6	31x19x7	50 Rings	41	56.0	41
FRS12	22x13x14	10 Rings	17	76.0	17
FRS18	22x19x19	10 Rings	26	92.5	OS-1
FRS24	25x22x25	10 Rings	33	122.5	OS-2
FRS30	31x31x13	5 Rings	35	136.0	OS-2
FRS30HC	31x31x13	5 Rings	36	136.0	OS-2
FRS36HC	37x37x13	5 Rings	42	160.0	OS-2
*FRS48HC	37x37x13	3 Rings	NA	NA	NA

Individually Packaged Fire Rings

Black CRS						
Model #	Carton Size	Actual Weight in lbs	Dimensional Weight	Will Ship As	Combina-ble Quantity	Will Ship As in lbs
FR12Kit	13x13x3	3	41.0	3	5	14
FR18Kit	19x19x3	5	56.0	5	5	18
FR24Kit	25x25x3	6	77.0	6	5	36
FR30Kit	31x31x3	9	95.0	OS-1	1 - 3	OS-1
FR36Kit	37x37x3	12	112	OS-2	1 - 4	OS-2

Stainless Steel						
Model #	Carton Size	Actual Weight in lbs	Dimensional Weight	Will Ship As	Combina-ble Quantity	Will Ship As in lbs
FRS6Kit	13x13x3	2	56.0	2	5	9
FRS12Kit	13x13x3	3	41.0	3	5	12
FRS18Kit	19x19x3	4	56.0	4	5	16
FRS24Kit	25x25x3	6	77.0	6	5	28
FRS30Kit	31x31x3	8	95.0	OS-1	1 - 3	OS-1
FRS30HCKit	31x31x3	10	95.0	OS-1	1 - 3	OS-1
FRS36HCKit	37x37x3	12	112	OS-2	1 - 4	OS-2
*FRS48HCKit	49x49x4	20	125	OS-2	2	OS-2



Shipping Information—Match Lit Fire Pit Kits

UPS Dimensional Weight Rules:

- OS-1 Combined length and girth between 84 & 107 inches and weighing less than 30 lbs will be billed at 30 lbs.
- OS-2 Combined length and girth between 108 & 129 inches and weighing less than 70 lbs will be billed at 70 lbs.
- OS-3 Combined length and girth between 130 & 164 inches and weighing less than 90 lbs will be billed at 90 lbs. plus \$40.00 large package surcharge.

Match Lit Fire Pit Kits (Lava Rock Included)

Black CRS							
Item #	Carton Size	Actual Weight in lbs	Dimensional Weight	Will Ship As	Combinable Quantity	Will Ship As in lbs	Lava Rock Carton/s in lbs
FP12	13x13x3	5	41.0	5	5	25	1 @ 50
FP18	19x19x3	8	56.0	8	5	30	1 @ 50
FP24	25x25x3	9	77.0	9	5	45	1 @ 50
FP30	31x31x3	12	95.0	OS-1	1 - 3	OS-1	1 @ 50
FP36	37x37x3	16	112.0	OS-2	1 - 4	OS-2	2 @ 50

Stainless Steel							
Item #	Carton Size	Actual Weight in lbs	Dimensional Weight	Will Ship As	Combinable Quantity	Will Ship As in lbs	Lava Rock Carton/s
FPS6	13x13x3	4	-	4	-	-	-
FPS12	13x13x3	5	41.0	5	5	25	1 @ 50
FPS18	19x19x3	7	56.0	7	5	30	1 @ 50
FPS24	25x25x3	8	77.0	8	5	35	1 @ 50
FPS30	31x31x3	12	95.0	OS-1	1 - 3	OS-1	1 @ 50
FPS30HC	31x31x3	15	95.0	OS-1	1 - 3	OS-1	1 @ 50
FPS36HC	37x37x3	16	112.0	OS-2	1 - 4	OS-2	2 @ 50
FPS48HC	Ship Freight						

***will ship via a freight company due to size**

The 48" rings incur a \$125.00 minimum shipping charge due to oversize

Freight Policy

Most orders will be shipped FOB Dayton, Ohio at a standard shipping carrier selected by HPC unless customer specifically requests their own carrier and account. A handling fee may be charged for use of non-standard HPC carriers. A freight quote may be requested in advance. HPC works diligently with standard carriers to achieve the best discounts available.



Hearth Products Controls Co

706 Congress Park Dr.

Dayton, OH 45459

Fax: 877-433-0704 or 877-506-9803

www.hpcfire.com



Custom Project Request Form

(Please complete in BLACK ink and fax or email to HPC)

Date:

Company:

Contact:

Phone:

Fax:

Email:

PROJECT: (Select One)

☐ INSIDE USE

☐ OUTSIDE USE

☐ Complete Custom Fire Pit

(Includes Pan)

☐ Custom Ring / Manifold (only)

☐ Custom Pan (only)

(Attach Plan/Drawings)

Project
Description
(Explain):

Please draw "**Enclosure**" with dimensions below to assist with design of custom fire pit, or if you know the dimensions of what is needed, please draw "**Pan, Ring, or Manifold**" as desired in the appropriate section below.

Enclosure:

Top View

Side View

Pan, Ring or Manifold:

Top View

Side View

Application (Select One)
☐ Inside (Cold Rolled Steel)
 ☐ Outside (Stainless Steel)
Ignition (Select One)
☐ Match-Lit
 ☐ Spark Igniter (Battery)
 ☐ Electronic (IPI, HWI) (110VAC/24VAC)
Style Of Pan (Select One)
☐ Flat Style
 ☐ Bowl Style (2.5" Deep)
 ☐ Trough Style (2.5" Deep)
Valve Box (if applicable-please select desired length)

If electronic ignition, valve box must be located within 6 feet of burner

Standard Length is 3 feet - Additional cost for footage up to 6 feet (Select One)
☐ 3'
 ☐ 4'
 ☐ 5'
 ☐ 6'
Gas Type (Select One)
☐ Natural Gas
 ☐ LP
Gas Pressure (Select One)
☐ Residential 1/2 lb
 ☐ Commercial 2 lb
Btu (Select One)
☐ 90k
 ☐ 150k
 ☐ 300k
 ☐ 400k
 ☐ Special Request
Burner (Select One)
☐ Linear
 ☐ T-Burner
 ☐ H-Burner
 ☐ E-Burner
Ring (Select One)

Standard 1/2" Hub

High Capacity 3/4" Hub

☐ 6"
 ☐ 12"
 ☐ 18"
 ☐ 24"
 ☐ 30"
 ☐ 24"
 ☐ 30"
 ☐ 36"
 ☐ 48"

Additional Requests: Glass, SS Grate, Lava Rock, Custom Cover, etc... Please write in box below.

Glass (Dimensions of area for glass coverage):

Front Length

Back Length

Width

Diameter

Comments/Questions:

Your quote will not include shipping and handling. Custom orders over \$500 will require 50% down before the job can be started and the remaining 50% will be paid based on account terms. Any normal discount received does not apply to any custom product. Quoted prices are valid for 30 days. The lead time for custom orders is ~ 4 weeks.

Please note that Hearth Products Controls Company only sells products through Authorized Dealers. If you do not have an account setup with us, please submit a Credit Application for our review. Initial orders can be processed on a Credit Card while an account with terms is being established for you. We do accept MasterCard, VISA, Discover and American Express.



Purchase Order

Hearth Products Controls Co

706 Congress Park Dr.

Dayton, OH 45459

(937) 433-7000 Office (937) 433-0704 Fax

(877) 433-7001 Toll Free (877) 433-0704 Toll Free Fax

orders@HPCfire.com

Order Date _____

Ordered By _____

PO Number _____

Customer Number _____

Bill To:

Company Name _____

Address _____

City _____

State _____ Zip Code _____

Phone _____

Fax _____

Email _____

Ship To:

Company Name _____

Address _____

City _____

State _____ Zip Code _____

Contact Name _____

Phone _____

(must have for freight shipments)

*All orders will be shipped FOB Dayton OH at standard shipping times for carrier selected by HPC
unless changes are indicated below.

Ship Via _____

Shipping Acct # _____

Expedited Shipping _____

Item No.	Qty	Unit Price	Comments
Special Instructions:			



Copyright, 2011-2012 by Hearth Products Controls Company All rights reserved.



Hearth Products Controls Co.

Indoor Hearth Products



HPCfire.com

April, 2011



Indoor Hearth Products



Pages 1~54: See the Outdoor Fire Products  catalog.

Index



Safety Pilot Kits.....Pg.55



Gas Log Millivolt Kits.....Pg.65



Remote Control Kits.....Pg.75



Manual Valve Kits & Log Lighters.....Pg.85



More Fireplace Components.....Pg.93



IMPORTANT

For details on the HPC *Warranty Policy, Credit Policy, Product Return Policy, and Live Burn Demo Policy* please see the Introduction Section in the Outdoor Fire Products Catalog or visit our website at www.HPCfire.com.

Safety Pilot Kits



Safety Pilot Kit Index

Safety Pilot Valves	Page
Complete Kits.....	56~59
LP Conversion Kits.....	60
Replacement Valves.....	61
Pilot Assemblies.....	62
Thermocouples.....	62
Corrugated Pilot Tubing.....	63
Reference Chart.....	64
 Latch Tap Valves	
Complete Kits.....	60





Indoor Hearth Products


Private Safety Pilot Kits– Saves Time & Money!

Let us assemble the kit tailored for your needs– you choose valve / pilot assembly, fittings, heat shield, etc. We assemble & package with your assigned part #- all in one box!

70PKN-HC

High Capacity!

Safety pilot kit only for natural gas applications with gas log sets having 1/2" male threads on end of burner tube. Can mount straight out from burner pan or has fittings to allow valve to move forward, up from the floor and away from the burner pan. Uses White Rodgers High Capacity 142k Btu, 250° valve. For LP applications use 70LPK conversion kit (Page 60).



72PKNQM

"Quick Mount" swivel connector version of the 72PKN Safety Pilot Kit. Uses Copreci 300°, 90K Btu side inlet valve. For natural gas applications with gas log sets having either 3/8" female thread, 3/8" male thread, or 1/2" male thread on end of the burner tube, 90k Btu. For LP applications use 70LPK conversion kit (Page 60).



72PKN

Same as **72PKNQM** but without 'Quick Mount' swivel connector.



172UPK

Combines **72PKN** & **70LPK** for either LP or natural gas installations. See both illustrations for parts detail.

Qty	Model #		Gas	Description
	70PKN-HC		NA	Safety Pilot Kit High Capacity
	72PKNQM		NA	Safety Pilot Kit Quick Mount
	72PKN		NA	Safety Pilot Kit
	172UPK		NA	Safety Pilot Kit Universal

Please make a copy of this form to place your order.

Company Name: _____
 Phone Number: _____
 PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com

Safety Pilot Kits



80PKNQM

"Quick Mount" swivel connector system. Uses 300° rear inlet Copreci Valve. All fittings for mounting to all "standard" type burner pans. Designed to fit burners having 3/8" female, 3/8" male or 1/2" male threads on burner tube, 90k Btu. For LP applications use 70LPK conversion kit (Page 60).

80PKN

Same as **80PKNQM** but without 'Quick Mount' swivel connector.



81PKNQM

"Quick Mount" swivel connector system. Uses Copreci 300° rear inlet valve. Uses 1 1/2" swivel connector to give a more compact fit, and easier assembly. Designed to fit burner pans with 1/2" male threads on the end of the burner tube, 90k Btu. For LP applications use 70LPK conversion kit (Page 60).



82PKN

This kit is designed to fit all standard type burner pans. Designed to fit burners with 3/8" female threads, 3/8" male threads and 1/2" male threads on end of the burner tube, 90k Btu. For LP applications use 70LPK conversion kit (Page 60).



182UPK

Contains all components of **82PKN** and **70LPK**. This kit can be used for either Natural or LP installations.

Qty	Model #		Gas	Description
	80PKNQM		NA	Safety Pilot Kit Quick Mount
	80PKN		NA	Safety Pilot Kit
	81PKNQM		NA	Safety Pilot Kit Quick Mount
	82PKN		NA	Safety Pilot Kit
	182UPK		NA	Safety Pilot Kit Universal

Please make a copy of this form to place your order.

Company Name: _____
 Phone Number: _____
 PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com




Indoor Hearth Products

83PKN

Same as the 82PKN except an orifice nipple (size #25 orifice) is used in place of a close nipple. Accommodates both right or left hand installations, 90k Btu.


For LP applications use 70LPK conversion kit (Page 60).



91PKN

Ultra low profile safety pilot kit that employs a Copreci rear inlet 90k Btu, 300° valve. Fits all standard type burner pans. Designed to fit burners with 3/8" female threads, 3/8" male threads and 1/2" male threads.


For LP applications use 70LPK conversion kit (Page 60).



91PKNQM

Quick Mount System uses 300° low profile, rear inlet Copreci valve. This kit is designed to fit all standard type burner pans. Designed to fit burners with 3/8" female threads, 3/8" male threads and 1/2" male threads. 90k Btu.

For LP applications use 70LPK conversion kit (Page 60).



Qty	Model #		Gas	Description
	83PKN		NA	Safety Pilot Kit
	91PKN		NA	Safety Pilot Kit
	91PKNQM		NA	Safety Pilot Kit Quick Mount

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company
Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com

Safety Pilot Kits



Safety Pilot Kits

SPK-85

Fully Assembled!

Uses Copreci 300° rear inlet valve. Designed to fit only burner pans with 1/2" male threads on the end of the burner tube. For natural gas. Comes to you fully assembled, 90k Btu.
For LP applications use 70LPK conversion kit (Page 60).



DMSPK

Modulating!

Modulating valve with Remote:

- Controls safety pilot valve via remote control (not thermostat), 90k Btu
- Modulating Flame
- Simple to install
- Includes Dexen remote system



DEXEN
INDUSTRIES, INC.


DMSPK-A

Same as DMSPK but with Acumen temperature LCD display on transmitter.



CFPVC

Heat shield/valve cover made of light weight ceramic fiber and hand painted. Designed for safety pilot valves.
(valve and knob not included)



Qty	Model #		Gas	Description
	SPK-85		NA	Safety Pilot Kit - Fully Assembled
	DMSPK		NA	Safety Pilot Kit - Modulating
	DMSPK-A		NA	Safety Pilot Kit - Modulating
	CFPVC			Heat Shield - Decorative

Please make a copy of this form to place your order.

Company Name: _____
Phone Number: _____
PO #: _____

Hearth Products Controls Company
Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com



Indoor Hearth Products

Latch Tap Valve Kits

80LTK

On /Off Remote Latch Tap Kit. Same as **80PKNQM** kit plus latch tap valve, on/off remote system, and **3** heat shields. All fittings for mounting to all "standard" type burner pans. Those having 3/8" female, 3/8" male or 1/2" male threads on burner tube, 90k Btu. For LP applications use 70LPK conversion kit see below.



80LTK-T

Thermostatic Remote version of 80LTK. Items included are same as above.



LTK

On /Off Remote Latch Tap Retro Kit. Convert your existing safety pilot system to allow control via handheld remote. Comes with latch tap valve, **On / Off remote system**, and heat shield.

LTK-T

Thermostatic Remote version of LTK. Items included are latch tap valve, **Thermostatic remote system**, and heat shields.



LP Conversion Kits

70LPK

For use with 3/8" systems

Includes: vermiculite, air mixer/orifice, 2 LP pilot orifices

70LPK-HC

For use with 70PKN-HC

70LPK-QM

For use with 72PKNQM, 80PKNQM, 81PKNQM & 91PKNQM



Qty	Model #		Gas	Description
	80LTK		NA	Latch Tap Kit/Safety Pilot Kit
	80LTK-T		NA	Latch Tap Kit/Safety Pilot Kit
	LTK		NA	Latch Tap Kit
	LTK-T		NA	Latch Tap Kit
	70LPK		LP	LP Conversion Kit
	70LPK-HC		LP	LP Conversion Kit - High Capacity
	70LPK-QM		LP	LP Conversion Kit - Quick Mount

Please make a copy of this form to place your order.

Company Name: _____
 Phone Number: _____
 PO #: _____


Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com

Safety Pilot Kits




Safety Pilot Kits

Safety Pilot Replacement Valves



100-HC

- 225° Rated Valve
- Includes knob
- High Capacity 142k Btu



108-C

- Lowest Profile
- 300° Rated Valve
- 90k Btu



109-C

- Rear Inlet
- 300° Rated Valve
- 90k Btu



110

- Side Inlet
- 300° Rated Valve
- 90k Btu

Accessories

Stem Extension



101

- 4" Extension

Knob



111

- Pad Printed
- Fits most valves

Safety Pilot Heat Shields

- | | |
|--------------|--------------------|
| 122 | For 70 Series Kits |
| 123 | DMSPK Valve Shield |
| 140 | For 80 Series Kits |
| 140-L | For 90 Series Kits |
| 232 | For DMSPK Receiver |

Qty	Model #	Gas	Description
	100-HC	NA/LP	Repair Valve
	108-C	NA/LP	Repair Valve
	109-C	NA/LP	Repair Valve
	110	NA/LP	Repair Valve
	101		Stem Extension
	111		Black Knob
	122		Heat Shield for 70 series
	140		Heat Shield for 80 series
	140-L		Heat Shield for 90 series
	123		Heat Shield for DMSPK valve
	232		Heat Shield for DMSPK receiver

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company




Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com




Indoor Hearth Products

Pilot Assemblies



Qty	Model #		Gas	Description
	102		NA	18" Leads, 90° Hood
	102P		LP	18" Leads, 90° Hood
	102-36		NA	36" Leads, 90° Hood
	102-48		NA	48" Leads, 90° Hood
	102-72		NA	72" Leads, 90° Hood
	102-W		NA	18" Leads; White-Rodgers
	107		NA	90° Hood Bracket and tubing (no T/C)

Thermocouples



Qty	Model #		Length	Description
	106M		18"	METRIC; DV thermocouple; quick drop.
	106R		18"	Robertshaw- fits 102 & 102-P assembly
	106W		18"	White-Rodgers- fits 102-W
	117		36"	Robertshaw- 36" fits 102 & 102-P assembly
	112		48"	Robertshaw- 48" fits 102 & 102-P assembly
	116		72"	Robertshaw- 72" fits 102 & 102-P assembly

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Safety Pilot Kits



Thermocouple Thread Adaptors

These adaptors allow for valve / thermocouple of different type threads to be used— allows for metric to be used with standard thread.

Two Types:


434: Metric M9 to Standard 11/32" threads.

436: Metric M9 to Metric M8 threads.



Qty	Model #		Description
	434		Metric M9 to Standard 11/32" threads.
	436		Metric M9 to Metric M8 threads.

Corrugated Pilot Tubing

Qty	Model #	Dealer Cost	Length	Description
	654		18"	Dormont corrugated, stainless steel pilot tube. 1/4" O.D. 
	655		24"	
	649		36"	
	656		48"	
	651		60"	
	652		72"	



Please make a copy of this form to place your order.

Company Name: _____
 Phone Number: _____
 PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com



Safety Pilot Kits Reference Chart

Notes: 1) Quick Mount- Indicates swivel connector included with kit.

2) **IPI Pilot-** Indicates Intermittent Pilot Ignition- pilot only on when main burner is on.

Millivolt Valve Kits



Millivolt Valve Index

Millivolt Valves	<u>Page</u>
Complete Kits.....	66~68
Replacement Valves.....	69
Pilot Assemblies.....	70
Thermopiles.....	71
Corrugated Pilot Tubing.....	71
Reference Chart.....	74
 Electronic Ignition Valves	
Complete Kits.....	68
Replacement Valves.....	72,73
Modules, Pilot Assemblies, Other.....	72,73





Indoor Hearth Products

For use with Remote Control, Wall Switch, or Timer


Private Millivolt Kits– Saves Time & Money!

Let us assemble the kit tailored for your needs– you choose valve / pilot assembly, fittings, heat shield, etc. We assemble & package with your assigned part #- all in one box!


MVK-N, MVK-P

- Dexen 6003 Series Valve, 85k Btu.
- 225° Hi Limit switch on valve.
- On/Off switch on front of insulated heat shield.
- All fittings for fast, easy installation on any "standard" type burner pan.

MVK-N for Natural Gas
MVK-P for LP Gas



Heat Shield for MVK series kits




DEXEN

MVK-NQM, MVK-PQM

- "Quick Mount" system.
- Dexen 6003 Series Valve, 85k Btu.
- 225° Hi Limit switch on valve.
- On/Off switch on front of insulated heat shield.
- All fittings for easy "Quick Mount" installation on any "standard" type burner pan.

MVK-NQM for Natural Gas
MVK-PQM for LP Gas



DEXEN

About our kits:

- Most kits may be installed on right or left side of fireplace.
- All Kits may be installed standing up or laying down.
- Our kits provide all the fittings that should be needed for almost all installations on any of the three "standard" types of gas log sets.
- One or two stainless steel flex lines in all kits.

Qty	Model #		Gas	Description
	MVK-N		NA	Millivolt Valve Kit
	MVK-P		LP	Millivolt Valve Kit
	MVK-NQM		NA	Millivolt Valve Kit Quick Mount
	MVK-PQM		LP	Millivolt Valve Kit Quick Mount

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Millivolt Valve Kits



Maxitrol Flame Modulating System

MMVK Series

- Maxitrol, 85k Btu, 175° flame modulating valve.
- 90° hood pilot burner assembly.
- "Quick Mount" system.
- All fittings for installation on approved HPC burner pan only.
- Install on right or left side.
- Low profile, insulated heat shield.

MMVK-NQM for Natural Gas Kit

MMVK-PQM for LP Gas Kit

With Built in Spark Igniter

MMVK-NQMSI for Natural Gas Kit

MMVK-PQMSI for LP Gas Kit

MVRC255: Complete with RCK-M Remote Control (Pg. 79) with MMVK-NQM kit.




Heat Shield not pictured

Millivolt Valve Kits

Universal Millivolt Pilot Kit

UMVK-NP

- Convertible Robertshaw 225° 7000 series valve, 82k Btu.
- 225° Hi Limit switch on valve.
- On/Off switch on front of insulated heat shield.
- Vermiculite is included (not pictured).
- Includes all fittings for Natural or LP installations.



Robertshaw

Qty	Model		Gas	Description
	MMVK-NQM		NA	Millivolt Valve Kit- Modulating
	MMVK-PQM		LP	Millivolt Valve Kit- Modulating
	MMVK-NQMSI		NA	Millivolt Valve Kit- Modulating, Spark
	MMVK-PQMSI		LP	Millivolt Valve Kit- Modulating, Spark
	MVRC255		NA	Modulating Millivolt with Remote
	UMVK-NP		NA/LP	Millivolt Valve Kit

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com




Indoor Hearth Products

MVK-HC

HIGH CAPACITY– 230k Btu

- White Rodgers high capacity 175° valve, 230k Btu.
- 175° Hi Limit switch on valve.
- On/Off switch on front of insulated heat shield.
- 18" Thermopile with flexible gas tube.
- All fittings for fast, easy installation.
- For use with Remote Control, Wall Switch or Timer.
- For Natural Gas; LP Valve Changeover Kit included.
- Also available with 36" Thermopile with stainless steel flexible gas tubing.

Part # MVK-HC36



Electronic Ignition Valve Kits– No Standing Pilot

MVK-EI 3 Volt Battery, Low Capacity

- Dexen Electronic Ignition 175°, 82k Btu valve.
- 175° Hi Limit switch on valve.
- On/Off switch on front of insulated heat shield.
- Will operate for 1 year off of 2 D-Cell batteries.
- All fittings for fast, easy installation.
- For use with Remote Control, Wall Switch or Timer.
- Pilot lights when unit is turned on; 24" Pilot Assembly
- Longer Pilot Assemblies on Pg. 18.

LP Conversion Kit: #EILPK (Pg. 72)

Optional A/C adapter available #351 (Pg. 72)




MVK-EIMC-1, MVK-EIHC-1 24 Volt , High Capacity

- Honeywell 175° 150k or 270k Btu. valve, natural gas.
- On/Off switch on front of insulated heat shield.
- Operates off 24V A/C power (transformer included).
- Pilot Burner & fittings for fast, easy installation.;
- With heat shields for both the Module and Valve.
- For use with AC Remote Control, Wall Switch or Timer.
- Pilot lights automatically– 36" Pilot Assembly.
- Longer Pilot Assemblies on Pg. 19.

MVK-EIMC-1 (150k Btu)

MVK-EIHC-1 (270k Btu)

LP Conversion Kit: #577 (Pg . 73)



Qty	Model #		Gas	Description
	MVK-HC		NA/LP	Millivolt Valve Kit - High Capacity
	MVK-HC36		NA/LP	Millivolt Valve Kit - HC, 36" Pilot
	MVK-EIMC-1		NA	Electronic Ignition Kit - Honeywell
	MVK-EIHC-1		NA	Electronic Ignition Kit - Honeywell
	MVK-EI		NA	Electronic Ignition Kit - Dexen

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Millivolt Valve Kits



Robertshaw



202

Convertible valve,
for Natural or LP

- 225° rated valve
- Front Inlet Rear Outlet

DEXEN



200-D For Natural gas

201-D For LP gas

- 225° rated valve
- Front Inlet Rear Outlet
- 6003 Series

DEXEN



VENT FREE

200-KS

For Natural gas

- 225° rated valve
- Front Inlet Rear Outlet
- 6003KS Series

**White
Rodgers.**



210

- 250° rated valve
- 230k Btu
- LP conversion kit included
- .750 VDC



PCOA071 for LP Gas

PCOA072 for Natural Gas

- Hi/Lo Millivolt valve

Millivolt Valve Kits

Millivolt Valve Conversion



217 Converts 200 series Dexen and Robertshaw valves from Natural gas to LP gas

217N from LP gas to Natural Gas

216 Converts 200 series Dexen and Robertshaw valves from regulated to unregulated.



215 for Natural Gas

215L For LP Gas

- Converts S.I.T Nova 820 valve to Hi/Lo capabilities for Natural gas.



223

- Converts S.I.T Nova 820 valve to Manual Hi/Lo capabilities for Natural gas.

Qty	Model	Gas	Description
	202	NA/LP	Repair Valve- RobertShaw
	200-D	NA	Repair Valve- Dexen
	201-D	LP	Repair Valve- Dexen
	200-KS	NA	VENT FREE Repair Valve
	210	NA/LP	Repair Valve- White/Rodgers
	PCOA071	LP	Repair Valve- SIT
	PCOA072	NA	Repair Valve- SIT
	215	NA	High / Lo SIT Conversion Kit
	215L	LP	High / Lo SIT Conversion Kit
	223	NA	Manual SIT Conversion Kit
	352	LP	LP Conversion Kit- Dexen Millivolt
	217	LP	LP Conversion Kit
	217N	NA	LP to NA Conversion Kit
	216		Converts Regulated to Unregulated

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704


orders@HPCfire.com



Millivolt Pilot Assemblies


Robertshaw

203 & 204




Robertshaw

219



**White
Rodgers.**


103




Qty	Model		Gas	Description
	203		NA	18" Length; Robertshaw
	204		LP	18" Length; Robertshaw
	219N		NA	36" Length
	219P		LP	36" Length
	103		NA	36" Length; White-Rodgers

ODS Pilot Assemblies– Manual & Millivolt


69222



69342



73020 & 73037



Qty	Model		Gas	Description
	69222		NA	Manual ODS; Male Threads
	69342		LP	Manual ODS; Male Threads
	73020		NA	Millivolt ODS; Male Threads
	73037		LP	Millivolt ODS; Male Threads

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Millivolt Thermopiles

Qty	Model		Length	Description
	113		18"	Robertshaw - fits MVK-N & P Series
	255		36"	
	114		48"	



Robertshaw


Thermocouple Thread Adaptors

These adaptors allow for valve / thermocouple of different type threads to be used— allows for metric to be used with standard thread.

Two Types:

434: Metric M9 to Standard 11/32" threads.

436: Metric M9 to Metric M8 threads.



Millivolt Valve Kits

Qty	Model #		Description
	434		Metric M9 to Standard 11/32" threads.
	436		Metric M9 to Metric M8 threads.

Corrugated Pilot Tube

Qty	Model		Length	Description
	654		18"	Dormont corrugated, stainless steel pilot tube 1/4" O.D.
	655		24"	
	649		36"	
	656		48"	
	651		60"	
	652		72"	



Dormont

Please make a copy of this form to place your order.

Company Name: _____
 Phone Number: _____
 PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com




Indoor Hearth Products

Electronic Ignition Repair Valves & Components

Dexen EI Components

EI Valve

DEXEN




350

- Battery Powered Operation
- 175° rated
- 82k Btu valve
- 6003 3V Series

Electronic Ignition Components

DEXEN



- 350-P** 24" Pilot—Flame Sensor, Igniter
- 350-P36** 36" Pilot—Flame Sensor, Igniter
- 350-P48** 48" Pilot—Flame Sensor, Igniter
- 350-P60** 60" Pilot—Flame Sensor, Igniter
- 350-BP** Battery Pack
- 350-H** Wire Harness
- 350-M** Control Module
- 351** AC Wall Power Adapter

Qty	Model #		Gas	Description
	350-P		NA	24" EI Pilot Assembly - Dexen
	350-P36		NA	36" EI Pilot Assembly - Dexen
	350-P48		NA	48" EI Pilot Assembly - Dexen
	350-P60		NA	60" EI Pilot Assembly - Dexen
	350		NA	Repair Valve - Dexen
	350-BP			Battery Pack - Dexen
	350-H			Wiring Harness - Dexen
	350-M			Electronic Module - Dexen
	351			Wall Adaptor - Dexen
	EILPK		LP	LP Conversion Kit - Dexen EI

Please make a copy of this form to place your order.

Company Name: _____
 Phone Number: _____
 PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com



Electronic Ignition Repair Valves & Components

Honeywell EI Components

Honeywell EI Valve



Honeywell

- No standing pilot
- 24 volt system
- Non-Adjustable

210-EI 150k Btu

210-EIHC 270k Btu

Honeywell Module



Honeywell

210-EI MOD

- Honeywell Electronic Ignition control module
- 90 second lock out
- 24 volt system

Qty	Model #		Gas	Description
	210-EI		NA	150k Repair Valve - Honeywell
	210-EIHC		LP	270k Repair Valve - Honeywell
	210-EI MOD		NA	Electronic Ignition - Honeywell
	115PILOT-3		NA	36" EI Pilot Assembly - Honeywell EI
	115PILOT-4		NA	48" EI Pilot Assembly - Honeywell EI
	115PILOT-6		NA	72" EI Pilot Assembly - Honeywell EI
	577		LP	LP Conversion Kit - Honeywell EI



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Millivolt Valve Kits Reference Chart

Model	Btu	Quick Mount	Ignition			Flame	Use with Optional		Valve		For Burner		Pilot	
			Match	Manual	Electronic		Remote	AC Receiver	Nat.	LP	Thread Type	1/2" OD	Type	IPI
			Lit	Ignition	Ignition	Modulating	DC Receiver	RCK Receiver	Gas	Gas	3/8" ID/		Stand.	Note 3
MVK-HC	230k	Note 1	•				RCK-248, RCK I-Series, RCK K-Series	RCK-B, RCK-D	•			•	•	
MVK-N			•				RCK-248, RCK I Series, RCK-K Series	RCK-B, RCK-D	•		•	•	•	
MVK-P	85k		•								•	•	•	
MVK-NQM		•	•						•		•	•	•	
MVK-PQM		•	•							•	•	•	•	
MVK-EI	82k				• Battery		RCK-248, RCK I Series, RCK-K Series	RCK-B, RCK-D	•	Note 2	•	•	•	•
MVK-EIMC-1	150K				• 120vac				•			•	•	•
MVK-EIHC-1	270K				• 120vac				•			•	•	•
UMVK-NP (NG & LP)	82K		•				RCK-248, RCK I Series, RCK-K Series	RCK-B, RCK-D	•		•	•	•	
MMVK-NQM		•	•			•			•				•	
MMVK-PQM	85k	•	•			•	RCK-M, Not Available				•	•	•	
MMVK-NQM SI		•	•	• Piezo		•			•		•	•	•	
MMVK-PQM SI		•	•	• Piezo		•					•	•	•	

Notes:

- 1) Quick Mount- Indicates swivel connector included with kit.
- 2) LP Conversion Kits: **MVK-EI**: Use part # EILPK; **MVK-EIMC-1**, **MVK-EIHC-1**: Use part # 577.
- 3) IPI Pilot- Indicates Intermittent Pilot Ignition- pilot only on when main burner is on.

Remote Control Kits



Remote Control Kits Index

Remote Control Kits	<u>Page</u>
AC Remote Control Kits.....	76
DC Remote Control Kits.....	77~79
Ultrasonic Remote Control Kits.....	80
Decorative Receiver Covers.....	80
Replacement Components.....	84
Thermostats	
Wireless Kits.....	81
Wall Thermostats.....	82,83
Fireplace Timers	
Spring Wound.....	83
Wireless Kits.....	83





Indoor Hearth Products



FREE Private label program available— when you put your company name & logo on your remotes**

AC Remote Control Kits



RCK-B

- **Manual On/Off**
- Child Proof
- Backlit LCD showing room temperature.
- Insulated Heat Shield
- 120 VAC



RCK-D

- **Manual & Thermostat On/Off**
- Backlit LCD
- Child Proof
- Low Battery Indicator
- Room Temp Set Point
- Countdown Timer
- Clock
- Celsius/Fahrenheit
- Insulated Heat Shield
- 120 VAC



Qty	Model #		Description
	RCK-B		AC Manual On/Off
	RCK-D		AC Thermostatic, Manual On/Off

****Label Program—** just email us your logo, we generate electronic sample for approval, 4 weeks later we have your labels. No cost to you if you apply, HPC application is \$.50ea. Call for more details.

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Remote Control Kits



DC Remote Control Kits



RCK-248

Economy Manual ON/OFF

- Child Proof Switch
- Without Heat Shield.

SOLD IN CASES OF 24 ONLY



RCK-I

- **Manual On/Off**
- Backlit LCD
- Displays room temperature
- Insulated Heat Shield
- 400° High temp wires already installed
- Overheat protection switch built into receiver
- Self matching receiver to transmitter
- Child Proof Switch
- Easy access battery drawer

RCK-IS

- Same as **RCK-I**, but **without heat shield**

RCK-IW

- Same as **RCK-I**, but with **9' valve wires** for in wall installations. **Without heat shield**



Remote Control Kits

Qty	Model #		Description
	RCK-248		DC Economy Case (24) Qty ONLY
	RCK-I		DC Manual On/Off
	RCK-IS		DC Manual On/Off, No Heat Shield
	RCK-IW		DC Manual On/Off, Long Wires

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Indoor Hearth Products

DC Remote Control Kits (cont'd)



Thermostatic Remotes

RCK-K

- **Manual & Thermostat On/Off**
- Celsius/Fahrenheit
- Insulated Heat Shield
- Overheat protection built into receiver
- 400° High temp wires already installed
- Easy access battery drawer
- Backlit LCD with **clock & temp readout**
- Child Proof
- Low Battery Indicator
- Room Temp Set Point
- Countdown Timer

RCK-KS

- Same **RCK-K**, but **without heat shield**.

RCK-KW

- Same as **RCK-K**, but with **9' valve wires** for in wall installations. **Without heat shield**.



RCK-KP

- **Programmable RCK-K**; Directions on the backlit LCD window
- Simple and Easy
- Program up to 4 set points per day; Vacation Override
- **6 hour automatic shut down**
- Overheat sensor and easy change battery drawer in receiver
- Manual Mode
- Child proof
- Clock



Qty	Model #		Description
	RCK-K		DC Thermostatic
	RCK-KS		DC Thermostatic, No Heat Shield
	RCK-KW		DC Thermostatic, Long Wires
	RCK-KP		DC Programmable

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com

Remote Control Kits



MMVK Series Remote Control Kits (Used with Maxitrol GV34 Valve Only– See Pg. 67)

RCK-M

Manual On/Off, **modulating flame**, remote control for use with our MMVK series kits, and/or kits from other manufacturers that use the Maxitrol GV34 valve.


- Room Temperature is displayed on the LCD window of the transmitter. Use this as your guide to adjusting the flame up or down.
- Radio frequency signal for more control flexibility.
- Low battery indicator.
- Switch on the receiver allows flame adjustment from here if transmitter is disabled or out of reach
- Self matching receiver for easier frequency match up.
- Has insulated heat shield for receiver and 160° over heat shutdown to prevent damage to the receiver if it gets too hot.
- Easy access battery drawer in receiver.
- All required high temp (400°) wiring and batteries are included.
- Childproof lockout mode.



MRWS

Flame modulating, wall switch for use with our MMVK series kits and/or kits from other manufacturers that use the Maxitrol GV34 valve.

- Radio frequency for more control flexibility
- Installs easily in a wall receptacle box. Never gets lost
- Powered by 4 AA batteries
- 6' Valve Wires



Qty	Model #		Description
	RCK-M		DC, Remote Control for Maxitrol
	MRWS		DC, Wall Control for Maxitrol

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company
Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com



Indoor Hearth Products

Ultrasonic Remote Control Kits

TRX-11

On/Off Ultrasonic Remote Control

For use in areas where there is heavy, high powered R/F interference or to prevent unwanted control of another fireplace/log set in another room.



TRX-25

Thermostatic Ultrasonic Remote Control

For use in areas where there is heavy, high powered R/F interference or to prevent unwanted control of another fireplace/log set in another room.



Decorative Remote Receiver Covers

Available in 3 different color schemes to match virtually any log set. Made of light weight ceramic fiber and hand painted. Fits all Acumen DC receivers and other units smaller than 3.25" X 4.25" X 2".

Part	Description of tone
CFHSD	Dark: Black with light brown accents
CFHSM	Medium: Dark brown with light tan accents
CFHSL	Light: Light Brown with light tan accents

Only 3.5" tall, 5" wide and 5.5" deep



Qty	Model #	Description
	TRX-11	Ultrasonic Manual On/Off
	TRX-25	Ultrasonic Thermostatic
	CFHSD	Ceramic Fiber Cover
	CFHSM	Ceramic Fiber Cover
	CFHSL	Ceramic Fiber Cover

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Remote Control Kits

Wireless Thermostat Control Kits


WWT

- Manual /Automatic On/Off
- Backlit LCD with Clock & Temperature Readout
- Night Glow keys
- Child proof safety switch
- Easy access battery compartment
- Reliable R/F operation
- Adjustable turn off timer 1 to 120 minutes
- Automatic 6 hour turn off for safety
- One set point thermostatic control
- Celsius/Fahrenheit
- Countdown Timer
- Insulated Heat Shield



WWT-GS

Same features as the WWT in Gun Smoke Finish



WWPT

- Programmable: Can be programmed for 4 timed on/off sequences per day with 3 different temperature set points
- Backlit LCD with Clock & Temperature Readout
- Night Glow keys
- Child proof safety switch
- Easy access battery compartments
- Reliable R/F Operation
- Easy to follow programming instructions right on the LCD window
- Celsius/Fahrenheit



Qty	Model #		Description
	WWT		Wireless Wall Thermostat
	WWT-GS		Wireless Wall T-Stat Gun Smoke
	WWPT		Programmable Wireless Wall T-Stat

Please make a copy of this form to place your order.

Company Name: _____
 Phone Number: _____
 PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com



Indoor Hearth Products

Wall Thermostats

WTK

Decorator designed and engineered for outstanding performance for either heating or cooling. Features the Sealed-In-Glass switch which requires no leveling to quicken installation. Dial range from 48° to 86°. Includes 25' of thermostat wire and connectors to mount on any millivolt valve.

WTK-O/O

Same as **WTK** except has **positive on/off switch**.

WTK-ES


Same as **WTK** except has **Energy Saver dial range of 39° to 77°**.



MTK

Robertshaw Convertible Thermostat

The **MTK** series low voltage thermostat combines the reliable Sealed-In-Glass mercury free switch with the latest design technology and contemporary looks. This kit is compatible with most heating applications including single stage heat pumps and electrical heat. No sub base required and they will mount direct to the wall or on a standard J-Box. They are equipped with a wide range heat anticipator which allows greater replacement possibilities. Comes factory set to millivolt and converts easily to 24 volt applications. Temperature range from 50° to 90°F. Includes 25' of thermostat wire and connectors to mount on any millivolt valve.



HTKW-O/O

Honeywell Millivolt Thermostat

The **HTKW-O/O** low voltage thermostat provides control of 24 Volt residential heating, cooling or millivolt heating. Coiled bimetal element operates snap-action switch. Temperature range 50° to 90° with separate on/off switch. Includes 25' thermostat wire and connectors to mount on any millivolt valve.

(White Only)



PTK

White Rodgers 5 + 2 Day Digital Thermostat

Programmable Digital Thermostat. Single stage heating & cooling or heat only. Battery powered for maximum compatibility. Dry contact allows Millivolt and 24V use. Two programs, one for weekdays and one for weekends. Each program has up to four separate time/temperature settings. Temperature range from 45° to 90°F. Includes 25' of thermostat wire and connectors to mount on any millivolt valve.



Qty	Model #		Description
	WTK		Wall Thermostat
	WTK-O/O		Wall Thermostat, On/Off Switch
	WTK-ES		Wall Thermostat, Energy Saver
	MTK		Robertshaw T-Stat, low or 24 volt
	HTKW-O/O		Honeywell T-Stat, low or 24 volt
	PTK		White Rodgers Programmable

Company Name: _____
 Phone Number: _____
 PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com

Remote Control Kits



Wall Thermostats (Cont'd)



Honeywell Millivolt Thermostats

These low voltage thermostats provide control of 24 Volt residential heating, cooling or millivolt heating. Coiled bimetal element operates snap-action switch. Temperature range 50° to 90° with separate on/off switch. Includes 25' thermostat wire and connectors to mount on any millivolt valve.

(White Only)

TH147-O/O	Digital Thermostat
TH147-P	Programmable Digital Thermostat
TH140-PVM	Programmable Digital Thermostat- Vertical

Fireplace Timers (A/C Power is Not Required)

Spring Wound

SWTK

The quietest we could find. This 2-hour spring wound from Intermatic comes to you with two 9' lengths of wire with connectors to attach timer to the valve and a matching cover plate. Fits in standard receptacle box.



Wireless Timer

WWSK-2A

Adjustable Timer: Our newest timer- adjustable in 30, 60, 90, & 120 minute increments with backlit LCD. Battery powered. Works just like a millivolt remote control. Includes high temp wires & connectors to connect receiver to valve, batteries, matching cover plate (**white only**), and insulated heat shield for receiver. Transmitter fits in standard receptacle box.



Qty	Model #	Description
	SWTK	Spring Wound Timer
	WWSK-2A	Wireless Timer- Adjust 30 ~ 120min
	TH147-O/O	Honeywell Digital Thermostat
	TH147-P	Honeywell Programmable Thermostat
	TH140-PVM	Honeywell Programmable Thermostat- Vertical Mount

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704


orders@HPCfire.com



On/Off Switches

WOOSK

White Decorator Rocker on/off switch with wall plate. For use with any millivolt valve. Includes 25' of wire and connectors to fit onto any millivolt valve.



847 Kit

Decorative On/Off Switch

Made of lightweight ceramic fiber and designed to match our decorative Wood Bits. Includes switch, 36" of 400° high temp wire and connectors to hook to valve.



Replacement Components

264

RCK-I/RCK-K Transmitter Wall Mounted Bracket

To keep transmitter in the same place and out of reach of children.



242

RCK-I / RCK-K Heat Shield



Qty	Model #		Description
	242		Heat Shield - RCK-I & K Series
	264		Wall Mount Bracket
	847 Kit		Decorative On/Off Switch
	WOOSK		Wall Switch

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Manual Valve Kits & Log Lighters



Manual Valve / Log Lighter Index

Manual Valves	<u>Page</u>
Complete Kits.....	86,87
Standard Capacity Valves.....	86
Replacement Valves.....	90
Decorative Key Valves	
Standard Capacity Valves.....	87,88
High Capacity Valves.....	87,88
Keys & Flanges.....	89
Heat Shields.....	89
Log Lighters	
Burner Kits.....	91
Valve Kits.....	92
Burner Tubes.....	92



Indoor Hearth Products

Manual Valve Kits

C65

Designed to be mounted to the burner pan. Fits all standard type burner pans having 1/2" external threads, 3/8" external threads and 3/8" internal threads on the end of the burner tube. Can also be mounted to the pipe stub.

Included 7" black "L" stem.

(90K Btu NA)



C66U

Designed to be mounted to the burner pan. Fits pans with 1/2" external threads, 3/8" internal threads or 3/8" external threads (virtually all gas log sets), or to the pipe stub. **Includes two stem extensions and pad printed knob.**

(90K Btu NA)



C66

Designed to be mounted to the 1/2" pipe stub bringing gas into the fireplace.

(90K Btu NA)



MS7B

Straight Manual Control valve with 7" stem extension. For use inside fireplace with heat shield when connecting directly to the burner tube. Heat shield not needed if valve is at least 5" from burner tube. 1/2" Inlet/Outlet (150K Btu NA)



MA7B

Angle Manual Control valve with 7" L stem extension. For use inside fireplace with heat shield when connecting directly to burner tube. Heat shield probably not needed if valve is at least 4" from burner tube. 1/2" Inlet/Outlet (150K Btu NA)



Qty	Model #		Description
	C65		Manual Valve Kit
	C66U		Manual Valve Kit
	C66		Manual Valve Kit
	MS7B		Straight, 7" Key
	MA7B		Angled, 7" Key

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704


orders@HPCfire.com




Manual Valve Kits (Cont'd)

MS8B

Straight Manual Control valve with an 8" Brass Key. This kit contains the heat shield and die-cut insulation blanket. Installer can cut insulation to fit your specific installation. (150K Btu NA)



MAHC Angle High Capacity Manual Control valve with 7" L stem extension. For use inside fireplace with Heat shield when connecting directly to burner tube. Heat shield probably not needed if valve is at least 4" from burner tube. 1/2" Inlet/Outlet. (270K Btu NA)



Qty	Model #		Description
	MS8B		Straight, 8" Brass Key
	MAHC		Angled, High Capacity

Decorative Key Valve Kits

Standard Capacity Valves (1/2"):

Angle Manual Ball valve with flange and key. 1/2" inlet & outlet. For floor or wall mounting. (150k NA, 300k LP Max.)

Straight Manual Ball valve with flange and key. 1/2" inlet & outlet. For floor or wall mounting. (150k NA)



High Capacity Valves- "HC" (3/4"):

Angle Manual Ball valve with polished flange and key. 3/4" inlet & outlet. For floor or wall mounting. (300k NA)

Straight Manual Ball valve with polished flange and key. 3/4" inlet & outlet. For floor or wall mounting. (300k NA)



Standard vs. High Capacity

See next Page for models & pricing.

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Decorative Key Valve Kits (cont'd)

Standard Chrome & Brass Valve Kits: (Includes valve, flange & key)



Angle Key Valve Kit			
Qty	Model #	Color	
	MABB	Brass 1/2"	
	MACB	Chrome 1/2"	
	MABB-HC	Brass 3/4"	
	MACB-HC	Chrome 3/4"	

Straight Key Valve Kit			
Qty	Model #	Color	
	MSBB	Brass 1/2"	
	MSCB	Chrome 1/2"	
	MSBB-HC	Brass 3/4"	
	MSCB-HC	Chrome 3/4"	

Accented Finish Valve Kits: (Includes valve, flange & key)



Angle Key Valve Kit			
Qty	Model #	Color	
	MAAB	Antique Brass 1/2"	
	MAAC	Antique Copper 1/2"	
	MAFB	Flat Black 1/2"	
	MAPW	Pewter 1/2"	
	MAAB-HC	Antique Brass 3/4"	
	MAAC-HC	Antique Copper 3/4"	
	MAFB-HC	Flat Black 3/4"	
	MAPW-HC	Pewter 3/4"	

Straight Key Valve Kit			
Qty	Model #	Color	
	MSAB	Antique Brass 1/2"	
	MSAC	Antique Copper 1/2"	
	MSFB	Flat Black 1/2"	
	MSPW	Pewter 1/2"	
	MSAB-HC	Antique Brass 3/4"	
	MSAC-HC	Antique Copper 3/4"	
	MSFB-HC	Flat Black 3/4"	
	MSPW-HC	Pewter 3/4"	

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com


Manual Valves & Log Lighter Kits



Replacement Keys

These keys fit our Standard & High Capacity decorative key valves found on Page 34.

Qty	Model #	Description
	305-U	4" Polished Chrome with Universal socket 5/16" & 1/4"
	307-U	4" Polished Brass with Universal socket 5/16" & 1/4"
	317-8B	8" Polished Brass with Universal socket 5/16" & 1/4"
	317-12B	12" Polished Brass with Universal socket 5/16" & 1/4"
	317-18B	18" Polished Brass with Universal socket 5/16" & 1/4"
	317-24B	24" Polished Brass with Universal socket 5/16" & 1/4"
	317-3UAB	3" Antique Brass with Universal socket 5/16" & 1/4"
	317-3UAC	3" Antique Copper with Universal socket 5/16" & 1/4"
	317-3UFB	3" Flat Black with Universal socket 5/16" & 1/4"
	317-3UPW	3" Pewter with Universal socket 5/16" & 1/4"
	320	L-Style 7" long Stem Wrench (1/4")
	321	Connecting Collar for wrench



"L" Stem Style

Replacement Flanges & Key Kits


Our new Universal Décor Decorative Flanges are a great addition to existing or new Standard & High Capacity Key Valves.

Qty	Model #	Description
	304L	Polished Chrome Flange Only
	306L	Polished Brass Flange Only
	UDFK-AB	Antique Brass Flange & Key Kit
	UDFK-AC	Antique Copper Flange & Key Kit
	UDFK-FB	Flat Black Flange & Key Kit
	UDFK-PW	Pewter Flange & Key Kit

Heat Shield

(for manual valves)

Qty	Model #	Description
	121	Heat Shield for C69A



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Manual / Log Lighter



Indoor Hearth Products

Replacement Valves

301

Copreci

- Compact Design
- Side Inlet
- 3/8 x 3/8 Ext.
- 90K Btu NA



338 High Capacity

- Angle Valve
- Rated @ 350 degrees
- 1/2" Inlet/Outlet
- 270k Btu NA



339

- 1/4 Turn Straight ball valve
- 1/2" Inlet & Outlet
- 150K Btu NA



340

- 1/4 Turn Angle ball valve
- 1/2" Inlet & Outlet
- 150K Btu NA



339HC High Capacity

- 1/4 Turn Straight ball valve
- 3/4" Inlet & Outlet
- 300K Btu NA

340HC High Capacity

- 1/4 Turn Angle ball valve
- 3/4" Inlet & Outlet
- 300K Btu NA

228-LC

Description

3/8" flare x 1/2" FPT (110K Btu NA)



228

Description

1/2" flare x 1/2" FPT (150K Btu NA)



226

Description

1/2" X 1/2" FPT (150K Btu NA)



226-HC

Description

High Capacity
3/4" X 3/4" (270K Btu NA)



Qty	Model #	Description
	301	Angled Valve
	338	Angled Valve
	339	1/2" Straight Valve
	340	1/2" Angled Valve
	228-LC	3/8" Flare Ball Valve
	228	1/2" Flare Ball Valve
	226	1/2" Ball Valve
	226-HC	3/4" Ball Valve
	339HC	3/4" Straight Valve
	340HC	3/4" Angled Valve

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Manual Valves & Log Lighter Kits



Log Lighters: Fast Fire

HPC is your One-Stop Log Lighter Shop!

-Black CRS, Stainless Steel and Cast Iron-

You can see that our innovative Log Lighters offer significant improvements over our competitors' products. Kits are labeled and individually packed in a white box or tube. For your installation convenience, we have several log lighter kits which contain the most common components. Easy installation kits from HPC means no unneeded trips for parts. Makes installations quick and easy!

Log Lighter Burner Kits

Straight (no valve)

Cold Rolled, Black Steel Burner Tube, LP Air Mixer or NG Orifice, Connector & End Cap, Coupler, Elbow, and Instructions

Qty	Model #		Size in inches	Gas
	S12N		12"	NA
	S12P		12"	LPG
	S17N		17"	NA
	S17P		17"	LPG
	S24N		24"	NA
	S24P		24"	LPG



Angled (no valve)

Cold Rolled, Black Steel Burner Tube, LP Air Mixer or NG Orifice, Connector & End Cap, Elbow, Coupler, and Instructions

Qty	Model #		Size in inches	Gas
	A12N		12"	NA
	A12P		12"	LPG
	A17N		17"	NA
	A17P		17"	LPG
	A24N		24"	NA
	A24P		24"	LPG



Stainless Steel (no valve)

Includes- Stainless Steel Burner Tube, LP Air Mixer or NG Orifice, Connector & End Cap, El. Can be connected together in sections.

Qty	Model #		Size in inches	Gas
	SS17N		17"	NA
	SS17P		17"	LPG



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

Manual / Log Lighter



Indoor Hearth Products

Log Lighter Valve Kits

Straight with Valve

Straight Valve, Flange, Key, Cold Rolled, Black Steel Burner Tube, LP Air Mixer or NG Orifice, Street Elbow, Connector & End Cap, and Instructions


Qty	Model #		Size in inches	Gas	Description
	SV12PCN		12"	NA	Polished Chrome Valve Kit
	SV12PCP		12"	LPG	Polished Chrome Valve Kit
	SV12PBN		12"	NA	Polished Brass Valve Kit
	SV12PBP		12"	LPG	Polished Brass Valve Kit
	SV17PCN		17"	NA	Polished Chrome Valve Kit
	SV17PCP		17"	LPG	Polished Chrome Valve Kit
	SV17PBN		17"	NA	Polished Brass Valve Kit
	SV17PBP		17"	LPG	Polished Brass Valve Kit



Angled with Valve

Angled Valve, Flange, Key, Cold Rolled, Black Steel Burner Tube, LP Air Mixer or NG Orifice, Street Elbow, Connector & End Cap, and Instructions

Qty	Model #		Size in inches	Gas	Description
	AV12PCN		12"	NA	Polished Chrome Valve Kit
	AV12PCP		12"	LPG	Polished Chrome Valve Kit
	AV12PBN		12"	NA	Polished Brass Valve Kit
	AV12PBP		12"	LPG	Polished Brass Valve Kit
	AV17PCN		17"	NA	Polished Chrome Valve Kit
	AV17PCP		17"	LPG	Polished Chrome Valve Kit
	AV17PBN		17"	NA	Polished Brass Valve Kit
	AV17PBP		17"	LPG	Polished Brass Valve Kit



Burner Tubes

Made so that they can be coupled together in sections- Includes Burner Tube only

Qty	Model #		Size in inches
	671		10"
	672-12		12"
	672-17		17"
	672-24		24"

671

PRIER Log Lighter 10"

- Cast Iron
- Multiple Inlets
- Easy installation.
- For LP gas add adapter #127 air mixer to order.



672-17



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

...More Fireplace Components



Index

	Page
Diagnostic Kits.....	94
Burners & Pans.....	95
Fireplace Grates.....	95
Gas Saver Valve.....	95
Stainless Steel Flex Lines	
Low Capacity.....	96
Standard Capacity.....	97
Tranquil Whistle Free.....	97
Firebrick Panels.....	98
Spark Igniters.....	99
Regulators.....	99
Temperature Switches.....	99
Brass Fittings.....	100
Black Iron Fittings.....	101
Pro-Flex Lines.....	101
Fireplace Enhancement.....	102
Decorative Fireplace Glass.....	103



Indoor Hearth Products

Fireplace Diagnostic Kit



Add professional diagnostic expertise to your service department. Minimize callbacks and customer aggravation (yours too). Eliminate trial and error diagnostics - get it right the first time, every time! Complete more service calls and improve call completion times. Increase customer satisfaction and efficiency/profitability. When you do the job correctly, you can reduce your liability risk too!

These are just some of the benefits to your business when you are properly equipped to diagnose problems with either vented or vent free gas fireplaces and log sets. Here is a kit developed by professionals in the business of servicing these products as a result of their years of hands on experience. It contains the very best instruments at reasonable prices for faster and more accurate testing. Not only do you get the necessary instruments, fittings and tools but also "WRITTEN IN THE FIELD" instructions on how to use them in every day, easy to understand language. These pages give detailed instructions on how to diagnose and correct problems you face in day-to-day installations.

Qty	Model #	Description
	HPDK	Complete Kit
	HPDK-1	Without Infrared Thermometer
	411	1/2" MPT to 3/8" Male Flare Conn.
	412	1/2" MPT to 1/2" Male Flare Conn.
	516	1/2" Close Nipple
	517	1/2" MPT to 1/8" Male Flare Reducer
	518	3/16" T-Handle Allen Wrench
	520	2 Alligator Clips w/ Wires
	521	Lockable Aluminum Tool Case
	522	7 Piece Screwdriver Set
	523	Drill Index Sizes 1~60 Sizes
	524	1/2" Black Pipe Coupler
	525	9 Piece Metric Wrench Set
	526	Laminated Troubleshooting Guide
	527	Digital Manometer
	528	Digital CO Analyzer
	529	Gas Sniffer
	530	Digital Multimeter
	590	Infrared Thermometer- Digital INF 151

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Burners & Pans

Standard HPC Cold Rolled Steel Burner Pan


Qty	Model #		Dimensions
	1100		18"Lx5"Wx2 3/4"H



Stainless Steel Dual Burners

Dual Burners are designed for outdoor fireplace and are a great addition to the Stainless Steel Log Grates. Made with 304 stainless steel with the ends welded shut. To accompany the dual burners, we now offer a burner pan in 304 stainless steel designed specifically for our dual burners, it suspends burner 3/4" above fireplace floor. Measures 18" x 8", ends are 2" high and allows for pilot assembly mounting. Fits all HPC dual burners.


Stainless Steel Dual Burners			
Qty	Model #		Burner Size in inches
	DSB-18 KIT		18x6
	DSB-24 KIT		24x6
	DSB-30 KIT		30x6
	DSB-36 KIT		36x6
	DSBP18 pan for all		18x8x2



Stainless Steel Log Grates

Due to growing demand of larger, custom outdoor grates, HPC now carries two new 30" and 36" sizes of stainless steel grates in addition to the popular 24" model. These grates are made of solid 304 stainless steel, square stock material and welded at every joint for additional strength. In stock and ready for shipment.


Stainless Steel Log Grates			
Qty	Model #		Dimensions
	SFG24		24x18x6
	SFG30		30x18x6
	SFG36		36x18x6



Gas Saver Valve

Retrofit for existing grills and fireplaces that will automatically shut off the gas after a preset time, preventing waste and improving safety. The valve can be set for 10-minute increments for any desired time up to 3 hours. 1/2" inlet & outlet. Prevents waste of gas when Manual Valve is not turned off.

Great for use on a Log Lighter or Gas Grill. 100k Btu



Gas Saver Valve		
Qty	Model #	Dealer Cost
	850-D	

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com




Indoor Hearth Products


Stainless Steel Flex Lines

Are becoming more and more popular because they solve so many difficult installation problems and are so easy to use. Available bagged or un-bagged (standard size only for un-bagged) or with 1/2" On/Off valve already installed.

Flex Line Only



With On/Off Valve



Following is our Low Capacity, Standard Capacity, & Tranquil Whistle- Free Flex Lines- for High Capacity Flex Lines, please see the Outdoor Fire Effects section.

Low Capacity Flex Lines

All Low Capacity Flex Lines are 3/8"OD-1/4"ID, they come equipped with 1/2" female pipe threads on one end and 3/8" male pipe threads on the other.

Flex Line Only

Qty	Model #		Length
	SSC-LC6		6"
	SSC-LC12		12"
	SSC-LC18		18"
	SSC-LC24		24"
	SSC-LC30		30"
	SSC-LC36		36"
	SSC-LC48		48"

With On/Off Valve

Qty	Model #		Length
	SSC/OOV-LC6		6"
	SSC/OOV-LC12		12"
	SSC/OOV-LC18		18"
	SSC/OOV-LC24		24"
	SSC/OOV-LC30		30"
	SSC/OOV-LC36		36"
	SSC/OOV-LC48		48"

Black Stainless

Qty	Model #		Length
	SSCB-LC12		12"
	SSCB-LC18		18"
	SSCB-LC24		24"
	SSCB-LC36		36"

BLACK Flexible gas connectors are 3/8" OD-1/4"ID with 1/2" female pipe threads on one end and 3/8" male pipe threads on the other. Each black flexible gas connector is polymer coated and will resist blistering in the heat of the fireplace.



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Standard Capacity Flex Line

All Standard Capacity Flex Lines are 1/2" OD - 3/8" ID with 1/2" female pipe threads on one end and 3/8" male pipe threads on the other.

Flex Line Only

Qty	Model #	Length
	SSC6	6"
	SSC12	12"
	SSC18	18"
	SSC24	24"
	SSC30	30"
	SSC36	36"
	SSC48	48"

With On/Off Valve

Qty	Model #	Length
	SSC/OOV6	6"
	SSC/OOV12	12"
	SSC/OOV18	18"
	SSC/OOV24	24"
	SSC/OOV30	30"
	SSC/OOV36	36"
	SSC/OOV48	48"

Individually Bagged

Qty	Model #	Length
	SSC12B	12"
	SSC18B	18"
	SSC24B	24"
	SSC30B	30"

Black Stainless

Qty	Model #	Length
	SSCB12	12"
	SSCB18	18"
	SSCB24	24"
	SSCB30	30"

Tranquil Whistle-Free Flex Lines

HPC has been a long time supplier of reliable, maintenance-free flex lines. Now we offer our Tranquil Flex Line Series to eliminate the nuisance whistling found on those tough installs. Sizes available in low and standard capacity are 18", 24", and 30" lengths. These are stainless steel and for indoor or outdoor use. In stock and ready for shipment.

Low Capacity


Qty	Model #	Length
	SSC-WLC18	18"
	SSC-WLC24	24"
	SSC-WLC30	30"

Standard Capacity

Qty	Model #	Length
	SSC-W12	12"
	SSC-W18	18"
	SSC-W24	24"
	SSC-W30	30"

Standard Capacity- Black

Qty	Model #	Length
	SSCB-W18	18"
	SSCB-W24	24"
	SSCB-W30	30"



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com



Indoor Hearth Products

Platinum Bright Glowing Embers

Putting the glow into your fireplace



Before Platinum Bright Embers



After Platinum Bright Fireplace

Features and Benefits

- Visually Superior to Wool Embers
- Platinum coating facilitates more complete gas combustion creating a brighter ember and increased radiant heat output
- Constructed of catalytic grade ceramic, Platinum Bright Embers will not deteriorate when burned
- Reduces soot formed by fuel decomposition on conventional wool embers

Qty	Model #	Description
	PB-2	2 grams of Platinum Bright Embers
	PB-5	5 grams of Platinum Bright Embers

Decorative Firebrick Panels

HPC now offers ceramic fiber decorative firebrick panels- to refurbish an old or the finishing touches to the new fireplace.

Three beautiful colors to choose from- all with 4-color paint scheme to give appearance of authentic brick (22.5 x 19.5 x 1/2" thick). Easy to cut and install using our high heat adhesive part #838 (11oz tube) or #838-4 (4oz tube).



Decorative Firebrick Panels			
Qty	Model #	Color	
	FBP2219-El Dor	Red	
	FBP2219-Seville	Dark Tan	
	FBP2219-Florenc	Light Tan	
	838	11oz Aheasive	
	838-4	4oz Adhesive	

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____


PO #: _____

Hearth Products Controls Company
 Ph: (877) 433-7001 Fax: (877) 433-0704
orders@HPCfire.com

...More Components



Spark Igniters



690

Mounts easily with 2 screws
Use with an external switch
Uses easy to replace
9V battery
Sealed battery compartment
Dual ignition outlets



691

Screw in cap holds unit
in place. Uses 1 AAA
Battery. Sealed battery
Chamber. Easy battery
replacement



130


Snap in type
One spark-per-push
button



131

Electrode to
use with
130, 690 or
691

Regulators




670

Maxitrol Regulator—Natural Gas
1/2" x 1/2", set at 5.5" W.C. 4-8 adjustable.

670P

Maxitrol Regulator—LP Gas
1/2" x 1/2", set at 10" W.C. 8-12 adjustable



73332

Universal Regulator
1/2" x 1/2" Preset to:
Natural Gas— 4.0" WC
LP Gas— 10.0: WC

Temperature Switch

BSK

Temperature activated switch to operate a fireplace blower kit that does not have one.
Turns on and off as temperatures in the firebox rise and fall. Kit is to retrofit an already
used blower.



Qty	Model #		Gas	Description
	690			9v Spark Igniter
	691			AAA Spark Igniter
	130			Piezo Spark Igniter
	131			Spark Electrode
	670		NA	Maxitrol Regulator
	670P		LP	Maxitrol Regulator
	73332		NA/LP	Universal Maxitrol Regulator
	BSK			Temperature Switch

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com



Indoor Hearth Products


Brass Fittings




Qty	Model #	Description	Tube (T)	Pipe (P)
	400	90° Male Elbow	3/8"	3/8" MIP
	401	90° Male Elbow	1/2"	3/8" MIP
	402	90° Male Elbow	1/2"	1/2" MIP




	405	90° Female Elbow	3/8"	3/8" FIP
	406	90° Female Elbow	3/8"	1/2" FIP
	407	90° Female Elbow	1/2"	1/2" FIP
	408	90° Female Elbow	1/2"	3/8" FIP
	451	90° Female Elbow	3/4" MIP	15/16" FIP




	410	Male Connector	3/8"	3/8" MIP
	411	Male Connector	1/2"	3/8" MIP
	412	Male Connector	1/2"	1/2" MIP
	462	Male Connector	3/8"	1/2" MIP



	415	Full Union	1/2" Tube both ends	
	416	Full Union	3/8" Tube both ends	
	430	Reducing Union	3/8"-1/2" each end	



	420	Adaptor	3/8"	3/8" FIP
	421	Adaptor	3/8"	1/2" FIP
	422	Adaptor	1/2"	3/8" FIP
	423	Adaptor	1/2"	1/2" FIP



	441	Adaptor- Pipe	3/8" FIP	3/8" MIP
	442	Adaptor- Pipe	1/2" FIP	3/8" MIP
	443	Adaptor- Pipe	1/2" FIP	1/2" MIP



	450	Reducing Nipple	1/2" MIP	3/8" MIP
--	------------	-----------------	----------	----------



	606	Flare Nut	3/8" Tube	
	609	Flare Nut	1/2" Tube	



	431	Compression Nut	1/4"	
	432	Brass Sleeve	1/4"	
	433	Male Breakaway Ferrule	1/4"	



	425	1.5" Swivel Connector	3/8" flare both ends	
	426	3.0" Swivel Connector	3/8" flare both ends	

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company


Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

...More Components



Black Iron Fittings



Qty	Model #	Description
	500	1" Close Nipple 3/8" MPT
	501	90° Elbow 3/8" FPT
	502	90° Street EL 3/8" MPT x 3/8" FPT
	503	Reducing Elbow 1/2" x 3/8" FPT
	504	1½" Nipple 3/8" MPT
	505	Reducing Coupler 1/2" x 3/8" FPT
	509	Coupler 3/8" FPT
	510	3" Nipple 3/8" MPT
	513	1/2" Cap
	516	1/2" Close Nipple
	524	Coupler 1/2" x 1/2" FPT
	531	90° Street El 1/2" MPT x 1/2" FPT
	532	1½" Nipple ½" MPT

Qty	Model #	Description
	533	2" Nipple ½" MPT
	534	3" Nipple ½" MPT
	535	4" Nipple ½" MPT
	536	5" Nipple ½" MPT
	537	6" Nipple ½" MPT
	538	12" Nipple ½" MPT
	539	18" Nipple ½" MPT
	540	24" Nipple ½" MPT
	547	30" Nipple
	549	½" Elbow
	551	3/8" FIP Cap
	555	1/2" FIP Tee
	557	1/2" FIP Cross



Pro-Flex Line

Pro-Flex Line & Accessories

Pro-Flex Gas Line					Pro-Flex Fittings (box qty only)				
Qty	Model #	Spool Size in feet	Line Size in inches		Qty	Model #	Size in inches	Fitting	Box qty
	PFCT 1275	75	1/2			PFFN 1212B	1/2	Female	12
	PFCT 3475	75	3/4			PFMF 1212B	1/2	Male	12
	PFCT 12225	225	1/2			PFTP 1212B	1/2	Termination Plate	12
	PFCT 34225	225	3/4			PFMF 3406B	3/4	Male	6

Pro-Flex Gas Appliance Installation Kit

GIK: Easier than Black Pipe– no cutting, threading, or special tools needed. This complete kit comes with 25' Pro-flex Line (1/2"), brass fittings, termination plate, Teflon Tape, & bottle of leak detector.

Qty	Model #	Dealer Cost	Description
	GIK	\$85.00	Gas Appliance Kit





Indoor Hearth Products

Fireplace Enhancement



842 VC5

Volcanic Cinders - A big 5lb. bag of real, black colored, volcanic cinders.



845

Black Beauty Sand
841 White Silica Sand
Large 8lb. bag. Both look very nice in a fireplace.



840 GE5

Glowing Ember Material - darkest rock wool (5 oz. bag)



844 C4 Kit

Ceramic fiber coals - A nice sized bag of black ceramic fiber bits that look like coals when hot.



125 VE8

Vermiculite - 8oz bag of very coarse material.




843-WB5 Wood Bits

Set of 5 ceramic fiber pieces that look like the burned off ends of logs. They glow when hot.



Multi Color



Black

Ceramic Fiber River Rock Series

FPR84MC Multi Color

FPR84BL Black

These imitation stones are light weight ceramic fiber & gel cast. Each set comes with a 84 piece assortment of large & small stones (large pieces—4 1/2", small pieces—2 1/2"). One set is 1/2 cu. ft. (15 lbs.)



Rolled Lava Stone

857S

Unique finish lava stone rolled smooth. Available in 1/2 cu ft. bags.

Qty	Model #	Description
	125 VE8	Vermiculite- 8oz
	840 GE5	Glowing Embers- 5oz
	841	White Silica Sand- 8lbs
	842 VC5	Volcanic Cinders- 5lbs
	843 WB5	Wood Bits
	844 C4 Kit	Ceramic Fiber- 4oz
	845	Black Sand- 8lbs
	FPR84MC	Multi Color Ceramic River Rock
	FPR84BL	Black Ceramic River Rock
	857S	Rolled Lava Stone

Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Hearth Products Controls Company

Ph: (877) 433-7001 Fax: (877) 433-0704

orders@HPCfire.com

...More Components



Decorative Fireplace Glass (Any color: 10 lb. minimum order, 5 lb. increments)



	FPGLAZURIA	Azuria 1/4"	\$
	FPGLAZURIAREFL	Azuria Reflective 1/4"	\$
	FPGLBLACK	Black 1/4"	\$
	FPGLBLACKREFL	Black Reflective 1/4"	\$
	FPGLBRONZE	Bronze 1/4"	\$
	FPGLBRONZE5	Bronze 1/2"	\$
	FPGLBRNZREFL	Bronze Reflective 1/4"	\$
	FPGLCLEAR	Clear 1/4"	\$
	FPGLCLEAR5	Clear 1/2"	\$
	FPGLCHMPINK	Champagne Pink 1/4"	\$
	FPGLDARKGREEN	Dark Green 1/4"	\$
	FPGLARCTICBLUE	Arctic Blue 1/4"	\$
	FPGLEVERGREEN	Evergreen 1/4"	\$
	FPGLEVGRNREFL	Evergreen Reflective 1/4"	\$
	FPGLGRAY	Gray 1/4"	\$
	FPGLGRAY5	Gray 1/2"	\$
	FPGLGRAYREFLEC	Gray Reflective 1/4"	\$
	FPGLCOBALTBLUE	Cobalt Blue 1/4"	\$
	FPGLLIGHTGREEN	Light Green 1/4"	\$
	FPGLORANGE	Orange 1/4"	\$
	FPGLPACIFICBLUE	Pacific Blue 1/4"	\$
	FPGLPACIFICBLUEREFL	Pacific Blue Reflective	\$
	FPGLPURPLE	Purple 1/4"	\$
	FPGLRED	Red 1/4"	\$
	FPGLSOLEX	Solex 1/4"	\$
	FPGLSTARFIRE	Starfire 1/4"	\$
	FPGLSTRFIRE5	Starfire 1/2"	\$
	FPGLTURQUOISE	Turquoise 1/4"	\$
	FPGLYELLOW	Yellow 1/4"	\$
	FPGLCOPPER	Copper 1/4"	\$
	FPGLPLATINUM	Platinum 1/4"	\$
	FPGLGOLDREFL	Gold Reflective 1/4"	\$
	GSKIT	All	\$



Please make a copy of this form to place your order.

Company Name: _____

Phone Number: _____

PO #: _____

Glass Sample Kit

GSKIT Perfect for showing ALL our glass colors while traveling— in portable case tackle box.



Photocopy this form if needed to order product.



Purchase Order

Hearth Products Controls Co

706 Congress Park Dr.

Dayton, OH 45459

(937) 433-7000 Office

(937) 433-0704 Fax

(877) 433-7001 Toll Free

(877) 433-0704 Toll Free Fax

orders@HPCfire.com

Order Date _____

Ordered By _____

PO Number _____

Customer Number _____

Bill To:

Company Name _____

Address _____

City _____

State _____ Zip Code _____

Phone _____

Fax _____

Email _____

Ship To:

Company Name _____

Address _____

City _____

State _____ Zip Code _____

Contact Name _____

Phone _____

(must have for freight shipments)

*All orders will be shipped FOB Dayton OH at standard shipping times for carrier selected by HPC
unless changes are indicated below.

Ship Via _____

Shipping Acct # _____

Expedited Shipping _____

Item No.	Qty	Unit Price	Comments
Special Instructions:			