



By appointment to The Royal Danish Court

**morsø**





A close-up photograph of a black, textured surface, possibly a piece of furniture or a lamp. A small, rectangular metal pin is visible in the upper left corner. The word "morsø" is embossed in a stylized, lowercase font on the surface.

morsø

For more than 160 years, Morsø has spread warmth through our homes, creating special moments of pure happiness, closeness, peace of mind. And comfort.

## A CHOICE FOR LIFE

When you eventually put this literature down, the likelihood is you'll be sold. You'll have fallen for Morsø's timeless look. You'll have fallen in love with cast iron's unique properties. And you'll be convinced of our stoves' obvious advantages for the environment.


But believe us – when you describe your relationship with your Morsø in the future, it won't be the design, the cast iron or the stove's green-friendly impact which will fuel your fondness. By then, your stove will have already become one of the most-loved items of furniture in your home. A trusty source of comfort, you will love it for its sound, look and warmth. And for the glow of happiness it has spread throughout the house year after year.

To choose a Morsø is, in other words, to make a choice for life.





# A LONG HISTORY - TOLD IN PICTURES



# CONTENTS

3	A choice for life
4	The Morsø History
6	5660 inserts
8	2110
10	3610
12	7110
14	The 2B series
16	The 1400 series
17	3142
18	3440-series
20	The 6100 series
22	The 7600 series
24	The 7900 series
26	The 8100 series
28	Technical data
42	Accessories
44	Morsø Living

Morsø reserves the right to change specification without prior notice. This brochure does not replace the installation manual which provides more detailed information.



5660-inserts

5660



with glass front - 5660

**The Morsø 5660** is an advanced fireplace insert, which fully lives up to our craftsmanship traditions. The design is strict, modern and stylish, while the cast iron's raw and living structure gives the insert a rustic tone. Our innovative insert has an advanced combustion system supplied with tertiary air, enabling the stove to comply with the strictest, modern requirements for environmentally-conscious heating. The fireplace has an extra large combustion chamber which can accommodate logs of up to 20" – for those cold winter evenings. An optional outside air kit is available for this stove.



Heats up 50,000 BTU/hr





with blower 5660



**The Morsø 5660** is an advanced fireplace insert, which fully lives up to our craftsmanship traditions. The design is strict, modern and stylish, while the cast iron's raw and living structure gives the insert a rustic tone. Our innovative insert has an advanced combustion system supplied with tertiary air, enabling the stove to comply with the strictest, modern requirements for environmentally-conscious heating. The fireplace has an extra large combustion chamber which can accommodate fuel sizes of up to 20" – for those cold winter evenings. For new home installations an optional Morsø 5660 Zero-Clearance Enclosure is available for each 5660 model (specific installation instructions apply). The recommended framing dimension for the Morsø 5660 Zero-Clearance Enclosure is: 67" H x 39¾" W x 25½" D. The fan is "high quality adjustable 110 CFM fan that is powerful and very quiet.



Heats up 50,000 BTU/hr





2110





**Morso 2100** Nostalgic look, glowing with Danish charm. The 2110, which is very spacious and effective, and the creation of the English designers, Queensbury Hunt. Together with the designers, we have created a powerful radiant stove, which is a true representative of the proud Morso heritage. The Morso 2110 has an extra wide combustion chamber, allowing the use of large-sized fuel. At the same time, the width of the doors facilitate large glass windows, allowing you to gaze at the slow crackling fire.



3610







3610

**The Morsø 3610** features a classic design with a modern 'edge' and is the largest wood stove in the Morsø product line. The high heat output and large firebox capacity makes this model particularly suitable for large traditional or modern living spaces. It features double door design with large 'air-washed' glass panels for a great view of the fire, two internal ash pans for convenient and clean ash removal, and a side loading door makes refueling a breeze. The Morsø 3610 comes factory fitted with rear and bottom heat shields as standard. Robust yet elegant the 3610 is a real workhorse controlled by a single-handed air control lever at the front.



Heats up to 60,000 BTU/hour



7110



7110





A Modern Interpretation of Classic American Design. The Morsø 7110, designed specifically to meet the needs of the North American markets offers classic design elements with a modern presentation. The single door approach incorporates a large 'air-washed' window for a fantastic, unobstructed view of the fire. Perfect for medium sized living spaces the Morsø 7110 features an external ash pan for clean and convenient ash removal, a reversible flue collar for flexible installation and rear and bottom heat shields come fitted as standard. The beautifully crafted side castings feature an ancient Viking Symbol, The St Johannes Shield.







2B Classic





2B Standard

Morsø 2B classic No past – no future. At the beginning of the 1930s, the sculptor, Constantin Sørensen, created this impressive radiant stove, featuring Morsø's well-known decoration of squirrel and oak leaves. Then, as today, the 2B Classic is in great demand, and with its almost stately appearance, the stove is perfect for patrician and farm style homes. The stove's special feature is its combustion chamber, which can accommodate extra long fuel measuring up to 18". We have completely updated the combustion technology in the Morsø 2B Classic, so that it now meets today's stringent environmental requirements. There's almost no better way to have a fire than with the Morsø 2B Classic.



2B Standard & 2B Classic heat up to 35,000 BTU/hr

1400-series



1410 - with rib squirrel

**Morsø 1400-series** A steady beating heart. The Morsø 1400 is the quintessence of a charming stove. It represents what was the heart of many a home, what we know and remember from our childhood. The combustion technology of these classic stoves have since then been further developed and improved so that harmful particles and surplus gasses are burnt off. That's why, today, the stoves fulfil the strictest environmental requirements and also bear the Nordic Swan Eco-label. Despite all improvements in technology there are some details which remind timeless and a sign of quality, so Morsø's characteristic squirrel can still be found on the sides. It also available with contemporary ribbed sides.



Heats up 30,000 BTU/hr

with ribbed sides 1440



with squirrel sides 1410







3142 - with plain sides



3112



with squirrel sides 3142

**Morsø 3100-series** Following a thorough, technical upgrade and a design lift, the stove stands out with a contemporary, elegant look and meets all the latest combustion principles. With the Morsø 3100 we are continuing all the best points from the classic Morsø stove. Thus, the stove has smooth sides on the convection model and a very fine ribbed pattern on the radiant.



Heats up to 30,000 BTU/hour

soap stone 3450







3440 - with plain sides

We designed **the Morsø 3440** stove together with the well-known, English design company, Queensbury Hunt Levien, retaining the classic Morsø lines and stylish look, while also integrating an advanced combustion system. The wide door with large stove glass provides a wonderful view of the flames, helping create both mood and heat in the home. The 3400-series comprises two stoves.



Heats up to 35,000 BTU/hour



6140



6143







6148

**The Morso 6100-series** fans the flames. The stove's unique combustion system helps ensure a higher temperature in the combustion chamber, which means it burns off the flue gases. This provides you with a cleaner and more environmentally-friendly combustion and a higher level of efficiency, guaranteeing you good fuel economy. Furthermore, the elegantly designed glass door and hidden mountings provide a good view of the fire and flames. The 6100-series are 80.1% net efficient with almost no smoke emissions. Optional outside air kits are available for both models.

Heats up to 30,000 BTU/hr



with drawer - 7642



7644



7648



wall model - 7670





**Morsø 7600-series** was designed by Monica Ritterband, currently one of Denmark's most sought-after designers. Monica Ritterband is known for her pioneering designs, which all take their starting point in her unique universes and totally special, organic language of form and lines. Thus, the Morsø 7600 was also created in this way – it is completely unique with its circular form, round feminine transitions and its huge glass window, the biggest in Morsø's history of stoves.



Heats up to 35,000 BTU/hr

With **the 7900 series**, Morsø has worked with the designer Monica Ritterband to develop and create a new series of cast iron wood-burners, whose functionality and design suit any home - and of course with quality as the key. The 7900 series is an innovative design based on a modular system, that makes it possible to customise each wood-burning stove to suit individual needs, both in terms of design and functionality.



Heats up to 35,000 BTU/hr



7940



plain base - 7943



with open base - 7943



7948



wall mounted - 7970



# 7900-series



with drawer - 7943



plain base or drawer - 7990



with open base - 7990



with heat storage - 7990



NEW  
soap stone top  
- fits all 7900 models

8140



8142



8148



The **Morsø 8100-series** has a clean and simple design, where the combination of soft, rounded contours and simple details give the stove a light and timeless look. This guarantees you a classically beautiful stove that will last for decades, while the cast iron's raw and living structure will provide both a rustic and exclusive tone.



Heats up to 35,000 BTU/hr



8100-series

Soapstone 8150





By appointment to The Royal Danish Court

**morsø**



# TECHNICAL DATA





# CHOOSING THE RIGHT STOVE FOR YOU

The Morsø range is extensive and comprises of stoves to cover a whole variety of needs. So, despite the fact that the natural thing to do is let taste and appeal decide, start by looking at the various models' and designs. We recommend you consider a few points first.


## **Radiant or convection stove?**

There are two different types of stove: radiant stoves and convection stoves. The radiant stove concentrates the heat around the stove itself, while the convection stove quickly distributes the heat out into the whole room. The type you choose will therefore greatly depend on what you want your stove to do. If you want cosiness and warmth close to the stove, the radiant stove is a good choice. If, on the other hand, the stove is also to play an effective role in heating your home as a primary heat source, you should choose a convection stove.

## **What size?**

The size of your stove is decisive for getting full pleasure of your investment. In this respect, too large can cause problems just as too small can. A stove that's too small will not be able to heat the room adequately. However, if you buy a stove that's too big in relation to the room, you will be forever cutting the air supply to keep the room temperature down. As a result, combustion will be incomplete and soot will quickly build up on the window and in the chimney. Not only that, the quantity of soot particles you emit into the environment will be disproportionately high.





We're hot for fire. One of our most important areas of expertise is the production of environmentally-aware stoves, and we happily describe ourselves as experts in combustion technology. The cross-section of the stove shown above outlines the stove's combustion and convection airflow system. Cold air is drawn into the stove and heated as it passes through the cast iron channels (the heated air washes the glass keeping it clean, clear and free from soot). The hot air also provides perfectly heated combustion air (in addition the heated tertiary air aids secondary combustion of any smoke and gasses, increasing efficiency and reducing the environmental impact).


## 2B-CLASSIC



Radiant  
Maximum Heat . . . . .35,000 BTU/hr  
Log size . . . . . 18"  
Max. Area Heated . . . . . 1200 ft<sup>2</sup>  
Firebox Dimensions . . .7" W x 21½" D  
Firebox volume/capacity . . . .0.82 ft<sup>3</sup>  
Gross Weight. . . . . 253 Lbs  
Efficiency rating (as measured  
by LHV) . . . . . 75%+  
Outside air supply . . . . .Not available

Basic Clearance (using single wall pipe  
top vent)

Stove to side wall . . . . . 26"  
Stove to rear wall. . . . . 7"  
Stove to corner. . . . . 22"



For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)


## 2B-STANDARD



Radiant  
Maximum Heat . . . . .35,000 BTU/hr  
Log size . . . . . 18"  
Max. Area Heated . . . . . 1200 ft<sup>2</sup>  
Firebox Dimensions . . .7" W x 21½" D  
Firebox volume/capacity . . . .0.806 ft<sup>3</sup>  
Gross Weight. . . . . 156 Lbs  
Outside air supply . . . . .Not available



Basic Clearance (using single wall pipe  
top vent)

Stove to side wall . . . . . 26"  
Stove to rear wall. . . . . 16"  
Stove to corner. . . . . 16"



For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)





MORSØ DESIGN GLASS  
HEARTH PAD -  
CODE: 62919400 -

Radiant  
Maximum Heat . . . .30,000 BTU/hr  
Log size . . . . . 12"  
Max. Area Heated. . . . . 1000 ft<sup>2</sup>  
Firebox Dimensions 12 1/4" W x 10 3/4" D  
Firebox volume/capacity . . 0.736 ft<sup>3</sup>  
Outside air supply. . . . Not Available  
Gross Weight . . . . . 215 Lbs  
Efficiency rating (as measured  
by LHV) . . . . . 75%+





1410



75%  
IRS Tax Credit

Basic Clearance (using single wall pipe  
top vent)  
Stove to side wall . . . . . 20"  
Stove to rear wall . . . . . 16"  
Stove to corner. . . . . 14"

For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)



MORSØ DESIGN GLASS  
HEARTH PAD -  
CODE: 62919400 -

Convection  
Maximum Heat . . . .30,000 BTU/hr  
Log size . . . . . 12"  
Max. Area Heated. . . . . 1000 ft<sup>2</sup>  
Firebox Dimensions 12 1/4" W x 10 3/4" D  
Firebox volume/capacity . . 0.736 ft<sup>3</sup>  
Outside air supply. . . . Not Available  
Gross Weight . . . . . 222 Lbs  
Efficiency rating (as measured  
by LHV) . . . . . 75%+



1440



75%  
IRS Tax Credit


Basic Clearance (using single wall pipe  
top vent)  
Stove to side wall . . . . . 8"  
Stove to rear wall . . . . . 10"  
Stove to corner. . . . . 7"

For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)

2110



Radiant  
 Maximum Heat . . . . 42,000 BTU/hr  
 Log size . . . . . 18.5"  
 Max. Area Heated. . . . . 1400 ft<sup>2</sup>  
 Firebox Dimensions 18¾" W x 12½" D  
 Firebox volume/capacity . . 1.093 ft<sup>3</sup>  
 Outside air supply. . . . . Available  
 Gross Weight . . . . . 279 Lbs



Basic Clearance (using single wall pipe top vent)


Stove to side wall . . . . . 22"  
 Stove to rear wall . . . . . 20"  
 Stove to corner. . . . . 16"

For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)

3112




Radiant  
 Maximum Heat . . . . 30,000 BTU/hr  
 Log size . . . . . 12"  
 Max. Area Heated . . . . . 1000 ft<sup>2</sup>  
 Firebox Dimensions 13¼" W x 12½" D  
 Firebox volume/capacity . . . . 0.9 ft<sup>3</sup>  
 Outside air supply . . . . . Available  
 Gross Weight. . . . . 245 Lbs  
 Efficiency rating (as measured by LHV) . . . . . 75%+  
 Mobile home approved. . . . . Yes



Basic Clearance (using single wall pipe top vent)


Stove to side wall . . . . . 20"  
 Stove to rear wall. . . . . 12"  
 Stove to corner. . . . . 17"

MORSØ DESIGN GLASS  
 HEARTH PAD -  
 CODE: 62919400 -



For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)






Convection  
 Maximum Heat . . . . .30,000 BTU/hr  
 Log size . . . . . 12"  
 Max. Area Heated . . . . . 1000 ft<sup>2</sup>  
 Firebox Dimensions 13 1/4" W x 12 1/2" D  
 Firebox volume/capacity . . . . . 0.9 ft<sup>3</sup>  
 Outside air supply . . . . . Available  
 Gross Weight. . . . . 272 Lbs  
 Efficiency rating (as measured  
 by LHV) . . . . . 75%+  
 Mobile home approved. . . . . Yes




3142



MORSØ DESIGN GLASS  
 HEARTH PAD -  
 CODE: 62919400 -

Basic Clearance (using single wall pipe  
 top vent)  
 Stove to side wall . . . . . 16"  
 Stove to rear wall. . . . . 9"  
 Stove to corner. . . . . 13"


For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)



Convection  
 Maximum Heat . . . . .35,000 BTU/hr  
 Log size . . . . . 15"  
 Max. Area Heated. . . . . 1200 ft<sup>2</sup>  
 Firebox Dimensions . 15 1/2" W x 13" D  
 Firebox volume/capacity . . 0.995 ft<sup>3</sup>  
 Outside air supply. . . . . Available  
 Gross Weight . . . . . 279 Lbs  
 Efficiency rating (as measured by  
 LHV). . . . . 75%+  
 Mobile home approved. . . . . Yes



3440



MORSØ DESIGN GLASS  
 HEARTH PAD -  
 CODE: 62919500 -

Basic Clearance (using single wall pipe  
 top vent)  
 Stove to side wall . . . . . 8"  
 Stove to rear wall . . . . . 8"  
 Stove to corner. . . . . 6"

For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)



3450



75%+  
IRS Tax Credit




Radiant  
Maximum Heat . . . .35,000 BTU/hr  
Log size . . . . . 15"  
Max. Area Heated. . . . . 1200 ft<sup>2</sup>  
Firebox Dimensions . 15½" W x 13" D  
Firebox volume/capacity . . 0.995 ft<sup>3</sup>  
Outside air supply. . . . . Available  
Gross Weight . . . . . 440 Lbs  
Efficiency rating (as measured  
by LHV) . . . . . 75%+  
Mobile home approved. . . . . Yes



Basic Clearance (using single wall pipe  
top vent)  
Stove to side wall . . . . . 16"  
Stove to rear wall . . . . . 12"  
Stove to corner. . . . . 12"

MORSØ DESIGN GLASS  
HEARTH PAD -  
CODE: 629195 00 -





For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)

3610



Radiant  
Maximum Heat . . . .60,000 BTU/hr  
Log size . . . . . 24"  
Max. Area Heated. . . . . 2400 ft<sup>2</sup>  
Firebox Dimensions . 24" W x 13½" D  
Firebox volume/capacity . . .2.14 ft<sup>3</sup>  
Gross Weight . . . . . 439 Lbs  
Outside air supply. . . . . Available




Basic Clearance (using single wall pipe  
top vent)  
Stove to side wall . . . . . 18"  
Stove to rear wall . . . . . 17"  
Stove to corner. . . . . 13"

For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)



# 5660-BLOWER



Convection  
Maximum Heat . . . . . 50,000 BTU/hr  
Log size . . . . . 20"  
Max. Area Heated . . . . . 2200 ft<sup>2</sup>  
Firebox Dimensions . . . 20<sup>3</sup>/<sub>4</sub>" W x 11" D  
Fireplace opening 28<sup>3</sup>/<sub>4</sub>"W x 19<sup>1</sup>/<sub>4</sub>"D x 26"H  
Firebox volume/capacity . . . . . 1.49 ft<sup>3</sup>  
Outside air supply . . . . . Available  
Gross Weight. . . . . 383 Lbs  
Efficiency rating (as measured  
by LHV) . . . . . 75%+

## Basic Clearance


Stove to side wall . . . . . 17"  
Stove to top . . . . . 26<sup>1</sup>/<sub>2</sub>"  
Stove to side trim . . . . . 8"  
Stove to mantle . . . . . 26<sup>1</sup>/<sub>2</sub>"

## Optional:

3-sided wide trim kit . . .40" (W) x 31<sup>3</sup>/<sub>4</sub>" (H)  
Morsø 5660 Zero-Clearance Enclosure:  
67"H x 39<sup>3</sup>/<sub>4</sub>W x 25<sup>1</sup>/<sub>2</sub>D. Optional 5660 Zero  
Clearance Enclosure Blower kit. The fan  
is "high quality adjustable 110 CFM fan  
that is powerful and very quiet.

For all clearance options download installation manual from  
[www.morsona.com](http://www.morsona.com)

# 5660-STANDARD



Convection  
Maximum Heat . . . . . 50,000 BTU/hr  
Log size . . . . . 20"  
Max. Area Heated . . . . . 2200 ft<sup>2</sup>  
Firebox Dimensions . . . 20<sup>3</sup>/<sub>4</sub>" W x 11" D  
Fireplace opening . . . 28<sup>3</sup>/<sub>4</sub>"W x 19<sup>1</sup>/<sub>4</sub>"D x 21<sup>1</sup>/<sub>4</sub>"H  
Firebox volume/capacity . . . . . 1.49 ft<sup>3</sup>  
Gross Weight. . . . . 275 Lbs  
Efficiency rating (as measured by LHV) . . .  
75%+

Outside air supply . . . . . Available

## Basic Clearance

Stove to side wall . . . . . 17"  
Stove to top . . . . . 26<sup>1</sup>/<sub>2</sub>"  
Stove to side trim . . . . . 8"  
Stove to mantle . . . . . 28<sup>1</sup>/<sub>2</sub>"

## Optional:

3-sided wide trim kit . . . .40" (W) x 25" (H)  
4-sided wide trim kit . . . .40" (W) x 33" (H)  
Morsø 5660 Zero-Clearance Enclosure  
67"H x 39<sup>3</sup>/<sub>4</sub>W x 25<sup>1</sup>/<sub>2</sub>D  
Optional 5660 Zero Clearance Enclosure

For all clearance options download installation manual from  
[www.morsona.com](http://www.morsona.com)

# 6100-SERIES




## Convection

Maximum Heat . . . .30,000 BTU/hr  
 Test fuel load . . . . . 5.21 lbs  
 Particulate Emission . . . . 4.1 gm/hr  
 Log size . . . . . 11"  
 Max. Area Heated. . . . . 1000 ft<sup>2</sup>  
 Firebox Dimensions . . 13" W x 10" D  
 Firebox volume/capacity . . 0.744 ft<sup>3</sup>  
 Outside air supply. . . . . Available  
 Gross Weight . . . . . 258 - 285 Lbs  
 Efficiency rating (as measured  
 by LHV) . . . . . 75%+  
 Mobile home approved. . . . . Yes

## Basic Clearance (using single wall pipe top vent)

Stove to side wall . . . . . 10"  
 Stove to rear wall . . . . . 3"  
 Stove to corner. . . . . 5"


6143



Height:

6140 - 29 3/4" / 6143 - 37 1/2" / 6148 - 37 1/2"

MORSØ DESIGN GLASS  
 HEARTH PAD -  
 CODE: 62919400 -



For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)

# 7110





## Radiant


Maximum Heat . . . .38,000 BTU/hr  
 Log size . . . . . 16.5"  
 Max. Area Heated . . . . . 1300 ft<sup>2</sup>  
 Firebox Dimensions . . 17 1/2" W x 9" D  
 Firebox volume/capacity . . . 1.04 ft<sup>3</sup>  
 Outside air supply . . . . . Available  
 Gross Weight. . . . . 309 Lbs  
 Efficiency rating (as measured  
 by LHV) . . . . . 75%+  
 Mobile home approved. . . . . Yes

## Basic Clearance (using single wall pipe top vent)

Stove to side wall . . . . . 16"  
 Stove to rear wall. . . . . 6 1/2"  
 Stove to corner. . . . . 8 1/2"




MORSØ DESIGN GLASS  
 HEARTH PAD -  
 CODE: 62919600 -




For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)





Height:  
7642 - 37 1/2" / 7644 - 40 3/4" / 7648 - 39 7/8"



MORSØ DESIGN GLASS  
HEARTH PAD -  
CODE: 62919600 -


Convection  
Maximum Heat . . . . .35,000 BTU/hr  
Log size . . . . . 11"  
Max. Area Heated . . . . . 1200 ft<sup>2</sup>  
Firebox Dimensions . 13" W x 10 1/2" D  
Firebox volume/capacity . . . . .0,85 ft<sup>3</sup>  
Gross Weight. . . . . 300 -348 Lbs  
Efficiency rating (as measured  
by LHV) . . . . . 75%+  
Outside air supply . . . . . Available  
Mobile home approved. . . . . Yes

Basic Clearance (using single wall pipe  
top vent)  
Stove to side wall . . . . . 15"  
Stove to rear wall. . . . . 1"  
Stove to corner. . . . . 2 1/2"

For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)



7600-SERIES



Height:  
7940 - 40 5/8" / 7943 -45 1/2" / 7948 - 45 1/2" /  
7970 - 29 3/4" / 7990 - 53 3/8"

Convection  
Maximum Heat . . . . .35,000 BTU/hr  
Log size . . . . . 9"  
Max. Area Heated . . . . . 1200 ft<sup>2</sup>  
Firebox Dimensions . 11,5" W x 10" D  
Firebox volume/capacity . . . . .0,76 ft<sup>3</sup>  
Gross Weight. . . . . 348 - 429 Lbs  
Efficiency rating (as measured  
by LHV) . . . . . 73%+  
Outside air supply . . . . . Available  
Mobile home approved. . . . . No

Basic Clearance (using single wall pipe  
top vent)  
Stove to side wall . . . . . 23"  
Stove to rear wall. . . . . 5"  
Stove to corner. . . . . 7"

For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)



7900-SERIES

# 8100-SERIES



## Convection


Maximum Heat . . . . .35,000 BTU/hr  
 Log size . . . . .12"  
 Max. Area Heated. . . . .1200 ft<sup>2</sup>  
 Firebox Dimensions 13¾" W x 11½" D  
 Firebox volume/capacity . . . .1.05 ft<sup>3</sup>  
 Gross Weight 8140 . . .384 - 764 Lbs  
 Efficiency rating (as measured  
 by LHV) . . . . .75%+

Outside air supply. . . . . Available  
 Mobile home approved. . . . . Yes

## Basic Clearance (using single wall pipe top vent)

Stove to side wall . . . . .10"  
 Stove to rear wall . . . . .6"  
 Stove to corner. . . . .6"


8142



## Height:

8140 - 34 1/4" / 8142 - 44 5/8" / 8148 - 44 1/8" /  
 8150 - 41 1/8"

MORSØ DESIGN GLASS  
 HEARTH PAD -  
 CODE: 62919600 -



For all clearance options download installation manual from [www.morsona.com](http://www.morsona.com)





# Original accessories




MORSØ LEATHER GLOVE

This protective glove is made of thick leather. The gloves are available for both left and right hand.



MORSØ MINI STOVE

The Morsø Mini Stove 2B Classic is made from the same high-quality cast iron and with the same impeccable craftsmanship as a regular Morsø stove.  
2BUO: 10 1/2" (h) x 3" (w) x 7" (d)



MORSØ CAST IRON TRIVET

Two Morsø trivets are available: the Classic Morsø Trivet with the original Morsø trademark from the 18th century monogrammed in the center; and the new Morsø Trivet that features the ever-popular Morsø squirrel.




LOOP LOG RING  
& FIREPLACE TOOL SET

The Morsø loop Log Ring incorporates a soft rubber handle for carrying comfort and a soft rubber mat/tray. Dimensions: Mat: 24" x 14 1/2". Loop: ø 19"



ASSEMBLY AND MAINTENANCE

Owning a stove is a commitment and you must take care of your Morsø stove if you want it to last a long time. In this regard we advice you to use only genuine Morsø materials for installation and regular maintenance.



MORSØ DUSTPAN & BROOM

The dustpan is 7 3/4" wide and functionally executed with ergonomic rubber handles.

MORSØ CHILDGUARD

Efficient and elegant, this superbly constructed Morsø accessory is equipped with two side panels and wall fittings. Height x Width x Length: 27 1/2" x 39" x 37".


MORSØ HEARTH PLATES

The Morsø black and steel hearth plates are made from 2 mm high-quality steel with a non-gloss finish that matches Morsø stoves. The Morsø glass hearth plate is made with 8 mm clear glass that has a specially beveled edge to give the hearth plate an elegant and exclusive look. The steel square and rectangle plates have slightly rounded edges.



MORSØ SINUS MULTIBAKET

Sinus is novel design when it comes to firewood baskets. The innovative choice of material gives it a warm and fascinating expression. Available in two sizes and 1 colour: mocca brown. These baskets are ideal for firewood as well as for newspapers or the children's toys.





# Original accessories

It's not just the wood-burning stove itself that emits the special atmosphere of warmth and comfort in your home.



CURVA FELT BASKET

## CURVA

With "CURVA", Morsø has created a functional and aesthetically beautiful piece that encompasses all the fire tools in such a way that each product in the series has its own function, and nothing is superfluous.



CURVA FIRE TOOLS



CURVA POKER



MORSØ FIREWOOD BUCKET  
LARGE & SMALL

The Morsø Firewood Bucket is painted in a non-gloss powder coating that gives the bucket the same surface finish as a Morsø stove.  
Height x Diameter: 13½" X 17½."



## SIMPLICA HUMIDIFIER

The glossy stainless steel handle contrasts to the black enameled cast iron and the grip made of solid rubber makes it safe and comfortable when moving the humidifier under all conditions. Content 1,5 l.



FIREPLACE TOOL SET COMPLETE

Complete Fireplace Tool Set is very well thought out and has clean lines, making it a perfect companion to Morsø's minimalist stoves. The tools are made of quality materials with comfortable rubber grips.  
H: 16" x W: 8" x D: 4½."



MORSØ FLUE GAS THERMOMETER

The Morsø flue gas thermometer is attached to the flue pipe with a magnet and is used to measure the temperature of the smoke in the flue pipe right above the stove.



MORSØ CAST IRON HUMIDIFIER

Morsø cast iron kettles are available in two sizes, 2.0 liter or 4.5 liter. Made of enameled cast iron.



MORSØ MOISTURE METER

Ensures that wood fuel has the correct moisture content thus maximizing fuel combustion and fuel efficiency.



MORSØ CANVAS WOOD CARRIER

Made of black canvas and has sturdy wooden handles.



MORSØ FIRE TOOLS CLASSIC

The classic Morsø, with the Morsø squirrel. Height: 27"



MORSØ ASH AND STORAGE BUCKET

This four gallon bucket comes with a tight fitting lid to ensure containment of ashes until all embers are put out.  
Height x Diameter 14½" x 12".

• MORSØ FORNO

interior  
innovation  
award  
2013

Winner



**MORSØ FORNO** is the outdoor oven that creates a cozy atmosphere on your terrace and it lets you create crisp pizzas and perfect bread in just a few minutes.

Using the Morsø Tuscan Grill as a coal insert, delicious steaks and vegetables can be prepared with well-defined Grill marks.

And the latest addition for the Forno, a separate stainless steel door is now available, that, when fitted on the Morsø Forno, makes both slow cooking, baking, and smoking possible.

• MORSØ FORNO OUTDOOR TABLE



• TUSCAN GRILL



• MORSØ FORNO DOOR





• PIZZA PEEL



• ASH SCRAPER



• FIRE TONGS



• MORSØ GRILLFORNO



The Morsø Grill Forno is made from a solid enameled cast iron that gives unsurpassed advantages in connection with grilling.

A charcoal insert and a grill grate both made from cast iron come with the Grill Forno. The special surface of the grill grate has innumerable small pores that absorb the fat and flavourings from the meat. A unique feature which ensures that the meat is grilled in its own juices.



• MORSØ GRILL FORNO DOOR



• MORSØ OUTDOOR FIREPIT



• MORSØ BEL - BIOETHANOL LAMP





The outdoor fireplace **Morsø Kamino** is shaped from cast iron and can – besides decorating and heating all outdoor surroundings – also prolong the outdoor experience – from early spring months, through the chilly summer nights until the beginning of autumn.



#### **Morsø GrillCocotte**

The designer Klaus Rath had created an innovative composition of a grill pan, pot, and roaster for Morsø. The set consists of a pot and a grill pan that can be used individually, or the two elements used in different configuration giving no less than four functions.

Turn over the Grill pan and use it as a lid for the pot, producing an elegant roaster. Alternatively flip over the pot and it becomes a lid for the grill pan, making a perfect resting pan for steak or roast.



• MORSØ KAMINO



• MORSØ GRILLCOCOTTE



[www.morsona.com](http://www.morsona.com)