

BLT-IN-5124 Electric Fireplace in Venetian Grey color,  
Classico finish concrete face with Sable fire glass



## BUILT-INS/WALL MOUNTS & ZERO CLEARANCE

ELECTRIC FIREPLACES

*Amantii*

# BLT-IN / WM SERIES

*impressive*



BLT-IN-38 Electric Fireplace with Goldenrod fire glass

## BLT-IN-38 SPECIFICATIONS

### BLT-IN / WM SERIES Fireplace Features


- 38" and 58" can be built-in or wall mount.
- Featuring LED light technology
- No heater
- No fan
- Unit can be built into the wall with only 2" (5cm) protruding into the room for Glass, 2 3/4" (7cm) for Stone
- 2 1/2" return on all Stone faced units
- Slim 6" overall depth unit mounts directly on any wall
- 12 Volt
- Remote control for turning the flame on or off (included)
- Easy to reach manual controls
- Comes standard with crystal black glass face
- BLT-IN-38 & BLT-IN-58 come with three colors of fire glass media



Built-in electric fireplaces are a perfect alternative for gas or wood-burning fireplaces, solving impossible installation challenges and offering immediate gratification with same-day installation. This fireplace offers the convenience of either being a built-in or wall mount unit.

If you have limited space, then the BLT-IN 38" is your answer. This easy-to-install unit adds a clean, fresh look to any room in your home. The crystal black glass face comes standard, or create your own style with optional real stone upgrades. Our new selection of three colors of fire glass media are included, see page 4.

Volts	12
Amps	0.2
Watts	10.5
LED Lights	3 each 5 watt 15 watts total
Rotor Motor	1 at 5 watts
Height, Width, Depth	
Glass Front Model	16 5/8 x 24 1/2 x 6 5/8
Stone Front Model	16 5/8 x 24 1/2 x 7 3/8
Glass Viewing Opening	20 3/4 x 11 1/4
Glass Size	38 w x 25 5/8 h
Shipping Size	
Glass Front Model	39 3/4 x 9 3/4 x 30
Stone Front Model	42 1/2 x 9 3/4 x 31 1/2
Shipping Weight	
Glass Front Model	80 lbs.
Stone Front Model	96 lbs.
Cord Length	76"



Unit can be built into the wall with only 1 1/2" protruding into the room  
Stone face models have a 2 1/2" return on all four sides



BLT-IN-58 Electric Fireplace with Sunset Orange fire glass


## BLT-IN-58 SPECIFICATIONS



### Sleek & Stylish.

It's not easy being popular, but the BLT-IN-58" electric fireplace is all that and more. Fitting perfectly into any setting, this gorgeous fireplace will provide years of enjoyment and beauty in your home. Also available with real stone optional upgrades. The BLT-IN 58 offers the convenience of either being a built-in or a wall mount unit. Our new selection of three colors of fire glass media are included, see page 4.

Volts	12
Amps	0.2
Watts	10.5
LED Lights	5 each 5 watt 25 watts total
Rotor Motor	1 at 5 watts
Height, Width, Depth	
Glass Front Model	16 5/8 x 39 3/8 x 6 5/8
Stone Front Model	16 5/8 x 39 3/8 x 7 3/8
Glass Viewing Opening	38 x 11
Glass Size	58 1/4 w x 25 1/2 h
Shipping Size	
Glass Front Model	60 1/2 x 8 1/4 x 27 3/4
Stone Front Model	62 1/2 x 9 3/4 x 31 1/2
Shipping Weight	
Glass Front Model	108 lbs.
Stone Front Model	128 lbs.
Cord Length	75"



Glass faced units can be built into the wall with only 2" protruding into the room  
Stone faced units can be built into the wall with only 2 3/4" protruding into the room  
Stone face models have a 2 1/2" return on all four sides

# REAL STONE FACE UPGRADES



BLT-IN-58 Electric Fireplace with Blaze fire glass and optional Black Granite


(Available in BLT-IN 38" and 58" models only)



Dark Gray Limestone




Absolute Black Granite




Honey Travertine

## FIRE GLASS COLORS


The three fire glass colors below are included with BLT-IN / WM Series, Artisan Series and Designer Series models only



Hz-01 Clear



Hz-04 Harvest Moon



Hz-05 Goldenrod

## OPTIONAL FIRE GLASS ACCESSORIES

If you would like additional fire glass colors, the options below are available to purchase.



Hz-06 Blaze



Hz-07 Sunset



Hz-08 Sable

# ARTISAN SERIES



BLT-IN-5124 Electric Fireplace in Tuscan Cream, Classico finish concrete face with Sable fire glass

## BLT-IN-5124 SPECIFICATIONS

### BLT-IN 5124 SERIES Fireplace Features


- Can be built-in or wall mount
- Featuring LED light technology
- No heater
- No fan
- Surround can be nearly flush against the wall
- 12 Volt
- Remote control for turning the flame on or off (included)
- Easy to reach manual controls
- Comes with three colors of fire glass media



Volts	12
Amps	0.2
Watts	10.5
LED Lights	5 each 5 watt 25 watts total
Rotor Motor	1 at 5 watts
Height, Width, Depth	16 5/8 x 39 3/8 x 6 5/8
Glass Viewing Opening	37 w x 10 h
Concrete Surround	51 w x 24 h x 3-3/8 d
Shipping Size	
Unit	40 x 7 x 22
Concrete Front	55 x 6 x 27
Shipping Weight	
Unit	27 lbs.
Concrete Front	90 lbs.
Plug Location	Right Side
Cord Length	76"

### Enduring & Unique.

Amantii's realistic flame and larger flame viewing area are standard for this 51" unit. The fireplace unit can be recessed into an opening leaving the 3-3/8" depth concrete face sitting nearly flush against the wall. Included in the box is our new selection of three colors of fire glass media. **The BLT-IN-5124 is designed to be wall mounted or built-in.**



The fireplace unit can be recessed into an opening leaving the 3-3/8" depth concrete face sitting nearly flush against the wall. (There will be a 1/8" gap between the wall and the surround provided the unit is 2-3/4" out of the wall when installed)



BLT-IN-5124 Electric Fireplace in Tuscan Cream,  
Moderno finish concrete face with Clear fire glass



BLT-IN-5124 Electric Fireplace in Venetian Grey, Moderno  
finish concrete face with Sunset Orange fire glass

# TIMELESS FINISH

Amantii is pleased to introduce our new line of hand-poured concrete surrounds. Our surrounds are beautiful to look at, transforming any space and providing years of enjoyment. Part of the unique quality of concrete is that textures and irregularities are part of its charm. As such it is not uncommon to find slight surface irregularities and color variations from piece to piece. Each piece is cast by hand and the finest color pigments have been used for the optimal in color consistency. The Artisan surrounds are available in two styles; the Moderno and the Classico, and two colors; Venetian Grey and Tuscan Cream.




## ARTISAN CONCRETE FACE STYLE & COLOR OPTIONS

### Styles:



Classico - Natural finish only



Moderno - Honed finish only

### Colors in each Finish:



Venetian Gray - Natural Finish



Tuscan Cream - Natural Finish



Venetian Gray - Honed Finish



Tuscan Cream - Honed Finish

# DESIGNER SERIES



BLT-IN-62 Electric Fireplace shown with Textured Black face with Blaze fire glass

## BLT-IN-62 SPECIFICATIONS

### BUILT-IN SERIES Fireplace Features

- Can be built-in or wall mount
- 16 gauge steel fronts featuring a 45/45/90 degree return with welded corners, sanded, dipped and coated. This equals a 1.5 inch return and gives the product a very rich feel.
- BLT-IN-62 comes with three colors of fire glass media
- Featuring LED light technology
- No heater
- No fan
- Unit can be built into the wall with only 2" (5 cm) protruding into the room
- Slim 6" overall depth unit mounts directly on any wall
- 12 Volt
- Remote control for turning the flame on or off (included)
- Easy to reach manual controls
- Fireplace ships in two boxes: one for the unit and one for the front face




### Impressive & Clean.

The BLT-IN-62" electric fireplace comes in Textured Black or Metallic Black, also available in two contemporary colors, Candy Apple Red and Coastal Blue, see page 9. The BLT-IN 62 offers the convenience of either being a built-in or a wall mount unit. Our new selection of three colors of fire glass media are included, see page 4.

*(Textured Black face shown to the left)*

Volts	12
Amps	0.2
Watts	10.5 max
LED Lights	5 each 5 watt 25 watts total
Rotor Motor	1 at 5 watts
Length, Width, Depth	16 5/8 x 39 3/8 x 7 3/8
Glass Viewing Opening	37 w x 9 7/8 h
Steel Surround	62 w x 24 3/8 h
Unit Shipping Size	60 x 10 1/2 x 28
Front Shipping Size	65 x 4 x 27
Total Shipping Weight	75 lbs. Front Included
Cord Length	75"



Unit can be built into the wall with only 1 1/2" protruding into the room



BLT-IN-62 Electric Fireplace shown with Coastal Blue face and Goldenrod fire glass

## DESIGNER SERIES COLOR OPTIONS

### Classic Colors:




Metallic Black



Textured Black - Has the look of textured black leather.

(Metallic Black and Textured Black are available for WM-62", BLT-IN-62" and WM-102" models)

**Contemporary Colors:** Brighten up any room with a vivid, colorful fireplace. Our striking contemporary colors are available in the 62" model only and come in Candy Apple Red and Coastal Blue.



Candy Apple Red



Coastal Blue

(Contemporary colors are available for WM-62" and BLT-IN-62" models only)

**Beveled Edges** - Our designer steel fronts are 1-1/2" thick, adding richness and beauty.



(Metallic Black edge shown)



(Coastal Blue edge shown)

# ZERO CLEARANCE SERIES



33P Electric Fireplace

## 33P SPECIFICATIONS

### Insert Series Fireplace Features


- 120 Volt - 1500 watt or 220 Volt - 3000 watt/ 5000 btu heater
- Approx heating area - 400 sq. ft
- Flame operates with or without heat
- Remote control for flame and heater (included)
- Easy to reach manual controls
- Plug located on the right side
- Cord length - 76"



### 33P Electric Fireplace

Eco-friendly and practical. This easy-to-install electric fireplace insert instantly brings your existing gas fireplace to life. With lifelike flame technology get the look of a wood fire with a realistic log set and ember bed. The unit can be operated with flame only or flame and heat.

Volts	120
Amps	14
Watts	1435
Heater	1350 watts high, 675 watts low
No Heater	85 watts
Lamps	2 each 40 watt Candelabra Incandescent, 80 watts total
Rotor Motor	1@5 watts
Height, Width, Depth	27 3/4 h x 30 1/8 w x 5 7/8 d
Glass Viewing Opening	28-3/4 x 20-1/8
Glass Size	28-3/4 x 20-1/8
Shipping Size	34 x 10 x 31
Shipping Weight	62 lbs. Glass Included





39P Electric Fireplace

*create conversation*


## 39P SPECIFICATIONS



### 39P Electric Fireplace

A twin to the 33" model, this larger eco-friendly electric insert is easy-to-install and allows the warmth and comfort of a lifelike fire, making it practical for condo or apartment living. Get the look of a wood fire with a realistic log set and ember bed. The unit can be operated with flame only or flame and heat.

Volts	120
Amps	14
Watts	1515
Heater	1350 watts high, 675 watts low
No Heater	165 watts
Lamps	4 each 40 watt Candelabra Incandescent, 160 watts total
Rotor Motor	1@5 watts
Height, Width, Depth	31 3/4 h x 36 w x 5 7/8 d
Glass Viewing Opening	34 7/8 w x 19 5/8 h
Glass Size	35 1/2 w x 20 5/8 h
Shipping Size	40 x 10 x 35
Shipping Weight	74 lbs. Glass Included



# PRICE LIST

Part Number	Description	MSRP
-------------	-------------	------

All units can be Built-In or Wall Mount except the 33P & 39P

## BLT-IN-38

BLT-IN-38-BLKGLASS	38" Electric Fireplace w/Black Glass	
<b>REAL STONE FACED UNITS</b>		
BLT-IN-38-BLKGRANITE	38" Electric Fireplace w/Black Granite	
BLT-IN-38-GREYLIMESTONE	38" Electric Fireplace w/Grey Limestone	
BLT-IN-38-TRAVERTINE	38" Electric Fireplace w/Honey Travertine	

## BLT-IN-58

BLT-IN-58-BLKGLASS	58" Electric Fireplace w/Black Glass	
<b>REAL STONE FACED UNITS</b>		
BLT-IN-58-BLKGRANITE	58" Electric Fireplace w/Black Granite	
BLT-IN-58-GREYLIMESTONE	58" Electric Fireplace w/Grey Limestone	
BLT-IN-58-TRAVERTINE	58" Electric Fireplace w/Honey Travertine	

## BLT-IN-5124

<b>ARTISAN FACED UNITS</b>		
BLT-IN-5124-CLASSICO-TUSCANCREAM	51" Electric Fireplace w/ Tuscan Cream Color Natural Finish	
BLT-IN-5124-CLASSICO-VENETIANGREY	51" Electric Fireplace w/ Venetian Grey Color Natural Finish	
BLT-IN-5124-MODERNO-TUSCANCREAM	51" Electric Fireplace w/ Tuscan Cream Color Honed Finish	
BLT-IN-5124-MODERNO-VENETIANGREY	51" Electric Fireplace w/ Venetian Grey Color Honed Finish	

## BLT-IN-62

<b>DESIGNER UNIT</b>		
BLT-IN-62-METALLICBLACK	62" Electric Fireplace w/ Metallic Black Steel Front	
BLT-IN-62-TEXTUREDBLACK	62" Electric Fireplace w/ Textured Black Steel Front	
BLT-IN-62-CANDYAPPLERED	62" Electric Fireplace w/ Candy Apple Red Steel Front	
BLT-IN-62-COASTALBLUE	62" Electric Fireplace w/Coastal Blue Steel Front	

## ZERO CLEARANCE

33P	Performance Unit using 120 v
39P	Performance Unit using 120 v

## FIRE GLASS ACCESSORIES

Hz-05-GOLDENROD	Golden Yellow Fire Glass Media
Hz-06-BLAZE	Red Fire Glass Media
Hz-07-SUNSET	Smooth Iridescent Orange Fire Glass Media
Hz-08-SABLE	Smooth Brown Fire Glass Media

*Amantii*

Phone: 888.406.8764  
 Fax: 877.498.4206  
 Web site: [www.amantii.com](http://www.amantii.com)



Distributed By:



Intertek