

WM-50 Electric Fireplace with  
optional white glass face



# WALL MOUNT

---

## ELECTRIC FIREPLACES

*Amantii*



WM-38 Electric Fireplace

## WM-38 SPECIFICATIONS

### WM SERIES

#### Liner Fireplace Features


- Comes standard with crystal black glass face
- Easy-to-install 2-step process
- Slim 6" depth unit hangs easily on any wall
- A lifelike flame that adds warmth and style to any setting
- Flame operates with or without heat
- Remote control for variable heat and variable flame (included)
- On demand heat - great for zone heating
- 120 Volt - 1500 watt/5000 btu heater
- Approximate heating area - 500 sq. ft.
- Easy to reach manual controls
- Plug located on the right side



#### Eco-friendly & Beautiful.

If you love the sleek appearance of a linear fireplace, but have limited space, the WM 38" is your answer. This easy-to-install unit adds a clean, fresh look to any room in your home. The crystal black glass face comes standard, or create your own style with optional real stone upgrades.

Volts	120
Amps	13.5
Watts	1625 max
Heater	1500 watts high, 750 watts low
No Heater	125 watts
Lamps	3 each 40 watt Candelabra Incandescent, 120 watts total
Rotor Motor	1 at 5 watts
Height, Width, Depth	19 1/10 x 24 2/5 x 4 4/5
Glass Viewing Opening	20-11/16 x 11-1/4
Glass Size	38 w x 25 3/5 h
Shipping Size	
Glass Front Model	39 3/4 x 7 1/2 x 27 1/4
Stone Front Model	42 1/2 x 9 3/4 x 31 1/2
Shipping Weight	
Glass Front Model	68.5 lbs.
Stone Front Model	92.75 lbs.
Cord Length	76"





WM-58 Electric Fireplace shown with optional Black Granite surround

*distinctive*

## REAL STONE FACE UPGRADES


(Available in WM 38" and 58" models only)



Absolute Black Granite



Dark Gray Limestone



Honey Travertine

WM-58 Electric Fireplace shown with Dark Gray Limestone surround





WM-58 Electric Fireplace shown with optional Travertine surround


## WM-58 SPECIFICATIONS



### Sleek & Stylish.

It's not easy being popular, but the WM 58" electric fireplace is all that and more. Fitting perfectly into any setting, this gorgeous fireplace will provide years of enjoyment and beauty in your home. Also available with real stone optional upgrades.

Volts	120
Amps	14.5
Watts	1745 max
Heater	1500 watts high, 750 watts low
No Heater	245 watts
Lamps	5 each 40 watt Candelabra Incandescent, 200 watts total
Rotor Motor	1 at 5 watts
Height, Width, Depth	20 1/10 x 39 3/10 x 5 3/10
Glass Viewing Opening	37" x 10"
Glass Size	58 1/4 w x 25 9/16 h
Shipping Size	
Glass Front Model	60 1/4 x 8 x 27 1/4
Stone Front Model	62 1/2 x 9 3/4 x 31 1/2
Shipping Weight	
Glass Front Model	106 lbs.
Stone Front Model	126 lbs.
Cord Length	75"





WM-95 Electric Fireplace

*wow factor*



## WM-95 SPECIFICATIONS



### Contemporary & Distinctive.

With its unique flame and stunning length, this WM 95" electric fireplace will certainly be a show-stopper, whether it's part of your home or business.

Volts	120
Amps	15.5
Watts	1865 max
Heater	1500 watts high, 750 watts low
No Heater	365 watts
Lamps	9 each 40 watt Candelabra Incandescent, 360 watts total
Rotor Motor	1 at 5 watts
Height, Width, Depth	19 7/10 x 81 1/10 x 4 4/5
Glass Viewing Opening	78 1/2 x 10 5/8
Glass Size	94 1/2 w x 26 3/8 h
Shipping Size	97 x 9 x 29
Shipping Weight	176.5 lbs. Glass Included
Cord Length	62"





WM-1641 Vertical Convex Electric Fireplace

## WM-1641 SPECIFICATIONS

### WM SERIES Vertical Convex Fireplace Features


- Crystal Black glass face
- Easy-to-install 2-step process
- State of the art electric flame technology for a realistic looking flame
- Flame operates with or without heat
- Remote control for flame and heater (included)
- On demand heat - great for zone heating
- 120 Volt - 1500 watt/ 5000 btu heater
- Approximate heating area - 500 sq. ft.
- Low operating cost with high (100%) efficiency
- Plug located on the right side



### Vertical Convex Wall Mounted Electric Fireplace

The WM-1641 vertical convex electric fireplace can transform any space with its clean, contemporary design and realistic torch-like flame.

Volts	120
Amps	12
Watts	1435 max
Heater	1350 watts high, 675 watts low
No Heater	85 watts
Lamps	2 each 40 watt Candelabra Incandescent, 80 watts total
Rotor Motor	1@5 watts
Height, Width, Depth	39 2/5 x 10 2/5 x 6 3/16
Glass Viewing Opening	16 9/10 x 13
Glass Size	21 7/10 x 34 7/10
Shipping Size	19 x 9 x 43"
Shipping Weight	49 lbs. Glass Included
Cord Length	76"



3



WM-2134 Vertical Convex Electric Fireplace






## WM-2134 SPECIFICATIONS



### Vertical Convex Wall Mounted Electric Fireplace

Are you limited on space? This unique, vertical convex electric fireplace can be mounted flat against the wall or in a corner to make the most of a small area.

Volts	120
Amps	14
Watts	1435 max
Heater	1350 watts high, 675 watts low
No Heater	85 watts
Lamps	2 each 40 watt Candelabra Incandescent, 80 watts total
Rotor Motor	1@5 watts
Height, Width, Depth	26 7/9 x 14 5/9 x 4 4/5
Glass Viewing Opening	13 x 16 8/9
Glass Size	21 2/3 x 34 2/3
Shipping Size	24 x 9 x 36
Shipping Weight	46 lbs. Glass Included
Cord Length	70"





WM-50 Electric Fireplace with optional white glass face and optional Amber fire glass

## WM-50 SPECIFICATIONS

### WM SERIES Flat Front and Convex Fireplace Features

- Crystal Black glass
- Easy-to-install 2-step process
- WM-50 comes with three colors of fire glass media.
- WM-3522CF, WM-2335FF and WM-2335CF all come with rocks and three colors of fire glass media.
- A lifelike, adjustable flame that adds warmth and style to any setting
- Flame operates with or without heat
- Remote control for flame and heater (included)
- On demand heat - great for zone heating
- 120 Volt - 1500 watt/ 5000 btu heater
- Plug located on the right side




Volts	120
Amps	12.5
Watts	1500 max
Heater	1500 watts high, 800 watts low
No Heater	160 watts
Lamps	4 each 40 watts Candelabra Incandescent, 160 watts total
Rotor Motor	1 at 4 watts
Height, Width, Depth	18 1/10 x 38 3/5 x 5 3/10
Glass Viewing Opening	37 x 8 7/10
Glass Size	50 2/5 x 21 7/10
Shipping Size	54 x 26 x 9
Shipping Weight	52 lbs. Glass Included
Cord Length	75"

### Wow Factor.

Add a little flare to your fireplace face with the WM-50. This unit has the option of a crystal black glass face or crystal white glass face to fit your style. You'll also get the look of a beautiful wood fire, realistic log set and ember bed with this easy-to-install electric fireplace. Heats approximately 430 sq. ft.

The WM-50 also comes with three colors of fire glass media, so you can change the look of your fireplace at any time. See fire glass colors on page 9.



sleek



WM-3522CF Convex Electric Fireplace with optional Aqua fire glass



## FIRE GLASS COLORS

Available for WM-50, WM-3522CF, WM-2335FF and WM-2335CF models only)



Hz-01 Clear



Hz-18 Amber



Hz-32 Aqua

## WM-3522CF CONVEX FRONT SPECIFICATIONS




### Convex Front Wall Mounted Electric Fireplace

Set the mood with the WM-3522CF convex electric fireplace. With a realistic flame and modern design, this fireplace will add ambiance to any room. The WM-3522CF comes with rocks and three colors of fire glass media. See fire glass colors above.

Approximate heating area - 376 sq. ft.


Volts	120
Amps	12.5
Watts	1500 max
Heater	1375 watts high, 625 watts low
No Heater	125 watts
Lamps	3 each 40 watt Candelabra Incandescent, 120 watts total
Rotor Motor	1@5 watts
Height, Width, Depth	18 3/5 x 22 1/10 x 5 3/10
Glass Viewing Opening	22 x 11 4/5
Glass Size	35 2/5 x 22 1/10
Shipping Size	38 x 8 x 25
Shipping Weight	47 lbs. Glass Included
Cord Length	75"






WM-2335FF Electric Fireplace with optional Clear fire glass

## WM-2335FF FLAT FRONT SPECIFICATIONS



Volts	120
Amps	12.5
Watts	1500 max
Heater	1415 watts high, 665 watts low
No Heater	85 watts
Lamps	2 each 40 watt Candelabra Incandescent, 80 watts total
Rotor Motor	1@5 watts
Height, Width, Depth	32 2/5 x 17 7/10 x 4 1/5
Glass Viewing Opening	15" x 24"
Glass Size	22 4/5" x 34 1/2"
Shipping Size	37" x 7 3/5" x 25 1/2"
Shipping Weight	42 lbs. Glass Included
Cord Length	75"



### Flat Front Wall Mounted Electric Fireplace

Opportunities abound with the WM-2335FF and WM-2335CF electric fireplaces. Choose between a flat or convex face, or add personal style to your room and change the fireplace media at any time. Comes with rocks and three colors of fire glass media. See fire glass colors on page 9.

Approximate heating area - 376 sq. ft.




WM-2335CF Convex Electric Fireplace with optional Aqua fire glass

*modern*

## WM-2335CF CONVEX FRONT SPECIFICATIONS



Volts	120
Amps	12.5
Watts	1500 max
Heater	1415 watts high, 665 watts low
No Heater	85 watts
Lamps	2 each 40 watt Candelabra Incandescent, 80 watts total
Rotor Motor	1@5 watts
Height, Width, Depth	32 2/5 x 17 7/10 x 4 1/5
Glass Viewing Opening	15 x 24
Glass Size	22 4/5 x 34 1/2
Shipping Size	37 x 9 x 26
Shipping Weight	43 lbs. Glass Included
Cord Length	75"



### Convex Front Wall Mounted Electric Fireplace

A twin to the WM-2335FF, the WM-2335CF electric fireplace offer the option of adding curves to your space with a convex face. Comes with rocks and three colors of fire glass media. See fire glass colors on page 9.

Approximate heating area - 376 sq. ft.

# PRICE LIST

Part Number	Description	MSRP
<b>WM-38</b>		
WM-38-BLKGLASS	38" Electric Fireplace w/Black Glass	
<b>REAL STONE FACED UNITS</b>		
WM-38-BLKGRANITE	38" Electric Fireplace w/Black Granite	
WM-38-GREYLIMESTONE	38" Electric Fireplace w/Grey Limestone	
WM-38-TRAVERTINE	38" Electric Fireplace w/Honey Travertine	
<b>WM-58</b>		
WM-58-BLKGLASS	58" Electric Fireplace w/Black Glass	
<b>REAL STONE FACED UNITS</b>		
WM-58-BLKGRANITE	58" Electric Fireplace w/Black Granite	
WM-58-GREYLIMESTONE	58" Electric Fireplace w/Grey Limestone	
WM-58-TRAVERTINE	58" Electric Fireplace w/Honey Travertine	
<b>WM-95</b>		
WM-95-BLKGLASS	95" Electric Fireplace w/Black Glass	
<b>WALL MOUNT UNITS</b>		
WM-1641	16" x 41" Vertical Convex Electric Fireplace	
WM-2134	21" x 34" Convex Electric Fireplace Can be installed across corner	
WM-50-BLK	50" Electric Fireplace w/Black Glass	
WM-50-WHITE	50" Electric Fireplace w/White Glass	
WM-3522CF	35" x 22" Convex Front Electric Fireplace	
WM-2335FF	23" x 35" Flat Front Electric Fireplace	
WM-2335CF	23" x 35" Convex Front Electric Fireplace	

*Amantii*

Phone: 888.406.8764  
Fax: 877.498.4206  
Web site: [www.amantii.com](http://www.amantii.com)

Distributed By:



Intertek